

# **BARNES PRODUCTS PTY LTD**

Chemwatch: 5595-75

Version No: 2.1

Safety Data Sheet according to the Health and Safety at Work (Hazardous Substances) Regulations 2017

Chemwatch Hazard Alert Code: 2

Issue Date: **11/04/2023** Print Date: **09/06/2023** S.GHS.NZL.EN.E

# SECTION 1 Identification of the substance / mixture and of the company / undertaking

| Product Identifier            |                                  |
|-------------------------------|----------------------------------|
| Product name                  | EASYFLO 60 LIQUID PLASTIC PART B |
| Chemical Name                 | Not Applicable                   |
| Synonyms                      | Not Available                    |
| Chemical formula              | Not Applicable                   |
| Other means of identification | Not Available                    |

#### Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses Casting resin Use according to manufacturer's directions.

#### Details of the manufacturer or supplier of the safety data sheet

| Registered company name | BARNES PRODUCTS PTY LTD                            |
|-------------------------|--|
| Address                 | 5 GREENHILLS AVE MOOREBANK NSW 2170 Australia      |
| Telephone               | Barnes Australia +612 9793 7555 Mon-Fri 8am-4:30pm |
| Fax                     | Barnes Australia +612 9793 7091                    |
| Website                 | www.barnesnz.co.nz                                 |
| Email                   | sales@barnes.com.au                                |

#### Emergency telephone number

| Association / Organisation        | New Zealand Poisons Information Centre                              |  |
|-----------------------------------|---|--|
| Emergency telephone<br>numbers    | Barnes NZ +649 9731 816 - Monday-Thursday 9am-5pm Friday 9am-4.30pm |  |
| Other emergency telephone numbers | New Zealand Poisons Information Centre 0800 764 766 After Hours     |  |

#### **SECTION 2 Hazards identification**

#### Classification of the substance or mixture

| Classification <sup>[1]</sup>                      | Not Applicable |  |
|--|----------------|--|
| Determined by Chemwatch<br>using GHS/HSNO criteria | Not Available  |  |
|  |                |  |

#### Label elements

Hazard pictogram(s) Not Applicable

Signal word Not Applicable

#### Hazard statement(s)

Not Applicable

Precautionary statement(s) Prevention

Not Applicable

Precautionary statement(s) Response Not Applicable

Precautionary statement(s) Storage Not Applicable

Precautionary statement(s) Disposal

Not Applicable

# **SECTION 3 Composition / information on ingredients**

#### Substances

See section below for composition of Mixtures

#### Mixtures

| CAS No        | %[weight]   | Name  |  |  |
|---------------|---|---|--|--|
| Not Available | 30-40 Alkoxylated amine   |   |  |  |
| 6846-50-0     | 30-40   | 2.2.4-trimethyl-1.3-pentanediol diisobutyrate |  |  |
| Legend:       | Legend:<br>1. Classified by Chernwatch; 2. Classification drawn from CCID EPA NZ; 3. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI;<br>4. Classification drawn from C&L * EU IOELVs available |   |  |  |

## **SECTION 4 First aid measures**

| Eye Contact  | <ul> <li>If this product comes in contact with the eyes:</li> <li>Wash out immediately with fresh running water.</li> <li>Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids.</li> <li>Seek medical attention without delay; if pain persists or recurs seek medical attention.</li> <li>Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.</li> </ul>                   |
|--------------|---|
| Skin Contact | <ul> <li>If skin contact occurs:</li> <li>Immediately remove all contaminated clothing, including footwear.</li> <li>Flush skin and hair with running water (and soap if available).</li> <li>Seek medical attention in event of irritation.</li> </ul>   |
| Inhalation   | <ul> <li>If fumes or combustion products are inhaled remove from contaminated area.</li> <li>Lay patient down. Keep warm and rested.</li> <li>Prostheses such as false teeth, which may block airway, should be removed, where possible, prior to initiating first aid procedures.</li> <li>Apply artificial respiration if not breathing, preferably with a demand valve resuscitator, bag-valve mask device, or pocket mask as trained. Perform CPR if necessary.</li> <li>Transport to hospital, or doctor.</li> </ul> |
| Ingestion    | <ul> <li>Immediately give a glass of water.</li> <li>First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor.</li> </ul>   |

# Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# **SECTION 5 Firefighting measures**

# Extinguishing media

- Foam.
- Dry chemical powder.
- BCF (where regulations permit). Carbon dioxide.
- Water spray or fog Large fires only.

# Special hazards arising from the substrate or mixture

| on mav result |
|---------------|
| on may resu   |

## Advice for firefighters

| Advice for menginers  |   |
|-----------------------|---|
| Fire Fighting         | <ul> <li>Alert Fire Brigade and tell them location and nature of hazard.</li> <li>Wear full body protective clothing with breathing apparatus.</li> <li>Prevent, by any means available, spillage from entering drains or water course.</li> <li>Use water delivered as a fine spray to control fire and cool adjacent area.</li> <li>Avoid spraying water onto liquid pools.</li> <li>D ONOT approach containers suspected to be hot.</li> <li>Cool fire exposed containers with water spray from a protected location.</li> </ul>   |
| Fire/Explosion Hazard | <ul> <li>Combustible.</li> <li>Slight fire hazard when exposed to heat or flame.</li> <li>Heating may cause expansion or decomposition leading to violent rupture of containers.</li> <li>On combustion, may emit toxic fumes of carbon monoxide (CO).</li> <li>May emit acrid smoke.</li> <li>Mists containing combustible materials may be explosive.</li> <li>Combustion products include:</li> <li>carbon dioxide (CO2)</li> <li>nitrogen oxides (NOX)</li> <li>other pyrolysis products typical of burning organic material.</li> <li>May emit corrosive fumes.</li> </ul> |

# **SECTION 6 Accidental release measures**

Personal precautions, protective equipment and emergency procedures See section 8

# **Environmental precautions**

See section 12

#### Methods and material for containment and cleaning up

| Minor Spills | <ul> <li>Slippery when spilt.</li> <li>Remove all ignition sources.</li> <li>Clean up all spills immediately.</li> <li>Avoid breathing vapours and contact with skin and eyes.</li> <li>Control personal contact with the substance, by using protective equipment.</li> <li>Contain and absorb spill with sand, earth, inert material or vermiculite.</li> <li>Wipe up.</li> <li>Place in a suitable, labelled container for waste disposal.</li> </ul> |
|--------------|--|
| Major Spills | <ul> <li>Slippery when spilt.</li> <li>Moderate hazard.</li> <li>Clear area of personnel and move upwind.</li> <li>Alert Fire Brigade and tell them location and nature of hazard.</li> <li>Wear breathing apparatus plus protective gloves.</li> <li>Prevent, by any means available, spillage from entering drains or water course.</li> <li>No smoking, naked lights or ignition sources.</li> <li>Increase ventilation.</li> </ul>                   |

Personal Protective Equipment advice is contained in Section 8 of the SDS.

## **SECTION 7 Handling and storage**

| Precautions for safe handling |   |
|-------------------------------|---|
| Safe handling                 | <ul> <li>DO NOT allow clothing wet with material to stay in contact with skin</li> <li>Avoid all personal contact, including inhalation.</li> <li>Wear protective clothing when risk of exposure occurs.</li> <li>Use in a well-ventilated area.</li> <li>Prevent concentration in hollows and sumps.</li> <li>DO NOT enter confined spaces until atmosphere has been checked.</li> <li>Avoid smoking, naked lights or ignition sources.</li> <li>Avoid contact with incompatible materials.</li> </ul> |
| Other information             | <ul> <li>Store in original containers.</li> <li>Keep containers securely sealed.</li> <li>No smoking, naked lights or ignition sources.</li> <li>Store in a cool, dry, well-ventilated area.</li> <li>Store away from incompatible materials and foodstuff containers.</li> <li>Protect containers against physical damage and check regularly for leaks.</li> <li>Observe manufacturer's storage and handling recommendations contained within this SDS.</li> </ul>                                    |

### Conditions for safe storage, including any incompatibilities

| Suitable container      | <ul> <li>Metal can or drum</li> <li>Packaging as recommended by manufacturer.</li> <li>Check all containers are clearly labelled and free from leaks.</li> </ul> |
|-------------------------|--|
| Storage incompatibility | Avoid strong acids, acid chlorides, acid anhydrides and chloroformates.  |

### **SECTION 8 Exposure controls / personal protection**

### **Control parameters**

#### Occupational Exposure Limits (OEL)

INGREDIENT DATA

Not Available

# Emergency Limits

| Ingredient                                    | TEEL-1        | TEEL-2        |               | TEEL-3        |
|---|---------------|---------------|---------------|---------------|
| EASYFLO 60 LIQUID PLASTIC<br>PART B           | Not Available | Not Available |               | Not Available |
| Ingredient                                    | Original IDLH |               | Revised IDLH  |               |
| 2,2,4-trimethyl-1,3-pentanediol diisobutyrate | Not Available |               | Not Available |               |

# Occupational Exposure Banding

| ooupanonal Exposure Fanang                    |  |                                  |  |
|---|--|----------------------------------|--|
| Ingredient                                    | Occupational Exposure Band Rating  | Occupational Exposure Band Limit |  |
| 2,2,4-trimethyl-1,3-pentanediol diisobutyrate | E  | ≤ 0.1 ppm                        |  |
| Notes:  | Occupational exposure banding is a process of assigning chemicals into specific categories or bands based on a chemical's potency and the adverse health outcomes associated with exposure. The output of this process is an occupational exposure band (OEB), which corresponds to a range of exposure concentrations that are expected to protect worker health. |                                  |  |

### Exposure controls

Appropriate engineering controls Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection.

The basic types of engineering controls are: Process controls which involve changing the way a job activity or process is done to reduce the risk. Enclosure and/or isolation of emission source which keeps a selected hazard "physically" away from the worker and ventilation that strategically "adds" and "removes" air in the work environment. Ventilation can remove or dilute an air contaminant if designed properly. The design of a ventilation system must match the particular process and chemical or contaminant in use. Employers may need to use multiple types of controls to prevent employee overexposure Individual protection measures, such as personal protective equipment Safety glasses with side shields. Chemical goggles Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy document, describing Eye and face protection the wearing of lenses or restrictions on use, should be created for each workplace or task. This should include a review of lens absorption and adsorption for the class of chemicals in use and an account of injury experience. Medical and first-aid personnel should be trained in their removal and suitable equipment should be readily available. In the event of chemical exposure, begin eye irrigation immediately and remove contact lens as soon as practicable. Skin protection See Hand protection below Wear chemical protective gloves, e.g. PVC. Wear safety footwear or safety gumboots, e.g. Rubber NOTE: The material may produce skin sensitisation in predisposed individuals. Care must be taken, when removing gloves and other protective equipment, to avoid all possible skin contact. Contaminated leather items, such as shoes, belts and watch-bands should be removed and destroyed. Hands/feet protection The selection of suitable gloves does not only depend on the material, but also on further marks of quality which vary from manufacturer to manufacturer. Where the chemical is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. The exact break through time for substances has to be obtained from the manufacturer of the protective gloves and has to be observed when making a final choice. Personal hygiene is a key element of effective hand care. Gloves must only be worn on clean hands. After using gloves, hands should be washed and dried thoroughly. Application of a non-perfumed moisturiser is recommended. Body protection See Other protection below Overalls P.V.C apron. Other protection Barrier cream. Skin cleansing cream Eye wash unit.

#### **Respiratory protection**

Type A Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)

Selection of the Class and Type of respirator will depend upon the level of breathing zone contaminant and the chemical nature of the contaminant. Protection Factors (defined as the ratio of contaminant outside and inside the mask) may also be important.

| Required minimum protection factor | Maximum gas/vapour concentration present in air p.p.m. (by volume) | Half-face Respirator | Full-Face Respirator |
|------------------------------------|--|----------------------|----------------------|
| up to 10                           | 1000   | A-AUS / Class1       | -                    |
| up to 50                           | 1000   | -                    | A-AUS / Class 1      |
| up to 50                           | 5000   | Airline *            | -                    |
| up to 100                          | 5000   | -                    | A-2                  |
| up to 100                          | 10000  | -                    | A-3                  |
| 100+                               |  |                      | Airline**            |

\* - Continuous Flow \*\* - Continuous-flow or positive pressure demand

A(All classes) = Organic vapours, B AUS or B1 = Acid gasses, B2 = Acid gas or hydrogen cyanide(HCN), B3 = Acid gas or hydrogen cyanide(HCN), E = Sulfur dioxide(SO2), G = Agricultural chemicals, K = Ammonia(NH3), Hg = Mercury, NO = Oxides of nitrogen, MB = Methyl bromide, AX = Low boiling point organic compounds(below 65 degC)

Cartridge respirators should never be used for emergency ingress or in areas of unknown vapour concentrations or oxygen content.

The wearer must be warned to leave the contaminated area immediately on detecting any odours through the respirator. The odour may indicate that the mask is not functioning properly, that the vapour concentration is too high, or that the mask is not properly fitted. Because of these limitations, only restricted use of cartridge respirators is considered appropriate.

Cartridge performance is affected by humidity. Cartridges should be changed after 2 hr of continuous use unless it is determined that the humidity is less than 75%, in which case, cartridges can be used for 4 hr. Used cartridges should be discarded daily, regardless of the length of time used

#### **SECTION 9** Physical and chemical properties

#### Information on basic physical and chemical properties

| Appearance                             | Clear colourless liquid, partly miscible in water. |  |               |
|--|--|--|---------------|
|  |  |  |               |
| Physical state                         | Liquid   | Relative density (Water = 1)               | 1.0           |
| Odour                                  | Slight, Sweet                                      | Partition coefficient n-octanol<br>/ water | Not Available |
| Odour threshold                        | Not Available                                      | Auto-ignition temperature (°C)             | Not Available |
| pH (as supplied)                       | Not Applicable                                     | Decomposition<br>temperature (°C)          | Not Available |
| Melting point / freezing point<br>(°C) | Not Available                                      | Viscosity (cSt)                            | <=160.000     |

| Initial boiling point and boiling<br>range (°C) | Not Available   | Molecular weight (g/mol)            | Not Applicable |
|---|-----------------|-------------------------------------|----------------|
| Flash point (°C)                                | >128            | Taste                               | Not Available  |
| Evaporation rate                                | Not Available   | Explosive properties                | Not Available  |
| Flammability                                    | Not Applicable  | Oxidising properties                | Not Available  |
| Upper Explosive Limit (%)                       | Not Applicable  | Surface Tension (dyn/cm or<br>mN/m) | Not Available  |
| Lower Explosive Limit (%)                       | Not Applicable  | Volatile Component (%vol)           | Not Available  |
| Vapour pressure (kPa)                           | <=0             | Gas group                           | Not Available  |
| Solubility in water                             | Partly miscible | pH as a solution (1%)               | Not Applicable |
| Vapour density (Air = 1)                        | Not Available   | VOC g/L                             | Not Available  |

### **SECTION 10 Stability and reactivity**

| Reactivity                          | See section 7  |
|-------------------------------------|--|
| Chemical stability                  | <ul> <li>Unstable in the presence of incompatible materials.</li> <li>Product is considered stable.</li> <li>Hazardous polymerisation will not occur.</li> </ul> |
| Possibility of hazardous reactions  | See section 7  |
| Conditions to avoid                 | See section 7  |
| Incompatible materials              | See section 7  |
| Hazardous decomposition<br>products | See section 5  |

### **SECTION 11 Toxicological information**

#### Information on toxicological effects

| Inhaled  | The material is not thought to produce respiratory irritation (as classified by EC Directives using animal models). Nevertheless inhalation of vapours, fumes or aerosols, especially for prolonged periods, may produce respiratory discomfort and occasionally, distress.<br>Inhalation of vapours may cause drowsiness and dizziness. This may be accompanied by sleepiness, reduced alertness, loss of reflexes, lack of co-ordination, and vertigo.<br>Inhalation hazard is increased at higher temperatures.<br>Inhalation of aerosols (mists, fumes), generated by the material during the course of normal handling, may be damaging to the health of the individual.           |  |  |
|--|---|--|--|
| Ingestion  | The material has <b>NOT</b> been classified by EC Directives or other classification systems as "harmful by ingestion". This is because of the lack of corroborating animal or human evidence.  |  |  |
| Skin Contact   | The liquid may be able to be mixed with fats or oils and may degrease the skin, producing a skin reaction described as non-allergic contact dermatitis. The material is unlikely to produce an irritant dermatitis as described in EC Directives.<br>Repeated exposure may cause skin cracking, flaking or drying following normal handling and use.<br>Open cuts, abraded or irritated skin should not be exposed to this material<br>Entry into the blood-stream, through, for example, cuts, abrasions or lesions, may produce systemic injury with harmful effects. Examine the skin<br>prior to the use of the material and ensure that any external damage is suitably protected. |  |  |
| Eye  | Although the liquid is not thought to be an irritant (as classified by EC Directives), direct contact with the eye may produce transient discomfort characterised by tearing or conjunctival redness (as with windburn).  |  |  |
|  |   |  |  |
| Chronic  | Based on experience with animal studies, exposure to the<br>not cause significant toxic effects to the mother.<br>Prolonged or repeated skin contact may cause drying with  | ensitisation reaction in some persons compared to the general population.<br>e material may result in toxic effects to the development of the foetus, at levels which on<br>h cracking, irritation and possible dermatitis following.<br>and may cause some concern following repeated or long-term occupational exposure.   |  |
|  | Based on experience with animal studies, exposure to the<br>not cause significant toxic effects to the mother.<br>Prolonged or repeated skin contact may cause drying with  | e material may result in toxic effects to the development of the foetus, at levels which on<br>h cracking, irritation and possible dermatitis following.   |  |
|  | Based on experience with animal studies, exposure to the<br>not cause significant toxic effects to the mother.<br>Prolonged or repeated skin contact may cause drying with<br>Substance accumulation, in the human body, may occur a  | e material may result in toxic effects to the development of the foetus, at levels which on<br>h cracking, irritation and possible dermatitis following.<br>and may cause some concern following repeated or long-term occupational exposure.  |  |
| EASYFLO 60 LIQUID PLASTIC  | Based on experience with animal studies, exposure to the<br>not cause significant toxic effects to the mother.<br>Prolonged or repeated skin contact may cause drying with<br>Substance accumulation, in the human body, may occur a  | e material may result in toxic effects to the development of the foetus, at levels which on<br>h cracking, irritation and possible dermatitis following.<br>and may cause some concern following repeated or long-term occupational exposure.  |  |
| EASYFLO 60 LIQUID PLASTIC  | Based on experience with animal studies, exposure to the not cause significant toxic effects to the mother.<br>Prolonged or repeated skin contact may cause drying with Substance accumulation, in the human body, may occur a  | e material may result in toxic effects to the development of the foetus, at levels which on<br>h cracking, irritation and possible dermatitis following.<br>and may cause some concern following repeated or long-term occupational exposure.  |  |
| EASYFLO 60 LIQUID PLASTIC<br>PART B<br>2,2,4-trimethyl-1,3-pentanediol | Based on experience with animal studies, exposure to the not cause significant toxic effects to the mother.<br>Prolonged or repeated skin contact may cause drying with Substance accumulation, in the human body, may occur a           TOXICITY           Not Available           TOXICITY  | e material may result in toxic effects to the development of the foetus, at levels which of<br>h cracking, irritation and possible dermatitis following.<br>and may cause some concern following repeated or long-term occupational exposure.<br>IRRITATION<br>Not Available<br>IRRITATION   |  |
| EASYFLO 60 LIQUID PLASTIC  | Based on experience with animal studies, exposure to the not cause significant toxic effects to the mother. Prolonged or repeated skin contact may cause drying with Substance accumulation, in the human body, may occur a           TOXICITY           Not Available           TOXICITY           Dermal (rabbit) LD50: >2000 mg/kg <sup>[1]</sup>  | e material may result in toxic effects to the development of the foetus, at levels which of<br>h cracking, irritation and possible dermatitis following.<br>and may cause some concern following repeated or long-term occupational exposure.<br>IRRITATION<br>Not Available<br>IRRITATION<br>Eye (rabbit): very slight** **[Eastman] *[Patty]   |  |
| EASYFLO 60 LIQUID PLASTIC<br>PART B<br>2,2,4-trimethyl-1,3-pentanediol | Based on experience with animal studies, exposure to the not cause significant toxic effects to the mother. Prolonged or repeated skin contact may cause drying with Substance accumulation, in the human body, may occur a           TOXICITY           Not Available           TOXICITY           Dermal (rabbit) LD50: >2000 mg/kg <sup>[1]</sup>  | e material may result in toxic effects to the development of the foetus, at levels which of<br>h cracking, irritation and possible dermatitis following.<br>and may cause some concern following repeated or long-term occupational exposure.<br>IRRITATION<br>Not Available IRRITATION Eye (rabbit): very slight** **[Eastman] *[Patty] Eye: no adverse effect observed (not irritating) <sup>[1]</sup> |  |

NOAEL oral (rat), 103 days = 1% in diet \*\*\* NOEL oral (dog), 90 days = 1% in diet \*\*\* Mutagenicity/Genotoxicity Data: \*\*\* Chromosomal aberration assay: Negative (+/- activation) CHO/HGPRT assay: Negative (+/- activation) Salmonella-E.coli reverse mutation assay (Ames test): Negative (+/- activation) \*,\*\*,\*\*\* Various suppliers MSDS Sensitization Species: Guinea pig: Result: sensitizing Effects on foetal development: Species: Rabbit Application Route: Oral Developmental Toxicity: NOAEL: 300 mg/kg body weight Reproductive toxicity;Assessment: Some evidence of adverse effects on development, based on animal experiments. \* Eastman Benzoflex 6000 Plasticiser The following information refers to contact allergens as a group and may not be specific to this product.

2,2,4-TRIMETHYL-1,3-PENTANEDIOL DIISOBUTYRATE

Contact allergies quickly manifest themselves as contact eczema, more rarely as urticaria or Quincke's oedema. The pathogenesis of contact eczema involves a cell-mediated (T lymphocytes) immune reaction of the delayed type. Other allergic skin reactions, e.g. contact urticaria,

|                                      | vesicles, scaling and thickening of the skin.<br>For 2,2,4-trimethyl-1,3-pentanediol diisobutyrate (TXI | contact with it are equally important. <i>I</i><br>with stronger sensitising potential wit<br>by produce an allergic test reaction in r<br>or repeated exposure and may produ<br>B) | A weakly sensitising substance which is widely<br>h which few individuals come into contact. From a |
|--------------------------------------|---|---|---|
| Acute Toxicity                       | ×   | Carcinogenicity   | ×   |
| Skin Irritation/Corrosion            | ×   | Reproductivity  | ×   |
| Serious Eye Damage/Irritation        | ×   | STOT - Single Exposure  | ×   |
| Respiratory or Skin<br>sensitisation | ×   | STOT - Repeated Exposure  | ×   |
| Mutagenicity                         | ×   | Aspiration Hazard   | ×   |
|                                      |   | Legend: 🗙 – Data either n   | not available or does not fill the criteria for classification                                      |

Data available to make classification

# **SECTION 12 Ecological information**

### Toxicity

| EASYFLO 60 LIQUID PLASTIC<br>PART B | Endpoint         | Test Duration (hr)                    | Species   | Value            | Source           |
|-------------------------------------|------------------|---------------------------------------|---|------------------|------------------|
|                                     | Not<br>Available | Not Available                         | Not Available   | Not<br>Available | Not<br>Available |
|                                     | Endpoint         | Test Duration (hr)                    | Species   | Value            | Source           |
|                                     | BCF              | 1008h                                 | Fish  | 0.6-0.8          | 7                |
| 2,2,4-trimethyl-1,3-pentanediol     | NOEC(ECx)        | 504h                                  | Crustacea   | 0.7mg/l          | 2                |
| disobutyrate                        | LC50             | 96h                                   | Fish  | >1.55mg/l        | 2                |
|                                     | EC50             | 72h                                   | Algae or other aquatic plants   | >7.49mg/l        | 2                |
|                                     | EC50             | 48h                                   | Crustacea   | >1.46mg/l        | 1                |
| Legend:                             | Ecotox databas   | , , , , , , , , , , , , , , , , , , , | Registered Substances - Ecotoxicological Informatic<br>uatic Hazard Assessment Data 6. NITE (Japan) - Bic | , ,              | ,                |

Toxic to aquatic organisms.

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

DO NOT discharge into sewer or waterways.

# Persistence and degradability

| Ingredient                                    | Persistence: Water/Soil | Persistence: Air |
|---|-------------------------|------------------|
| 2,2,4-trimethyl-1,3-pentanediol diisobutyrate | HIGH                    | HIGH             |

### **Bioaccumulative potential**

| Ingredient                                    | Bioaccumulation |
|---|-----------------|
| 2,2,4-trimethyl-1,3-pentanediol diisobutyrate | LOW (BCF = 1)   |

## Mobility in soil

| Ingredient                                    | Mobility          |
|---|-------------------|
| 2,2,4-trimethyl-1,3-pentanediol diisobutyrate | LOW (KOC = 607.5) |

# **SECTION 13 Disposal considerations**

### Waste treatment methods

| Product / Packaging disposal | Legislation addressing waste disposal requirements may differ by country, state and/ or territory. Each user must refer to laws operating in their area. In some areas, certain wastes must be tracked.<br>A Hierarchy of Controls seems to be common - the user should investigate:<br>Reduction<br>Reuse<br>Recycling<br>Disposal (if all else fails)<br>This material may be recycled if unused, or if it has not been contaminated so as to make it unsuitable for its intended use. If it has been contaminated, it may be possible to reclaim the product by filtration, distillation or some other means. Shelf life considerations should also be applied in making decisions of this type. Note that properties of a material may change in use, and recycling or reuse may not always be appropriate.<br>DO NOT allow wash water from cleaning or process equipment to enter drains.<br>It may be necessary to collect all wash water for treatment before disposal. |
|------------------------------|--|
|------------------------------|--|

| <ul> <li>In all cases disposal to sewer may be subject to local laws and regulations and these should be considered first.</li> <li>Where in doubt contact the responsible authority.</li> </ul> |
|--|
| Recycle wherever possible or consult manufacturer for recycling options.   |
| Consult State Land Waste Authority for disposal.   |
| <ul> <li>Bury or incinerate residue at an approved site.</li> </ul>  |
| Recycle containers if possible, or dispose of in an authorised landfill.   |

Ensure that the hazardous substance is disposed in accordance with the Hazardous Substances (Disposal) Notice 2017

#### **Disposal Requirements**

Not applicable as substance/ material is non hazardous.

### **SECTION 14 Transport information**

#### Labels Required

| Marine Pollutant | NO             |
|------------------|----------------|
| HAZCHEM          | Not Applicable |

### Land transport (UN): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

## Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

## Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Transport in bulk according to Annex II of MARPOL and the IBC code

Not Applicable

#### Transport in bulk in accordance with MARPOL Annex V and the IMSBC Code

| Product name                                  | Group         |
|---|---------------|
| 2,2,4-trimethyl-1,3-pentanediol diisobutyrate | Not Available |

#### Transport in bulk in accordance with the IGC Code

| Product name                                  | Ship Type     |
|---|---------------|
| 2,2,4-trimethyl-1,3-pentanediol diisobutyrate | Not Available |

#### **SECTION 15 Regulatory information**

## Safety, health and environmental regulations / legislation specific for the substance or mixture

This substance is to be managed using the conditions specified in an applicable Group Standard

| HSR Number     | Group Standard |
|----------------|----------------|
| Not Applicable | Not Applicable |
|                | I              |

Please refer to Section 8 of the SDS for any applicable tolerable exposure limit or Section 12 for environmental exposure limit.

### 2,2,4-trimethyl-1,3-pentanediol diisobutyrate is found on the following regulatory lists

New Zealand Approved Hazardous Substances with controls New Zealand Hazardous Substances and New Organisms (HSNO) Act - Classification of Chemicals New Zealand Hazardous Substances and New Organisms (HSNO) Act - Classification of Chemicals - Classification Data New Zealand Inventory of Chemicals (NZIoC)

#### **Hazardous Substance Location**

Subject to the Health and Safety at Work (Hazardous Substances) Regulations 2017.

| Hazard Class   | Quantities     |
|----------------|----------------|
| Not Applicable | Not Applicable |

#### **Certified Handler**

Subject to Part 4 of the Health and Safety at Work (Hazardous Substances) Regulations 2017.

| Class of substance | Quantities     |
|--------------------|----------------|
| Not Applicable     | Not Applicable |

Refer Group Standards for further information

### Maximum quantities of certain hazardous substances permitted on passenger service vehicles

Subject to Regulation 13.14 of the Health and Safety at Work (Hazardous Substances) Regulations 2017.

| Hazard Class   | Gas (aggregate water capacity in mL) | Liquid (L)     | Solid (kg)     | Maximum quantity per package for each classification |
|----------------|--------------------------------------|----------------|----------------|--|
| Not Applicable | Not Applicable                       | Not Applicable | Not Applicable | Not Applicable                                       |

Not Applicable

#### **National Inventory Status**

| National Inventory                                 | Status  |  |  |
|--|---|--|--|
| Australia - AIIC / Australia<br>Non-Industrial Use | Yes   |  |  |
| Canada - DSL                                       | Yes   |  |  |
| Canada - NDSL                                      | No (2,2,4-trimethyl-1,3-pentanediol diisobutyrate)  |  |  |
| China - IECSC                                      | Yes   |  |  |
| Europe - EINEC / ELINCS / NLP                      | Yes   |  |  |
| Japan - ENCS                                       | Yes   |  |  |
| Korea - KECI                                       | Yes   |  |  |
| New Zealand - NZIoC                                | Yes   |  |  |
| Philippines - PICCS                                | Yes   |  |  |
| USA - TSCA   | Yes   |  |  |
| Taiwan - TCSI                                      | Yes   |  |  |
| Mexico - INSQ                                      | Yes   |  |  |
| Vietnam - NCI                                      | Yes   |  |  |
| Russia - FBEPH                                     | Yes   |  |  |
| Legend:  | Yes = All CAS declared ingredients are on the inventory<br>No = One or more of the CAS listed ingredients are not on the inventory. These ingredients may be exempt or will require registration. |  |  |

#### **SECTION 16 Other information**

| Revision Date | 11/04/2023 |
|---------------|------------|
| Initial Date  | 11/04/2023 |

#### Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

#### Definitions and abbreviations

PC - TWA: Permissible Concentration-Time Weighted Average PC - STEL: Permissible Concentration-Short Term Exposure Limit IARC: International Agency for Research on Cancer ACGIH: American Conference of Governmental Industrial Hygienists STEL: Short Term Exposure Limit TEEL: Temporary Emergency Exposure Limit, IDLH: Immediately Dangerous to Life or Health Concentrations ES: Exposure Standard OSF: Odour Safety Factor NOAEL :No Observed Adverse Effect Level LOAEL: Lowest Observed Adverse Effect Level TLV: Threshold Limit Value LOD: Limit Of Detection OTV: Odour Threshold Value BCF: BioConcentration Factors BEI: Biological Exposure Index AIIC: Australian Inventory of Industrial Chemicals DSL: Domestic Substances List NDSL: Non-Domestic Substances List IECSC: Inventory of Existing Chemical Substance in China EINECS: European INventory of Existing Commercial chemical Substances ELINCS: European List of Notified Chemical Substances NLP: No-Longer Polymers ENCS: Existing and New Chemical Substances Inventory KECI: Korea Existing Chemicals Inventory NZIoC: New Zealand Inventory of Chemicals PICCS: Philippine Inventory of Chemicals and Chemical Substances TSCA: Toxic Substances Control Act TCSI: Taiwan Chemical Substance Inventory INSQ: Inventario Nacional de Sustancias Químicas NCI: National Chemical Inventory FBEPH: Russian Register of Potentially Hazardous Chemical and Biological Substances

This document is copyright.

Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from CHEMWATCH. TEL (+61 3) 9572 4700.