

ALUMA BLACK A14 BARNES PRODUCTS PTY LTD

Chemwatch: 5246-25 Version No: 7.2

Safety Data Sheet according to the Health and Safety at Work (Hazardous Substances) Regulations 2017

Chemwatch Hazard Alert Code: 4

Issue Date: **15/03/2023** Print Date: **08/06/2023** S.GHS.NZL.EN.E

SECTION 1 Identification of the substance / mixture and of the company / undertaking

Product Identifier

Product name	ALUMA BLACK A14	
Chemical Name	Not Applicable	
Synonyms	A14 BLACK FOR ALUMINIUM	
Proper shipping name	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (contains selenious acid and phosphoric acid)	
Chemical formula	Not Applicable	
Other means of identification	Not Available	

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses Blackening solution for aluminum alloys.

Details of the manufacturer or supplier of the safety data sheet

Registered company name	BARNES PRODUCTS PTY LTD	
Address	GREENHILLS AVE MOOREBANK NSW 2170 Australia	
Telephone	Barnes Australia +612 9793 7555 Mon-Fri 8am-4:30pm	
Fax	Barnes Australia +612 9793 7091	
Website	www.barnesnz.co.nz	
Email	sales@barnes.com.au	

Emergency telephone number

Association / Organisation	New Zealand Poisons Information Centre	
Emergency telephone numbers	arnes NZ +649 9731 816 - Monday-Thursday 9am-5pm Friday 9am-4.30pm	
Other emergency telephone numbers	New Zealand Poisons Information Centre 0800 764 766 After Hours	

SECTION 2 Hazards identification

Classification of the substance or mixture

Classification ^[1]	Oxidizing Liquids Category 3, Corrosive to Metals Category 1, Acute Toxicity (Oral) Category 3, Skin Corrosion/Irritation Category 1A, Sensitisation (Skin) Category 1, Serious Eye Damage/Eye Irritation Category 1, Sensitisation (Respiratory) Category 1, Carcinogenicity Category 1, Reproductive Toxicity Category 2, Specific Target Organ Toxicity - Repeated Exposure Category 2, Hazardous to the Aquatic Environment Acute Hazard Category 1, Hazardous to the Aquatic Environment Long-Term Hazard Category 1	
Legend:	1. Classified by Chemwatch; 2. Classification drawn from CCID EPA NZ; 3. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI	
Determined by Chemwatch using GHS/HSNO criteria	5.1.1C, 8.1A, 6.1C (oral), 8.2A, 8.3A, 6.5A (respiratory), 6.5B (contact), 6.7A, 6.8B, 6.9B, 9.1A	

Label elements

Hazard pictogram(s)











Signal word

Danger

Hazard statement(s)

H272	May intensify fire; oxidiser.
H290	May be corrosive to metals.
H301	Toxic if swallowed.

Chemwatch: **5246-25**Version No: **7.2**

Page 2 of 13 ALUMA BLACK A14

Issue Date: **15/03/2023** Print Date: **08/06/2023**

H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H350	May cause cancer.
H361	Suspected of damaging fertility or the unborn child.
H373	May cause damage to organs through prolonged or repeated exposure.
H410	Very toxic to aquatic life with long lasting effects.

Precautionary statement(s) Prevention

P201	Obtain special instructions before use.	
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.	
P260	Do not breathe mist/vapours/spray.	
P264	Wash all exposed external body areas thoroughly after handling.	
P270	Do not eat, drink or smoke when using this product.	
P280	Wear protective gloves, protective clothing, eye protection and face protection.	
P284	[In case of inadequate ventilation] wear respiratory protection.	

Precautionary statement(s) Response

P342+P311	If experiencing respiratory symptoms: Call a POISON CENTER/doctor/physician/first aider.	
P308+P313	IF exposed or concerned: Get medical advice/ attention.	
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].	
P301+P330+P331	SWALLOWED: Rinse mouth. Do NOT induce vomiting.	
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/doctor/physician/first aider.	

Precautionary statement(s) Storage

P405 Store locked up.

Precautionary statement(s) Disposal

P501 Dispose of contents/container to authorised hazardous or special waste collection point in accordance with any local regulation.

SECTION 3 Composition / information on ingredients

Substances

See section below for composition of Mixtures

Mixtures

CAS No	%[weight]	Name
16872-11-0	10-30	fluoboric acid
7758-99-8	5-10	copper sulfate, pentahydrate
7783-00-8	1-5	selenious acid
7664-38-2	1-5	phosphoric acid
7786-81-4	0.1-1	nickel(II) sulfate
7732-18-5	>60	water
Legend:	1. Classified by Chernwatch; 2. Classification drawn from CCID EPA NZ; 3. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI; 4. Classification drawn from C&L * EU IOELVs available	

SECTION 4 First aid measures

Description of first aid measures

If this product comes in contact with the eyes:

Eye Contact

- Immediately hold eyelids apart and flush the eye continuously with running water.
- Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids.
- Continue flushing until advised to stop by the Poisons Information Centre or a doctor, or for at least 15 minutes.
- Transport to hospital or doctor without delay.

Flush skin under running water for 15 minutes.

▶ Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.

If there is evidence of severe skin irritation or skin burns:

- Avoid further contact. Immediately remove contaminated clothing, including footwear.
- Avoiding contamination of the hands, massage calcium gluconate gel into affected areas, pay particular attention to creases in skin.
- Skin Contact

 Contact the Poisons Information Centre.
 - Continue gel application for at least 15 minutes after burning sensation ceases.
 - If pain recurs, repeat application of calcium gluconate gel or apply every 20 minutes.
 - If no gel is available, continue washing for at least 15 minutes, using soap if available. If patient is conscious, give six calcium gluconate or calcium carbonate tablets in water by mouth.

Chemwatch: 5246-25 Issue Date: 15/03/2023 Page 3 of 13 Version No: 7.2 Print Date: 08/06/2023

ALUMA BLACK A14

	► Transport to hospital, or doctor, urgently.
Inhalation	 If fumes or combustion products are inhaled remove from contaminated area. Lay patient down. Keep warm and rested. Prostheses such as false teeth, which may block airway, should be removed, where possible, prior to initiating first aid procedures. Apply artificial respiration if not breathing, preferably with a demand valve resuscitator, bag-valve mask device, or pocket mask as trained. Perform CPR if necessary. Transport to hospital, or doctor, without delay.
Ingestion	 If swallowed do NOT induce vomiting. If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration. Observe the patient carefully. Never give liquid to a person showing signs of being sleepy or with reduced awareness; i.e. becoming unconscious. Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfortably drink. Seek medical advice.

Indication of any immediate medical attention and special treatment needed

Following acute or short term repeated exposure to hydrofluoric acid:

- ▶ Subcutaneous injections of Calcium Gluconate may be necessary around the burnt area. Continued application of Calcium Gluconate Gel or subcutaneous Calcium Gluconate should then continue for 3-4 days at a frequency of 4-6 times per day. If a "burning" sensation recurs, apply more frequently.
- Systemic effects of extensive hydrofluoric acid burns include renal damage, hypocalcaemia and consequent cardiac arrhythmias. Monitor haematological, respiratory, renal, cardiac and electrolyte status at least daily. Tests should include FBE, blood gases, chest X-ray, creatinine and electrolytes, urine output, Ca ions, Mg ions and phosphate ions. Continuous ECG monitoring may be required.
- Where serum calcium is low, or clinical, or ECG signs of hypocalcaemia develop, infusions of calcium gluconate, or if less serious, oral Sandocal, should be given. Hydrocortisone 500 mg in a four to six hourly infusion may help.
- Antibiotics should not be given as a routine, but only when indicated.
- Eye contact pain may be excruciating and 2-3 drops of 0.05% pentocaine hydrochloride may be instilled, followed by further irrigation

BIOLOGICAL EXPOSURE INDEX - BEI

These represent the determinants observed in specimens collected from a healthy worker exposed at the Exposure Standard (ES or TLV):

Sampling Time Comments Determinant Index 1.5% of haemoglobin B, NS, SQ 1. Methaemoglobin in blood During or end of shift

- B: Background levels occur in specimens collected from subjects NOT exposed.
- NS: Non-specific determinant; Also seen after exposure to other materials
- SQ: Semi-quantitative determinant Interpretation may be ambiguous; should be used as a screening test or confirmatory test.

other pyrolysis products typical of burning organic material.

Treat symptomatically.

Management of chronic selenium intoxication is supportive with elimination of the selenium source. BAL (dimercaprol, 2,3-dimercaptopropanol) and CaNa2EDTA may enhance toxicity.

There are no antidotes to selenious acid toxicity; treatment is expectant (cardiopulmonary monitoring in an intensive care setting) and supportive (intravenous infusion, supplemental oxygen and ventilation as needed).

SECTION 5 Firefighting measures

Extinguishing media

Use extinguishing media suitable for surrounding area.

Special hazards arising from the substrate or mixture

Fire Incompatibility	None known.		
Advice for firefighters			
Fire Fighting	 Alert Fire Brigade and tell them location and nature of hazard. Wear full body protective clothing with breathing apparatus. Prevent, by any means available, spillage from entering drains or water course. Use fire fighting procedures suitable for surrounding area. Do not approach containers suspected to be hot. Cool fire exposed containers with water spray from a protected location. If safe to do so, remove containers from path of fire. 		
Fire/Explosion Hazard	 Non combustible. Not considered to be a significant fire risk. Acids may react with metals to produce hydrogen, a highly flammable and explosive gas. Heating may cause expansion or decomposition leading to violent rupture of containers. May emit corrosive, poisonous fumes. May emit acrid smoke. carbon dioxide (CO2) hydrogen fluoride nitrogen oxides (NOx) phosphorus oxides (POx) sulfur oxides (SOx) metal oxides 		

SECTION 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

See section 8

Environmental precautions

Issue Date: 15/03/2023 Print Date: 08/06/2023

See section 12

Methods and material for containment and cleaning up

Environmental hazard - contain spillage. Drains for storage or use areas should have retention basins for pH adjustments and dilution of spills before discharge or disposal of Check regularly for spills and leaks. Clean up all spills immediately. Minor Spills Avoid breathing vapours and contact with skin and eyes. ▶ Control personal contact with the substance, by using protective equipment. Contain and absorb spill with sand, earth, inert material or vermiculite. Wipe up. Place in a suitable, labelled container for waste disposal. Environmental hazard - contain spillage. Clear area of personnel and move upwind. Alert Fire Brigade and tell them location and nature of hazard. Wear full body protective clothing with breathing apparatus. **Major Spills** Prevent, by any means available, spillage from entering drains or water course. ► Consider evacuation (or protect in place). Stop leak if safe to do so. ► Contain spill with sand, earth or vermiculite.

Personal Protective Equipment advice is contained in Section 8 of the SDS.

SECTION 7 Handling and storage

Procautions for eafe handling

Frecautions for sale flanding	
Safe handling	DO NOT allow clothing wet with material to stay in contact with skin Avoid all personal contact, including inhalation. Wear protective clothing when risk of exposure occurs. Use in a well-ventilated area. Avoid contact with moisture. Avoid contact with incompatible materials. When handling, DO NOT eat, drink or smoke. Keep containers securely sealed when not in use.
Other information	Store in original containers. Keep containers securely sealed. Store in a cool, dry, well-ventilated area. Store in a cool, dry, well-ventilated area.

- Store away from incompatible materials and foodstuff containers.
- Protect containers against physical damage and check regularly for leaks. ▶ Observe manufacturer's storage and handling recommendations contained within this SDS.

Conditions for safe storage, including any incompatibilities

Suitable container	Packaging as recommended by manufacturer.
Storage incompatibility	Avoid storage with reducing agents. cyanides

SECTION 8 Exposure controls / personal protection

Control parameters

Occupational Exposure Limits (OEL)

INGREDIENT DATA

MONEDIENT DATA						
Source	Ingredient	Material name	TWA	STEL	Peak	Notes
New Zealand Workplace Exposure Standards (WES)	copper sulfate, pentahydrate	Copper and its inorganic compounds, as Cu respirable dust	0.01 mg/m3	Not Available	Not Available	(dsen) - Dermal sensitiser
New Zealand Workplace Exposure Standards (WES)	selenious acid	Selenium and compounds, as Se	0.1 mg/m3	Not Available	Not Available	Not Available
New Zealand Workplace Exposure Standards (WES)	phosphoric acid	Phosphoric acid	1 mg/m3	Not Available	Not Available	Not Available
New Zealand Workplace Exposure Standards (WES)	nickel(II) sulfate	Nickel, inorganic compounds	0.02 mg/m3	Not Available	Not Available	carcinogen category 2 - Suspected human carcinogen (sen) - Sensitiser
New Zealand Workplace Exposure Standards (WES)	nickel(II) sulfate	Nickel, inorganic compounds respirable dust	0.005 mg/m3	Not Available	Not Available	carcinogen category 2 - Suspected human carcinogen (sen) - Sensitiser

Emergency Limits

Ingredient	TEEL-1	TEEL-2	TEEL-3
fluoboric acid	8.7 mg/m3	97 mg/m3	580 mg/m3
copper sulfate, pentahydrate	7.5 mg/m3	9.9 mg/m3	59 mg/m3
copper sulfate, pentahydrate	12 mg/m3	32 mg/m3	190 mg/m3
selenious acid	23 mg/m3	250 mg/m3	1,500 mg/m3
phosphoric acid	Not Available	Not Available	Not Available
nickel(II) sulfate	1.3 mg/m3	8.7 mg/m3	52 mg/m3

Issue Date: **15/03/2023**Print Date: **08/06/2023**

Ingredient	TEEL-1	TEEL-2		TEEL-3
nickel(II) sulfate	0.79 mg/m3	8.6 mg/m3		51 mg/m3
Ingredient	Original IDLH		Revised IDLH	
fluoboric acid	Not Available		Not Available	
copper sulfate, pentahydrate	Not Available		Not Available	
selenious acid	1 mg/m3		Not Available	
phosphoric acid	1,000 mg/m3		Not Available	
nickel(II) sulfate	10 mg/m3		Not Available	
water	Not Available		Not Available	

Occupational Exposure Banding

Ingredient	Occupational Exposure Band Rating	Occupational Exposure Band Limit
fluoboric acid	Е	≤ 0.1 ppm
Notes:	Occupational exposure banding is a process of assigning chemicals into specific categories or bands based on a chemical's potency and the	

Exposure controls

Appropriate engineering controls

Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection. The basic types of engineering controls are:

Process controls which involve changing the way a job activity or process is done to reduce the risk.

Enclosure and/or isolation of emission source which keeps a selected hazard "physically" away from the worker and ventilation that strategically "adds" and "removes" air in the work environment. Ventilation can remove or dilute an air contaminant if designed properly. The design of a ventilation system must match the particular process and chemical or contaminant in use.

Employers may need to use multiple types of controls to prevent employee overexposure.

Individual protection measures, such as personal protective equipment







range of exposure concentrations that are expected to protect worker health.



Eye and face protection

- Safety glasses with unperforated side shields may be used where continuous eye protection is desirable, as in laboratories; spectacles are not sufficient where complete eye protection is needed such as when handling bulk-quantities, where there is a danger of splashing, or if the material may be under pressure.
- Chemical goggles whenever there is a danger of the material coming in contact with the eyes; goggles must be properly fitted.
- Full face shield (20 cm, 8 in minimum) may be required for supplementary but never for primary protection of eyes; these afford face protection.
- Alternatively a gas mask may replace splash goggles and face shields.
- Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy document, describing the wearing of lenses or restrictions on use, should be created for each workplace or task. This should include a review of lens absorption and adsorption for the class of chemicals in use and an account of injury experience.

Skin protection

See Hand protection below

- ► Elbow length PVC gloves
- When handling corrosive liquids, wear trousers or overalls outside of boots, to avoid spills entering boots.
 NOTE:

The material may produce skin sensitisation in predisposed individuals. Care must be taken, when removing gloves and other protective equipment, to avoid all possible skin contact.

Hands/feet protection

• Contaminated leather items, such as shoes, belts and watch-bands should be removed and destroyed.

The selection of suitable gloves does not only depend on the material, but also on further marks of quality which vary from manufacturer to manufacturer. Where the chemical is a preparation of several substances, the resistance of the glove material can not be calculated in advance

and has therefore to be checked prior to the application.

The exact break through time for substances has to be obtained from the manufacturer of the protective gloves and has to be observed when making a final choice.

Personal hygiene is a key element of effective hand care. Gloves must only be worn on clean hands. After using gloves, hands should be washed and dried thoroughly. Application of a non-perfumed moisturiser is recommended.

Body protection

See Other protection below

Other protection

- Overalls.
- PVC Apron.
- ▶ PVC protective suit may be required if exposure severe.
- Eyewash unit.
- Ensure there is ready access to a safety shower.

Recommended material(s)

GLOVE SELECTION INDEX

Glove selection is based on a modified presentation of the:

"Forsberg Clothing Performance Index".

The effect(s) of the following substance(s) are taken into account in the *computer-generated* selection:

ALUMA BLACK A14

Material	СРІ
NEOPRENE	A
BUTYL	С
NAT+NEOPR+NITRILE	С

Respiratory protection

Type AB-P Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)

Where the concentration of gas/particulates in the breathing zone, approaches or exceeds the "Exposure Standard" (or ES), respiratory protection is required. Degree of protection varies with both face-piece and Class of filter; the nature of protection varies with Type of filter.

Required Minimum	Half-Face	Full-Face	Powered Air
Protection Factor	Respirator	Respirator	Respirator
up to 10 x ES	AB-AUS P2	-	AB-PAPR-AUS / Class 1 P2

Issue Date: **15/03/2023**Print Date: **08/06/2023**

NATURAL RUBBER	c
NATURAL+NEOPRENE	С
NEOPRENE/NATURAL	С
NITRILE	С
NITRILE+PVC	С
PE	С
PVA	С
PVC	С
SARANEX-23	С
VITON	С

^{*} CPI - Chemwatch Performance Index

NOTE: As a series of factors will influence the actual performance of the glove, a final selection must be based on detailed observation. -

* Where the glove is to be used on a short term, casual or infrequent basis, factors such as "feel" or convenience (e.g. disposability), may dictate a choice of gloves which might otherwise be unsuitable following long-term or frequent use. A qualified practitioner should be consulted.

up to 50 x ES	-	AB-AUS / Class 1 P2	-	
up to 100 x ES	-	AB-2 P2	AB-PAPR-2 P2 ^	

^ - Full-face

A(All classes) = Organic vapours, B AUS or B1 = Acid gasses, B2 = Acid gas or hydrogen cyanide(HCN), B3 = Acid gas or hydrogen cyanide(HCN), E = Sulfur dioxide(SO2), G = Agricultural chemicals, K = Ammonia(NH3), Hg = Mercury, NO = Oxides of nitrogen, MB = Methyl bromide, AX = Low boiling point organic compounds(below 65 degC)

- Cartridge respirators should never be used for emergency ingress or in areas of unknown vapour concentrations or oxygen content.
- The wearer must be warned to leave the contaminated area immediately on detecting any odours through the respirator. The odour may indicate that the mask is not functioning properly, that the vapour concentration is too high, or that the mask is not properly fitted. Because of these limitations, only restricted use of cartridge respirators is considered appropriate.
- Cartridge performance is affected by humidity. Cartridges should be changed after 2 hr of continuous use unless it is determined that the humidity is less than 75%, in which case, cartridges can be used for 4 hr. Used cartridges should be discarded daily, regardless of the length of time used

76ab-p()

SECTION 9 Physical and chemical properties

Information on basic physical and chemical properties

Appearance	Clear blue acidic liquid with no odour; mixes with water.		
Physical state	Liquid	Relative density (Water = 1)	1.099
Odour	Not Available	Partition coefficient n-octanol / water	Not Available
Odour threshold	Not Available	Auto-ignition temperature (°C)	Not Applicable
pH (as supplied)	<1.0	Decomposition temperature (°C)	Not Available
Melting point / freezing point (°C)	Not Available	Viscosity (cSt)	Not Available
Initial boiling point and boiling range (°C)	>100	Molecular weight (g/mol)	Not Applicable
Flash point (°C)	Not Applicable	Taste	Not Available
Evaporation rate	<1.0 Ether = 1	Explosive properties	Not Available
Flammability	Not Applicable	Oxidising properties	Not Available
Upper Explosive Limit (%)	Not Applicable	Surface Tension (dyn/cm or mN/m)	Not Available
Lower Explosive Limit (%)	Not Applicable	Volatile Component (%vol)	Not Available
Vapour pressure (kPa)	Not Available	Gas group	Not Available
Solubility in water	Miscible	pH as a solution (1%)	Not Available
Vapour density (Air = 1)	<1	VOC g/L	Not Available

SECTION 10 Stability and reactivity

Reactivity	See section 7
Chemical stability	► Contact with alkaline material liberates heat
Possibility of hazardous reactions	See section 7
Conditions to avoid	See section 7
Incompatible materials	See section 7
Hazardous decomposition products	See section 5

SECTION 11 Toxicological information

Information on toxicological effects

Inhalation of vapours or aerosols (mists, fumes), generated by the material during the course of normal handling, may be harmful.

The material can cause respiratory irritation in some persons. The body's response to such irritation can cause further lung damage.

Corrosive acids can cause irritation of the respiratory tract, with coughing, choking and mucous membrane damage. There may be dizziness, headache, nausea and weakness.

Inhaled

Copper poisoning following exposure to copper dusts and fume may result in headache, cold sweat and weak pulse. Capillary, kidney, liver and brain damage are the longer term manifestations of such poisoning. Inhalation of freshly formed metal oxide particles sized below 1.5 microns and generally between 0.02 to 0.05 microns may result in "metal fume fever". Symptoms may be delayed for up to 12 hours and begin with the sudden onset of thirst, and a sweet, metallic or foul taste in the mouth. Other symptoms include upper respiratory tract irritation accompanied by coughing and a dryness of the mucous membranes, lassitude and a generalised feeling of malaise. Mild to severe headache, nausea, occasional

A: Best Selection

B: Satisfactory; may degrade after 4 hours continuous immersion

C: Poor to Dangerous Choice for other than short term immersion

Chemwatch: **5246-25**Version No: **7.2**ALLIMA BLACK

ALUMA BLACK A14

Issue Date: **15/03/2023**Print Date: **08/06/2023**

	vomiting, fever or chills, exaggerated mental activity, profuse sweating, of to the fumes develops rapidly, but is quickly lost. Acute effects of fluoride inhalation include irritation of nose and throat, or cause nose bleed.		
Ingestion	Toxic effects may result from the accidental ingestion of the material; animal experiments indicate that ingestion of less than 40 gram may be fatal or may produce serious damage to the health of the individual. Ingestion of acidic corrosives may produce burns around and in the mouth, the throat and oesophagus. Immediate pain and difficulties in swallowing and speaking may also be evident.		
Skin Contact	Skin contact with acidic corrosives may result in pain and burns; these may be deep with distinct edges and may heal slowly with the formation of scar tissue. Fluorides are easily absorbed through the skin and cause death of soft tissue and erode bone. Healing is delayed and death of tissue may continue to spread beneath skin. Open cuts, abraded or irritated skin should not be exposed to this material Contact of the skin with liquid hydrofluoric acid (hydrogen fluoride) may cause severe burns, erythema, and swelling, vesiculation, and serious crusting. With more serious burns, ulceration, blue-gray discoloration, and necrosis may occur. Solutions of hydrofluoric acid, as dilute as 2%, may cause severe skin burns. Dermal burns may not be readily noticed or painful, unlike the warning properties of other acids. Skin contact with HF concentrations in the 20% to 50% range may not produce symptoms for one to eight hours. With concentrations less than 20%, the latency period may be up to twenty-four hours. A solution of only 1-2% HF exposed to greater than 10% of the body is fatal without medical attention; however dermal burns are not likely immediate. Entry into the blood-stream, through, for example, cuts, abrasions or lesions, may produce systemic injury with harmful effects. Examine the skin prior to the use of the material and ensure that any external damage is suitably protected.		
Еуе	If applied to the eyes, this material causes severe eye damage. Direct eye contact with acid corrosives may produce pain, tears, sensitiv and completely.	rity to light and burns. Mild burns of the epithelia generally recover rapidly	
Chronic	Repeated or prolonged exposure to acids may result in the erosion of te with cough, and inflammation of lung tissue often occurs. Repeated or long-term occupational exposure is likely to produce cumulation contact with a substance may result in airways diseases. Strong evidence exists that this substance may cause irreversible mutating this product is more likely to cause a sensitisation reaction in so Skin contact with the material is more likely to cause a sensitisation reaction in so Skin contact with the material is more likely to cause a sensitisation reaction in the substance of serious damage to health by prolonged exposure that This material can cause serious damage if one is exposed to it for long produce severe defects. Laboratory (in vitro) and animal studies show, exposure to the material in producing mutation. Extended exposure to inorganic fluorides causes fluorosis, which include vomiting, loss of appetite, diarrhoea or constipation, weight loss, anaemi urination and thirst.	e, involving difficulty breathing and related whole-body problems. ions (though not lethal) even following a single exposure. ome persons compared to the general population. otion in some persons compared to the general population. ough inhalation. operiods. It can be assumed that it contains a substance which can may result in a possible risk of irreversible effects, with the possibility of es signs of joint pain and stiffness, tooth discolouration, nausea and	
ALUMA BLACK A14	Not Available	IRRITATION Not Available	
fluoboric acid	TOXICITY Oral (Rat) LD50: 100 mg/kg ^[2]	IRRITATION Not Available	
copper sulfate, pentahydrate	TOXICITY dermal (rat) LD50: >2000 mg/kg ^[2] Oral (Mouse) LD50; 43 mg/kg ^[2]	IRRITATION Not Available	
	TOXICITY	IRRITATION	
selenious acid	Dermal (rabbit) LD50: 4 mg/kg ^[2] Oral (Rat) LD50: 25 mg/kg ^[2]	Not Available	
	TOXICITY	IRRITATION	
	Dermal (rabbit) LD50: >1260 mg/kg ^[2]	Eye (rabbit): 119 mg - SEVERE [Monsanto]*	
phosphoric acid	Inhalation(Rat) LC50: 0.026 mg/L4h ^[2]	Eye: adverse effect observed (irritating) ^[1]	
phosphoric acid	Oral (Rat) LD50: 1530 mg/kg ^[2]	Skin (rabbit):595 mg/24h - SEVERE	
	Oral (Nat) EDDD: 1000 Highty 7	Skin: adverse effect observed (corrosive) ^[1]	
	TOXICITY	IRRITATION	
nickel(II) sulfate	Oral (Rat) LD50: 264 mg/kg ^[2]	Not Available	
water	TOXICITY Oral (Rat) LD50: >90000 mg/kg ^[2]	IRRITATION Not Available	
Legend:	Nature obtained from Europe ECHA Registered Substances - Acute to Specified data extracted from PTECS - Pagister of Toxic Effect of showing		
	specified data extracted from RTECS - Register of Toxic Effect of chemic	uai Subsidiiles	

Chemwatch: 5246-25 Page 8 of 13 Issue Date: 15/03/2023 Version No: 7.2

ALUMA BLACK A14

Print Date: 08/06/2023

Goitrogens include:

- Vitexin, a flavonoid, which inhibits thyroid peroxidase, contributing to goitre
- Thiocyanate and perchlorate, which decrease iodide uptake by competitive inhibition and consequently increase release of TSH from the pituitary gland
 - Lithium, which inhibits thyroid hormone release
 - Certain foods, such as soy and millet (containing vitexins) and vegetables in the genus Brassica (which includes broccoli, Brussels sprouts, cabbage, cauliflower and horseradish).
 - Caffeine (found in coffee, tea, cola and chocolate), which acts on thyroid function as a suppressant,

The material may produce moderate eye irritation leading to inflammation. Repeated or prolonged exposure to irritants may produce

The material may produce respiratory tract irritation, and result in damage to the lung including reduced lung function.

The material may cause skin irritation after prolonged or repeated exposure and may produce on contact skin redness, swelling, the production of vesicles, scaling and thickening of the skin

COPPER SULFATE. **PENTAHYDRATE**

for copper and its compounds (typically copper chloride):

Acute toxicity: There are no reliable acute oral toxicity results available. In an acute dermal toxicity study (OECD TG 402), one group of 5 male rats and 5 groups of 5 female rats received doses of 1000, 1500 and 2000 mg/kg bw via dermal application for 24 hours. The LD50 values of copper monochloride were 2,000 mg/kg bw or greater for male (no deaths observed) and 1,224 mg/kg bw for female. Four females died at both 1500 and 2000 mg/kg bw, and one at 1,000 mg/kg bw. Symptom of the hardness of skin, an exudation of hardness site, the formation of scar and reddish changes were observed on application sites in all treated animals. Skin inflammation and injury were also noted. In addition, a reddish or black urine was observed in females at 2,000, 1,500 and 1,000 mg/kg bw. For copper sulfate

Copper sulfate is corrosive. Side effects are diverse and multi-systemic, and include severe gastrointestinal symptoms and signs, metallic taste in the mouth, burning pain in the chest, headache, sweating, shock and damage to brain, liver and kidneys. It has been reported as a cause of human suicide. On exposure, it can cause dose dependent damage to the skin and eye, also, eczema and allergic reactions. Long term effects can lead to anaemia and degenerative changes and are more likely in individuals with Wilson's disease, a condition which causes excessive absorption and storage of copper. It has adverse effects on reproduction and fertility as well as cancer and embryo toxic effects. Although it is excreted in the faeces, there is residual accumulation the liver, brain, heart, kidney and muscles.

PHOSPHORIC ACID

The material may produce severe irritation to the eye causing pronounced inflammation. Repeated or prolonged exposure to irritants may

The material may cause severe skin irritation after prolonged or repeated exposure and may produce on contact skin redness, swelling, the production of vesicles, scaling and thickening of the skin. Repeated exposures may produce severe ulceration.

WARNING: IARC Cancer Review - Human Sufficient Evidence.

The following information refers to contact allergens as a group and may not be specific to this product.

NICKEL(II) SULFATE

Contact allergies quickly manifest themselves as contact eczema, more rarely as urticaria or Quincke's gedema. The pathogenesis of contact eczema involves a cell-mediated (T lymphocytes) immune reaction of the delayed type. Other allergic skin reactions, e.g. contact urticaria involve antibody-mediated immune reactions. The significance of the contact allergen is not simply determined by its sensitisation potential: the distribution of the substance and the opportunities for contact with it are equally important. A weakly sensitising substance which is widely distributed can be a more important allergen than one with stronger sensitising potential with which few individuals come into contact. From a clinical point of view, substances are noteworthy if they produce an allergic test reaction in more than 1% of the persons tested. Allergic reactions involving the respiratory tract are usually due to interactions between IgE antibodies and allergens and occur rapidly. Allergic potential of the allergen and period of exposure often determine the severity of symptoms. Some people may be genetically more prone than others, and exposure to other irritants may aggravate symptoms. Allergy causing activity is due to interactions with proteins. Attention should be paid to atopic diathesis, characterised by increased susceptibility to nasal inflammation, asthma and eczema. Exogenous allergic alveolitis is induced essentially by allergen specific immune-complexes of the IgG type; cell-mediated reactions (T lymphocytes) may be involved. Such allergy is of the delayed type with onset up to four hours following exposure.

Asthma-like symptoms may continue for months or even years after exposure to the material ends. This may be due to a non-allergic condition known as reactive airways dysfunction syndrome (RADS) which can occur after exposure to high levels of highly irritating compound. Main criteria for diagnosing RADS include the absence of previous airways disease in a non-atopic individual, with sudden onset of persistent asthma-like symptoms within minutes to hours of a documented exposure to the irritant. Other criteria for diagnosis of RADS include a reversible airflow pattern on lung function tests, moderate to severe bronchial hyperreactivity on methacholine challenge testing, and the lack of minimal lymphocytic inflammation, without eosinophilia. RADS (or asthma) following an irritating inhalation is an infrequent disorder with rates related to the concentration of and duration of exposure to the irritating substance. On the other hand, industrial bronchitis is a disorder that occurs as a result of exposure due to high concentrations of irritating substance (often particles) and is completely reversible after exposure ceases. The disorder is characterized by difficulty breathing, cough and mucus production.

FLUOBORIC ACID & PHOSPHORIC ACID & WATER

No significant acute toxicological data identified in literature search.

FLUOBORIC ACID & PHOSPHORIC ACID

FLUOBORIC ACID &

NICKEL(II) SULFATE

PHOSPHORIC ACID &

For acid mists, aerosols, vapours

Test results suggest that eukaryotic cells are susceptible to genetic damage when the pH falls to about 6.5. Cells from the respiratory tract have not been examined in this respect. Mucous secretion may protect the cells of the airway from direct exposure to inhaled acidic mists (which also protects the stomach lining from the hydrochloric acid secreted there)

Acute Toxicity	✓	Carcinogenicity	✓
Skin Irritation/Corrosion	✓	Reproductivity	✓
Serious Eye Damage/Irritation	✓	STOT - Single Exposure	×
Respiratory or Skin sensitisation	✓	STOT - Repeated Exposure	✓
Mutagenicity	×	Aspiration Hazard	×

Legend:

— Data either not available or does not fill the criteria for classification

- Data available to make classification

SECTION 12 Ecological information

Toxicity

	Endpoint	Test Duration (hr)	Species	Value	Source
ALUMA BLACK A14	Not Available	Not Available	Not Available	Not Available	Not Available

Page 9 of 13

Issue Date: 15/03/2023 Print Date: 08/06/2023 **ALUMA BLACK A14**

96h 72h 48h 72h Test Duration (hr) 96h 72h 96h 48h Test Duration (hr) 72h 96h 72h 72h 72h	Fish Algae or other aquatic plants Crustacea Algae or other aquatic plants Species Crustacea Algae or other aquatic plants Fish Crustacea Algae or other aquatic plants Fish Crustacea Algae or other aquatic plants Fish Crustacea Algae or other aquatic plants Fish Crustacea Algae or other aquatic plants Algae or other aquatic plants Algae or other aquatic plants Species Algae or other aquatic plants	2600mg >100mg >100mg/l Value 0.001mg/l 0.8mg/L 0.003mg/ 0.62mg/l 1.12mg/l 0.006mg/L 16.342-37.85mg/L Value <7.5mg/l	1 2 2 2 Source 5 5 5 4 4 5 Source Source
48h 72h Test Duration (hr) 96h 72h 96h 48h Test Duration (hr) 72h 96h 48h Xx) 0.08h 96h Test Duration (hr) 72h 72h	Crustacea Algae or other aquatic plants Species Crustacea Algae or other aquatic plants Fish Crustacea Algae or other aquatic plants Fish Crustacea Algae or other aquatic plants Fish Crustacea Algae or other aquatic plants	>100mg/l 100mg/l Value 0.001mg/l 0.8mg/L 0.073mg/ 0.003mg/ Value 13.969-28.027mg/ 0.62mg/l 1.12mg/l 0.006mg/L 16.342-37.85mg/L Value	Source Source Source 4 4 2 4 5 Source 4 5 Source 4 5 Source
Test Duration (hr) 96h 72h 96h 48h Test Duration (hr) 72h 96h 48h **X ** ** ** ** ** ** ** ** *	Species Crustacea Algae or other aquatic plants Fish Crustacea Algae or other aquatic plants Fish Crustacea Algae or other aquatic plants Fish Crustacea Algae or other aquatic plants	100mg/l Value 0.001mg/l 0.8mg/L 0.073mg/ 0.003mg/ Value 13.969-28.027mg/ 0.62mg/l 1.12mg/l 0.006mg/L 16.342-37.85mg/L Value	2
Test Duration (hr) 96h 72h 96h 48h Test Duration (hr) 72h 96h 48h xx) 0.08h 96h Test Duration (hr) 72h 72h	Species Crustacea Algae or other aquatic plants Fish Crustacea Species Algae or other aquatic plants Fish Crustacea Algae or other aquatic plants Algae or other aquatic plants Algae or other aquatic plants Species	Value 0.001mg/ 0.8mg/L 0.073mg/ 0.003mg/ Value 13.969-28.027mg/ 0.62mg/l 1.12mg/l 0.006mg/L 16.342-37.85mg/L Value	Source
y) 96h 72h 96h 48h Test Duration (hr) 72h 96h 48h 48h x) 0.08h 96h Test Duration (hr) 72h	Crustacea Algae or other aquatic plants Fish Crustacea Species Algae or other aquatic plants Fish Crustacea Algae or other aquatic plants Algae or other aquatic plants Algae or other aquatic plants Species	0.001mg/ 0.8mg/L 0.073mg/ 0.003mg/ Value 13.969-28.027mg/ 0.62mg/l 1.12mg/l 0.006mg/L 16.342-37.85mg/L	5 5 5 4 4 5 5 Source 4 4 4 2 4 4 Source
72h 96h 48h Test Duration (hr) 72h 96h 48h xx) 0.08h 96h Test Duration (hr) 72h	Algae or other aquatic plants Fish Crustacea Species Algae or other aquatic plants Fish Crustacea Algae or other aquatic plants Algae or other aquatic plants Species	0.8mg/L 0.073mg/ 0.003mg/ Value 13.969-28.027mg/ 0.62mg/l 1.12mg/l 0.006mg/L 16.342-37.85mg/L Value	5 4 5 Source 4 4 2 4 4 Source
96h 48h Test Duration (hr) 72h 96h 48h 48h x) 0.08h 96h Test Duration (hr) 72h	Fish Crustacea Species Algae or other aquatic plants Fish Crustacea Algae or other aquatic plants Algae or other aquatic plants Species	0.073mg/ 0.003mg/ Value 13.969-28.027mg/ 0.62mg/l 1.12mg/l 0.006mg/L 16.342-37.85mg/L	Source 4 4 4 2 4 4 4 Source
48h Test Duration (hr) 72h 96h 48h (x) 0.08h 96h Test Duration (hr) 72h	Crustacea Species Algae or other aquatic plants Fish Crustacea Algae or other aquatic plants Algae or other aquatic plants Species	0.003mg/ Value 13.969-28.027mg/ 0.62mg/l 1.12mg/l 0.006mg/L 16.342-37.85mg/L	Sourc 4 4 2 4 4 4 Sourc
Test Duration (hr)	Species Algae or other aquatic plants Fish Crustacea Algae or other aquatic plants Algae or other aquatic plants Species	Value 13.969-28.027mg/ 0.62mg/l 1.12mg/l 0.006mg/L 16.342-37.85mg/L Value	Sourc 4 4 2 4 4 4 Sourc
72h 96h 48h (x) 0.08h 96h Test Duration (hr) 72h	Algae or other aquatic plants Fish Crustacea Algae or other aquatic plants Algae or other aquatic plants Species	13.969-28.027mg/ 0.62mg/l 1.12mg/l 0.006mg/L 16.342-37.85mg/L	2 4 4 Source
96h 48h xx) 0.08h 96h Test Duration (hr) 72h	Fish Crustacea Algae or other aquatic plants Algae or other aquatic plants Species	0.62mg/l 1.12mg/l 0.006mg/L 16.342-37.85mg/L	4 2 4 4 Source
48h 2x) 0.08h 96h Test Duration (hr) 72h	Crustacea Algae or other aquatic plants Algae or other aquatic plants Species	1.12mg/l 0.006mg/L 16.342-37.85mg/L Value	2 4 4 Source
(x) 0.08h 96h Test Duration (hr) (x) 72h	Algae or other aquatic plants Algae or other aquatic plants Species	0.006mg/L 16.342-37.85mg/L Value	4 4 Source
96h Test Duration (hr) x) 72h	Algae or other aquatic plants Species	16.342-37.85mg/L	4 Source
Test Duration (hr) 72h	Species	Value	Source
(x) 72h	•		
·	Algae or other aquatic plants	<7.5mg/l	2
72h			
	Algae or other aquatic plants	77.9mg/l	2
96h	Fish	67.94-113.76mg/	_ 4
48h	Crustacea	>100mg/l	2
Test Duration (hr)	Species	Value	Sourc
72h	Algae or other aquatic plants	0.75mg/l	1
1008h	Fish	<3	7
(x) 72h	Algae or other aquatic plants	0.32mg/l	1
96h	Algae or other aquatic plants	0.0078mg/l	2
72h	Algae or other aquatic plants	0.75mg/l	1
96h	Fish	0.2816-0.8146mg	1 4
48h	Crustacea	1mg/l	1
Test Duration (hr)	Species	Value	Source
Not Available	Not Available	Not Available	Not Availab
	72h 1008h 2x) 72h 96h 72h 96h 48h Test Duration (hr) Not Available	72h Algae or other aquatic plants 1008h Fish Algae or other aquatic plants 96h Algae or other aquatic plants 72h Algae or other aquatic plants 72h Algae or other aquatic plants 96h Fish 48h Crustacea Test Duration (hr) Species Not Available Not Available	72h Algae or other aquatic plants 0.75mg/l 1008h Fish <3

Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. **DO NOT** discharge into sewer or waterways.

Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
fluoboric acid	LOW	LOW
copper sulfate, pentahydrate	HIGH	HIGH
phosphoric acid	HIGH	HIGH
nickel(II) sulfate	HIGH	HIGH
water	LOW	LOW

Bioaccumulative potential

Ingredient	Bioaccumulation
fluoboric acid	LOW (LogKOW = 0.2166)
copper sulfate, pentahydrate	LOW (LogKOW = -2.2002)
phosphoric acid	LOW (LogKOW = -0.7699)
nickel(II) sulfate	LOW (BCF = 31)

Mobility in soil

Ingredient	Mobility
fluoboric acid	LOW (KOC = 48.64)
copper sulfate, pentahydrate	LOW (KOC = 6.124)

Issue Date: 15/03/2023 Print Date: 08/06/2023

Ingredient	Mobility
phosphoric acid	HIGH (KOC = 1)
nickel(II) sulfate	LOW (KOC = 6.124)

SECTION 13 Disposal considerations

Waste treatment methods

- ▶ Containers may still present a chemical hazard/ danger when empty.
- ▶ Return to supplier for reuse/ recycling if possible.

Otherwise:

Product / Packaging disposal

- If container can not be cleaned sufficiently well to ensure that residuals do not remain or if the container cannot be used to store the same
- ▶ Where possible retain label warnings and SDS and observe all notices pertaining to the product.

product, then puncture containers, to prevent re-use, and bury at an authorised landfill.

- ▶ DO NOT allow wash water from cleaning or process equipment to enter drains.
- It may be necessary to collect all wash water for treatment before disposal.
- In all cases disposal to sewer may be subject to local laws and regulations and these should be considered first.
- ▶ Where in doubt contact the responsible authority.

Ensure that the hazardous substance is disposed in accordance with the Hazardous Substances (Disposal) Notice 2017

Disposal Requirements

Packages that have been in direct contact with the hazardous substance must be only disposed if the hazardous substance was appropriately removed and cleaned out from the package. The package must be disposed according to the manufacturer's directions taking into account the material it is made of. Packages which hazardous content have been appropriately treated and removed may be recycled.

The hazardous substance must only be disposed if it has been treated by a method that changed the characteristics or composition of the substance and it is no longer hazardous. DO NOT deposit the hazardous substance into or onto a landfill or a sewage facility.

"Detonation, deflagration or controlled combustion of the hazardous substance must happen under controlled conditions with no person or place exposed to

1. a blast overpressure of more than 9 kPa; or

SECTION 14 Transport information

Labels Required

Marine Pollutant



HAZCHEM 2X

Land transport (UN)

UN number or ID number	3264	
UN proper shipping name	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (contains selenious acid and phosphoric acid)	
Transport hazard class(es)	Class 8 Subsidiary risk Not Applicable	
Packing group		
Environmental hazard	Environmentally hazardous	
Special precautions for user	Special provisions 223; 274 Limited quantity 5 L	

Air transport (ICAO-IATA / DGR)

UN number	3264		
UN proper shipping name	Corrosive liquid, acidic, i	Corrosive liquid, acidic, inorganic, n.o.s. * (contains selenious acid and phosphoric acid)	
Transport hazard class(es)	ICAO/IATA Class ICAO / IATA Subrisk ERG Code	ICAO / IATA Subrisk Not Applicable	
Packing group			
Environmental hazard	Environmentally hazardous		
Special precautions for user	Special provisions Cargo Only Packing Instructions		A3 A803 856

Issue Date: **15/03/2023**Print Date: **08/06/2023**

Cargo Only Maximum Qty / Pack	60 L
Passenger and Cargo Packing Instructions	852
Passenger and Cargo Maximum Qty / Pack	5 L
Passenger and Cargo Limited Quantity Packing Instructions	Y841
Passenger and Cargo Limited Maximum Qty / Pack	1 L

Sea transport (IMDG-Code / GGVSee)

UN number	3264		
UN proper shipping name	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (contains selenious acid and phosphoric acid)		
Transport hazard class(es)	IMDG Class 8 IMDG Subrisk Not A	Applicable	
Packing group			
Environmental hazard	Marine Pollutant		
Special precautions for user	Special provisions 2	F-A, S-B 223 274 5 L	

Transport in bulk according to Annex II of MARPOL and the IBC code

Not Applicable

Transport in bulk in accordance with MARPOL Annex V and the IMSBC Code

Product name	Group
fluoboric acid	Not Available
copper sulfate, pentahydrate	Not Available
selenious acid	Not Available
phosphoric acid	Not Available
nickel(II) sulfate	Not Available
water	Not Available

Transport in bulk in accordance with the IGC Code

Product name	Ship Type
fluoboric acid	Not Available
copper sulfate, pentahydrate	Not Available
selenious acid	Not Available
phosphoric acid	Not Available
nickel(II) sulfate	Not Available
water	Not Available

SECTION 15 Regulatory information

Safety, health and environmental regulations / legislation specific for the substance or mixture

This substance is to be managed using the conditions specified in an applicable Group Standard

HSR Number	Group Standard	
HSR100425	Pharmaceutical Active Ingredients Group Standard 2020	

Please refer to Section 8 of the SDS for any applicable tolerable exposure limit or Section 12 for environmental exposure limit.

fluoboric acid is found on the following regulatory lists

New Zealand Approved Hazardous Substances with controls

New Zealand Hazardous Substances and New Organisms (HSNO) Act - Classification of Chemicals

copper sulfate, pentahydrate is found on the following regulatory lists

New Zealand Approved Hazardous Substances with controls

New Zealand Hazardous Substances and New Organisms (HSNO) Act - Classification of Chemicals

New Zealand Hazardous Substances and New Organisms (HSNO) Act - Classification of Chemicals - Classification Data

New Zealand Inventory of Chemicals (NZIoC) New Zealand Workplace Exposure Standards (WES)

New Zealand Inventory of Chemicals (NZIoC)

of Chemicals - Classification Data

New Zealand Hazardous Substances and New Organisms (HSNO) Act - Classification

selenious acid is found on the following regulatory lists

Page 12 of 13 Issue Date: 15/03/2023 Print Date: 08/06/2023 **ALUMA BLACK A14**

International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs - Not Classified as Carcinogenic

New Zealand Approved Hazardous Substances with controls

New Zealand Hazardous Substances and New Organisms (HSNO) Act - Classification

New Zealand Hazardous Substances and New Organisms (HSNO) Act - Classification of Chemicals - Classification Data

New Zealand Inventory of Chemicals (NZIoC)

New Zealand Workplace Exposure Standards (WES)

phosphoric acid is found on the following regulatory lists

New Zealand Approved Hazardous Substances with controls

New Zealand Hazardous Substances and New Organisms (HSNO) Act - Classification

New Zealand Hazardous Substances and New Organisms (HSNO) Act - Classification of Chemicals - Classification Data

New Zealand Inventory of Chemicals (NZIoC)

New Zealand Workplace Exposure Standards (WES)

nickel(II) sulfate is found on the following regulatory lists

Chemical Footprint Project - Chemicals of High Concern List

International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs

International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs - Group 1: Carcinogenic to humans

New Zealand Approved Hazardous Substances with controls

New Zealand Hazardous Substances and New Organisms (HSNO) Act - Classification of Chemicals

New Zealand Hazardous Substances and New Organisms (HSNO) Act - Classification of Chemicals - Classification Data

New Zealand Inventory of Chemicals (NZIoC)

New Zealand Workplace Exposure Standards (WES)

water is found on the following regulatory lists

New Zealand Inventory of Chemicals (NZIoC)

Hazardous Substance Location

Subject to the Health and Safety at Work (Hazardous Substances) Regulations 2017.

Hazard Class	Quantity (Closed Containers)	Quantity (Compliance Certificate)	Quantity (Compliance Certificate - Farms >4 ha)	Quantity (Manufactured or Used Substances)
5.1.1C	1000 kg or 1000 L			100 kg or 100 L
6.1C		1000 kg or 1000 L	3500 kg or 3500 L	
8.2A		50 kg or 50 L	500 kg or 500 L	

Certified Handler

Subject to Part 4 of the Health and Safety at Work (Hazardous Substances) Regulations 2017.

Class of substance	Quantities	
Not Applicable	Not Applicable	

Refer Group Standards for further information

Maximum quantities of certain hazardous substances permitted on passenger service vehicles

Subject to Regulation 13.14 of the Health and Safety at Work (Hazardous Substances) Regulations 2017.

Hazard Class	Gas (aggregate water capacity in mL)	Liquid (L)	Solid (kg)	Maximum quantity per package for each classification
6.1C	120	1	3	
6.5A or 6.5B	120	1	3	
8.2A	prohibited	prohibited	prohibited	
5.1.1C				1 kg

Tracking Requirements

Not Applicable

National Inventory Status	
National Inventory	Status
Australia - AIIC / Australia Non-Industrial Use	Yes
Canada - DSL	Yes
Canada - NDSL	No (fluoboric acid; copper sulfate, pentahydrate; selenious acid; phosphoric acid; nickel(II) sulfate; water)
China - IECSC	Yes
Europe - EINEC / ELINCS / NLP	Yes
Japan - ENCS	Yes
Korea - KECI	Yes
New Zealand - NZIoC	Yes
Philippines - PICCS	Yes
USA - TSCA	Yes
Taiwan - TCSI	Yes
Mexico - INSQ	Yes
Vietnam - NCI	Yes
Russia - FBEPH	Yes

Issue Date: 15/03/2023 Print Date: 08/06/2023

National Inventory	Status
Legend:	Yes = All CAS declared ingredients are on the inventory No = One or more of the CAS listed ingredients are not on the inventory. These ingredients may be exempt or will require registration.

SECTION 16 Other information

Revision Date	15/03/2023
Initial Date	08/03/2017

SDS Version Summary

Version	Date of Update	Sections Updated
7.1	15/03/2023	Hazards identification - Classification, Identification of the substance / mixture and of the company / undertaking - Synonyms
7.2	16/03/2023	Hazards identification - Classification, Identification of the substance / mixture and of the company / undertaking - Supplier Information, Identification of the substance / mixture and of the company / undertaking - Synonyms

Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

Definitions and abbreviations

PC - TWA: Permissible Concentration-Time Weighted Average

PC - STEL: Permissible Concentration-Short Term Exposure Limit

IARC: International Agency for Research on Cancer

ACGIH: American Conference of Governmental Industrial Hygienists

STEL: Short Term Exposure Limit

TEEL: Temporary Emergency Exposure Limit₀

IDLH: Immediately Dangerous to Life or Health Concentrations

ES: Exposure Standard

OSF: Odour Safety Factor

NOAEL :No Observed Adverse Effect Level

LOAEL: Lowest Observed Adverse Effect Level

TLV: Threshold Limit Value

LOD: Limit Of Detection

OTV: Odour Threshold Value BCF: BioConcentration Factors

BEI: Biological Exposure Index

AIIC: Australian Inventory of Industrial Chemicals

DSL: Domestic Substances List

NDSL: Non-Domestic Substances List

IECSC: Inventory of Existing Chemical Substance in China

EINECS: European INventory of Existing Commercial chemical Substances

ELINCS: European List of Notified Chemical Substances

NLP: No-Longer Polymers

ENCS: Existing and New Chemical Substances Inventory

KECI: Korea Existing Chemicals Inventory

NZIoC: New Zealand Inventory of Chemicals

PICCS: Philippine Inventory of Chemicals and Chemical Substances

TSCA: Toxic Substances Control Act

TCSI: Taiwan Chemical Substance Inventory

INSQ: Inventario Nacional de Sustancias Químicas

NCI: National Chemical Inventory

FBEPH: Russian Register of Potentially Hazardous Chemical and Biological Substances

This document is copyright.

Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from CHEMWATCH.

TEL (+61 3) 9572 4700.