OPAQUE PIGMENT RED

Barnes NZ

Chemwatch: **72-7938** Version No: **7.3**

Safety Data Sheet according to the Health and Safety at Work (Hazardous Substances) Regulations 2017

Chemwatch Hazard Alert Code: 1

Issue Date: **23/12/2022** Print Date: **20/05/2024** S.GHS.NZL.EN.E

SECTION 1 Identification of the substance / mixture and of the company / undertaking

P	ro	d	116	٠+	Ы	en	tif	ier

Product name	OPAQUE PIGMENT RED	
Chemical Name	Not Applicable	
Synonyms	6826 RED, OPAQUE RESIN PIGMENT RED	
Chemical formula	Not Applicable	
Other means of identification	Not Available	

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses Pigment.

Details of the manufacturer or supplier of the safety data sheet

Registered company name	Barnes NZ		
Address	B/92-94 Railside Ave, Henderson Auckland 0612 New Zealand		
Telephone	+64 09 973 1816		
Fax	Not Available		
Website	www.barnesnz.co.nz		
Email	info@barnesnz.co.nz		

Emergency telephone number

· · · · · · · · · · · · · · · · · · ·			
Association / Organisation	New Zealand Poison's Information Center		
Emergency telephone numbers	0800 764 766		
Other emergency telephone numbers	Not Available		

SECTION 2 Hazards identification

Classification of the substance or mixture

Classification [1]	Hazardous to Soil Organisms
Legend:	1. Classified by Chemwatch; 2. Classification drawn from CCID EPA NZ; 3. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI
Determined by Chemwatch using GHS/HSNO criteria	9.2C

Label elements

Hazard pictogram(s)	Not Applicable
Signal word	Not Applicable

Hazard statement(s)

H423	Hazardous to soil organisms.

Precautionary statement(s) Prevention

Not Applicable

Precautionary statement(s) Response

Not Applicable

Precautionary statement(s) Storage

Not Applicable

Precautionary statement(s) Disposal

Not Applicable

SECTION 3 Composition / information on ingredients

Substances

See section below for composition of Mixtures

Chemwatch: **72-7938**Version No: **7.3**

Page 2 of 9 OPAQUE PIGMENT RED

Issue Date: **23/12/2022**Print Date: **20/05/2024**

Mixtures

CAS No	%[weight]	Name
68515-49-1	>60	di-C9-11-alkyl phthalate, C10-rich
13463-67-7	1-5	titanium dioxide
Legend: 1. Classified by Chemwatch; 2. Classification drawn from CCID EPA NZ; 3. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI; 4. Classification drawn from C&L * EU IOELVs available		

SECTION 4 First aid measures

Description of first aid measures

Eye Contact	If this product comes in contact with the eyes: Immediately hold eyelids apart and flush the eye continuously with running water. Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids. Continue flushing until advised to stop by the Poisons Information Centre or a doctor, or for at least 15 minutes. Transport to hospital or doctor without delay. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.
Skin Contact	If skin or hair contact occurs: Flush skin and hair with running water (and soap if available). Seek medical attention in event of irritation.
Inhalation	 If fumes, aerosols or combustion products are inhaled remove from contaminated area. Other measures are usually unnecessary.
Ingestion	 If swallowed do NOT induce vomiting. If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration. Observe the patient carefully. Never give liquid to a person showing signs of being sleepy or with reduced awareness; i.e. becoming unconscious. Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfortably drink. Seek medical advice.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5 Firefighting measures

Extinguishing media

- Foam.
- Dry chemical powder.
- ▶ BCF (where regulations permit).
- Carbon dioxide.
- Water spray or fog Large fires only.

Special hazards arising from the substrate or mixture

Fire Incompatibility	▶ Avoid contamination with oxidising agents i.e. nitrates, oxidising acids, chlorine bleaches, pool chlorine etc. as ignition may result
Advice for firefighters	
Fire Fighting	 Alert Fire Brigade and tell them location and nature of hazard. Wear breathing apparatus plus protective gloves. Prevent, by any means available, spillage from entering drains or water courses. Use water delivered as a fine spray to control fire and cool adjacent area. DO NOT approach containers suspected to be hot. Cool fire exposed containers with water spray from a protected location. If safe to do so, remove containers from path of fire.
Fire/Explosion Hazard	 Combustible. Slight fire hazard when exposed to heat or flame. Heating may cause expansion or decomposition leading to violent rupture of containers. On combustion, may emit toxic fumes of carbon monoxide (CO). May emit acrid smoke. Mists containing combustible materials may be explosive. Combustion products include: carbon dioxide (CO2) other pyrolysis products typical of burning organic material. May emit poisonous fumes. May emit corrosive fumes.

SECTION 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

See section 8

Environmental precautions

See section 12

Methods and material for containment and cleaning up

mothed and material for contaminant and ordaining up				
Minor Spills	Environmental hazard - contain spillage.			
	Remove all ignition sources.			
	Clean up all spills immediately.			
	Avoid breathing vapours and contact with skin and eyes.			
	 Control personal contact with the substance, by using protective equipment. 			
	 Contain and absorb spill with sand, earth, inert material or vermiculite. 			

Chemwatch: 72-7938 Page 3 of 9

OPAQUE PIGMENT RED

Issue Date: 23/12/2022 Print Date: 20/05/2024

Wipe up. Place in a suitable, labelled container for waste disposal. Environmental hazard - contain spillage Moderate hazard. Clear area of personnel and move upwind. Alert Fire Brigade and tell them location and nature of hazard. Major Spills Wear breathing apparatus plus protective gloves. Prevent, by any means available, spillage from entering drains or water course. No smoking, naked lights or ignition sources. Increase ventilation

Personal Protective Equipment advice is contained in Section 8 of the SDS.

SECTION 7 Handling and storage

Precautions for safe handling

Version No: 7.3

- Avoid all personal contact, including inhalation.
- Wear protective clothing when risk of exposure occurs.
- Use in a well-ventilated area.
- Safe handling Prevent concentration in hollows and sumps.
 - DO NOT enter confined spaces until atmosphere has been checked.
 - Avoid smoking, naked lights or ignition sources.
 - Avoid contact with incompatible materials

Other information

- Store in original containers.
- Keep containers securely sealed. No smoking, naked lights or ignition sources.
- Store in a cool, dry, well-ventilated area.
- Store away from incompatible materials and foodstuff containers.
- Protect containers against physical damage and check regularly for leaks.
- Observe manufacturer's storage and handling recommendations contained within this SDS.

Conditions for safe storage, including any incompatibilities

Suitable container	▶ Packaging as recommended by manufacturer.
Storage incompatibility	Avoid reaction with oxidising agents

SECTION 8 Exposure controls / personal protection

Control parameters

Occupational Exposure Limits (OEL)

INGREDIENT DATA

Source	Ingredient	Material name	TWA	STEL	Peak	Notes
New Zealand Workplace Exposure Standards (WES)	titanium dioxide	Titanium dioxide	10 mg/m3	Not Available	Not Available	Not Available

Emergency Limits

Ingredient	TEEL-1	TEEL-2		TEEL-3
titanium dioxide	30 mg/m3	330 mg/m3		2,000 mg/m3
Ingredient	Original IDLH		Revised IDLH	
di-C9-11-alkyl phthalate, C10- rich	Not Available		Not Available	
titanium dioxide	5,000 mg/m3		Not Available	

Exposure controls

Appropriate engineering

Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection. The basic types of engineering controls are:

controls

Process controls which involve changing the way a job activity or process is done to reduce the risk. Enclosure and/or isolation of emission source which keeps a selected hazard "physically" away from the worker and ventilation that strategically "adds" and "removes" air in the work environment. Ventilation can remove or dilute an air contaminant if designed properly. The design of a ventilation system must match the particular process and chemical or contaminant in use.

Employers may need to use multiple types of controls to prevent employee overexposure

Individual protection measures, such as personal protective equipment









Safety glasses with side shields

Chemical goggles. [AS/NZS 1337.1, EN166 or national equivalent]

Eye and face protection

Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy document, describing the wearing of lenses or restrictions on use, should be created for each workplace or task. This should include a review of lens absorption and adsorption for the class of chemicals in use and an account of injury experience. Medical and first-aid personnel should be trained in their removal and suitable equipment should be readily available. In the event of chemical exposure, begin eye irrigation immediately and remove contact lens as soon as practicable.

Skin protection

See Hand protection below

Hands/feet protection

The selection of suitable gloves does not only depend on the material, but also on further marks of quality which vary from manufacturer to manufacturer. Where the chemical is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Chemwatch: **72-7938**Page **4** of **9**Issue Date: **23/12/2022**Version No: **7.3**Print Date: **20/05/2024**

OPAQUE PIGMENT RED

	The exact break through time for substances has to be obtained from the manufacturer of the protective gloves and has to be observed when making a final choice. Personal hygiene is a key element of effective hand care. Gloves must only be worn on clean hands. After using gloves, hands should be washed and dried thoroughly. Application of a non-perfumed moisturiser is recommended. Neoprene rubber gloves Wear chemical protective gloves, e.g. PVC. Wear safety footwear or safety gumboots, e.g. Rubber Nitrile rubber gloves (Note: Nitric acid penetrates nitrile gloves in a few minutes.)
Body protection	See Other protection below
Other protection	 Overalls. P.V.C apron. Barrier cream. Skin cleansing cream. Eye wash unit.

Respiratory protection

Type A-P Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)

Where the concentration of gas/particulates in the breathing zone, approaches or exceeds the "Exposure Standard" (or ES), respiratory protection is required. Degree of protection varies with both face-piece and Class of filter; the nature of protection varies with Type of filter.

Required Minimum Protection Factor	Half-Face Respirator	Full-Face Respirator	Powered Air Respirator
up to 10 x ES	A-AUS P2	-	A-PAPR-AUS / Class 1 P2
up to 50 x ES	-	A-AUS / Class 1 P2	-
up to 100 x ES	-	A-2 P2	A-PAPR-2 P2 ^

^ - Full-face

A(All classes) = Organic vapours, B AUS or B1 = Acid gasses, B2 = Acid gas or hydrogen cyanide(HCN), B3 = Acid gas or hydrogen cyanide(HCN), E = Sulfur dioxide(SO2), G = Agricultural chemicals, K = Ammonia(NH3), Hg = Mercury, NO = Oxides of nitrogen, MB = Methyl bromide, AX = Low boiling point organic compounds(below 65 degC)

- Cartridge respirators should never be used for emergency ingress or in areas of unknown vapour concentrations or oxygen content.
- The wearer must be warned to leave the contaminated area immediately on detecting any odours through the respirator. The odour may indicate that the mask is not functioning properly, that the vapour concentration is too high, or that the mask is not properly fitted. Because of these limitations, only restricted use of cartridge respirators is considered appropriate.
- Cartridge performance is affected by humidity. Cartridges should be changed after 2 hr of continuous use unless it is determined that the humidity is less than 75%, in which case, cartridges can be used for 4 hr. Used cartridges should be discarded daily, regardless of the length of time used

SECTION 9 Physical and chemical properties

Information on basic physical and chemical properties

Appearance	Red liquid with slight odour; does not mix with water	1.	
Physical state	Liquid	Relative density (Water = 1)	1.054 @25C
Odour	Not Available	Partition coefficient n-octanol / water	Not Available
Odour threshold	Not Available	Auto-ignition temperature (°C)	Not Available
pH (as supplied)	Not Applicable	Decomposition temperature (°C)	Not Available
Melting point / freezing point (°C)	Not Available	Viscosity (cSt)	Not Available
Initial boiling point and boiling range (°C)	Not Available	Molecular weight (g/mol)	Not Applicable
Flash point (°C)	107.2	Taste	Not Available
Evaporation rate	Not Available	Explosive properties	Not Available
Flammability	Not Applicable	Oxidising properties	Not Available
Upper Explosive Limit (%)	Not Available	Surface Tension (dyn/cm or mN/m)	Not Available
Lower Explosive Limit (%)	Not Available	Volatile Component (%vol)	Negligible
Vapour pressure (kPa)	Not Available	Gas group	Not Available
Solubility in water	Immiscible	pH as a solution (1%)	Not Applicable
Vapour density (Air = 1)	Not Available	VOC g/L	Negligible

SECTION 10 Stability and reactivity

Reactivity	See section 7
Chemical stability	 Unstable in the presence of incompatible materials. Product is considered stable. Hazardous polymerisation will not occur.
Possibility of hazardous reactions	See section 7
Conditions to avoid	See section 7
Incompatible materials	See section 7
Hazardous decomposition products	See section 5

SECTION 11 Toxicological information

OPAQUE PIGMENT RED

Issue Date: **23/12/2022**Print Date: **20/05/2024**

Information on toxicological effects

ormation on toxicological e	ffects		
Inhaled	Not normally a hazard due to non-volatile nature of product Inhalation hazard is increased at higher temperatures.		
Ingestion	Accidental ingestion of the material may be damaging to the The toxicity of phthalates is not excessive due to slow oral at doses can cause cumulative toxic effects, and symptoms inc Carbohydrate metabolism is disrupted, and cholesterol and t withering of the testicles. Some phthalates can increase the	osorption and metabolism. A lude an enlarged liver which riglyceride levels in the bloo	n often reverses if exposure is maintained. In d falls. In rats, there is also strong evidence of
Skin Contact	Open cuts, abraded or irritated skin should not be exposed to this material Entry into the blood-stream, through, for example, cuts, abrasions or lesions, may produce systemic injury with harmful effects. Examine the skin prior to the use of the material and ensure that any external damage is suitably protected.		
Еуе	Limited evidence or practical experience suggests, that the n Prolonged eye contact may cause inflammation characterise The liquid may produce eye discomfort and is capable of cau ulceration	d by a temporary redness o	of the conjunctiva (similar to windburn).
Chronic	Substance accumulation, in the human body, may occur and exposure. Based on experience with similar materials, there is a possib do not cause other toxic effects. Exposure to phthalates over years leads to pain, numbness disorders in the nervous system and the balancing system.	ility that exposure to the ma	aterial may reduce fertility in humans at levels whic
	TOXICITY	IRRITATION	
OPAQUE PIGMENT RED	Not Available	Not Available	
	TOXICITY	IRRITATION	
i-C9-11-alkyl phthalate, C10-	Dermal (Guinea Pig) LD50: 10000 mg/kg ^[2]	Eye (rabbit): 50	00 mg/24h mild
rich	Oral (Mouse) LD50; 1500 mg/kg ^[2]	Skin (rabbit): 50	
		'	
	TOXICITY	IRRITATION	a affect about ad (not initiating)[1]
titanium dioxide	dioxide		e effect observed (not irritating) ^[1] 0.3 mg /3D (int)-mild *
	Inhalation (Dat) I CEO: > 2.20 mg/l/hl ! !		
	Inhalation (Rat) LC50: >2.28 mg/l4h ^[1]	` ′	
Legend:	Inhalation (Rat) LC50: >2.28 mg/l4h ¹¹ Oral (Rat) LD50: >=2000 mg/kg ^[1] 1. Value obtained from Europe ECHA Registered Substance specified data extracted from RTECS - Register of Toxic Effer High Molecular Weight Phthalate Esters (HMWPEs) Categor The HMWPE group includes chemically similar substances processes and the substances of the HMWPE group includes chemically similar substances processes and the substances of the HMWPE group includes chemically similar substances processes and the substances of the HMWPE group includes chemically similar substances processes and the substances of the HMWPE group includes the micropian substances of the micropi	Skin: no advers s - Acute toxicity 2. Value o ct of chemical Substances	se effect observed (not irritating) ^[1] btained from manufacturer's SDS. Unless otherw
	Oral (Rat) LD50: >=2000 mg/kg ^[1] 1. Value obtained from Europe ECHA Registered Substance specified data extracted from RTECS - Register of Toxic Effe	Skin: no adverse s - Acute toxicity 2. Value of ct of chemical Substances y roduced from alcohols. The rith effect on the liver and king y metabolised and excrete ealth is questionable mes are single, membrane	be effect observed (not irritating) ^[1] be betained from manufacturer's SDS. Unless otherwises substances have been demonstrated to have eithey at high doses. They also cause reproductive d primarily via the urine. Repeated doses may cause limited organelles in the cytoplasm that are found
Legend: DI-C9-11-ALKYL	Oral (Rat) LD50: >=2000 mg/kg ^[1] 1. Value obtained from Europe ECHA Registered Substance specified data extracted from RTECS - Register of Toxic Effects. They demonstrate minimal acute toxicity, wand developmental toxicity, also, liver cancer. They are readiliver and kidney damage, although the relevance to human has the cells of animals, plants, fungi, and protozoa. The material may be irritating to the eye, with prolonged context produce conjunctivitis. * IUCLID Laboratory (in vitro) and animal studies show, exposure to the of producing mutation. Asthma-like symptoms may continue for months or even year condition known as reactive airways dysfunction syndrome (I compound. Main criteria for diagnosing RADS include the abof persistent asthma-like symptoms within minutes to hours of include a reversible airflow pattern on lung function tests, morand the lack of minimal lymphocytic inflammation, without endisorder with rates related to the concentration of and duration is a disorder that occurs as a result of exposure due to high or eversible after exposure ceases. The disorder is characteriz Exposure to titanium dioxide is via inhalation, swallowing or so causing dysfunction of the lungs and immune system. Absorp penetrated only the outermost layer of the skin, suggesting the genetic damage, though cases have been reported in experimotential. No significant acute toxicological data identified in literature is The material may produce moderate eye irritation leading to conjunctivitis.	Skin: no adverse service of chemical Substances by roduced from alcohols. The rith effect on the liver and king metabolised and excrete eath is questionable of the service of previous airways of a documented exposure to the markans) which can occur afte sence of previous airways of a documented exposure to derate to severe bronchial sinophilia. RADS (or asthm on of exposure to the irritating seed by difficulty breathing, or skin contact. When inhaled, botton by the stomach and in at healthy skin may be an mental animals. Studies have a search.	be effect observed (not irritating) ^[1] be the effect observed (not irritating) be the effect observed (not irritating) be the effect of irreversible effects, with the possibilitating of the exposure to high levels of highly irritating of the exposure to high levels of highly irritating of the exposure to high levels of highly irritating of the exposure to high levels of highly irritating of the exposure to high levels of highly irritating of the effect of diagnosis of RADS hyperreactivity on methacholine challenge testing, a) following an irritating inhalation is an infrequent go substance. On the other hand, industrial bronch ubstance (often particles) and is completely ough and mucus production. it may deposit in lung tissue and lymph nodes testines depends on the size of the particle. It effective barrier. There is no substantive data on we differing conclusions on its cancer-causing prolonged exposure to irritants may produce
Legend: DI-C9-11-ALKYL PHTHALATE, C10-RICH	Oral (Rat) LD50: >=2000 mg/kg ^[1] 1. Value obtained from Europe ECHA Registered Substance specified data extracted from RTECS - Register of Toxic Effective Individual Substances point of the HMWPE group includes chemically similar substances point of the HMWPE group includes chemically similar substances point of the HMWPE group includes chemically similar substances point of the HMWPE group includes chemically similar substances point of the HMWPE group includes chemically similar substances point of the HMWPE group includes peroxisome profileration. Peroxisome profileration with the cells of animals, plants, fungi, and protozoa. The material may produce peroxisome profileration. Peroxisome the cells of animals, plants, fungi, and protozoa. The material may be irritating to the eye, with prolonged context produce conjunctivitis. * IUCLID Laboratory (in vitro) and animal studies show, exposure to the of producing mutation. Asthma-like symptoms may continue for months or even year condition known as reactive airways dysfunction syndrome (in compound. Main criteria for diagnosing RADS include the about of persistent asthma-like symptoms within minutes to hours of include a reversible airflow pattern on lung function tests, more and the lack of minimal lymphocytic inflammation, without expensive that occurs as a result of exposure due to high or reversible after exposure ceases. The disorder is characterized exposure to titanium dioxide is via inhalation, swallowing or so causing dysfunction of the lungs and immune system. Absorpenetrated only the outermost layer of the skin, suggesting the genetic damage, though cases have been reported in experimental may produce moderate eye irritation leading to	Skin: no adverse services of a documented exposure to the markans of previous airways of a documented exposure to the markans of exposure to the irritating sed by difficulty breathing, or exposure to the irritating sed by difficulty breathing, or exposure to the or exposure to the or exposure to the irritating sed by difficulty breathing, or exposure to the irritating sed by difficulty breathing, or exposure to the irritating sed by difficulty breathing, or exposure to the irritating sed by difficulty breathing, or exposure to the irritating sed by difficulty breathing, or exposure to the irritating sed by difficulty breathing, or exposure to the irritating sed by difficulty breathing, or exposure to the irritating sed by difficulty breathing, or exposure to the irritating sed by difficulty breathing, or exposure to the irritating sed by difficulty breathing, or exposure to the irritating sed by difficulty breathing, or exposure to the irritating sed by difficulty breathing, or exposure to the irritating sed by difficulty breathing, or exposure to the irritating sed by difficulty breathing, or exposure to the irritating sed by difficulty breathing, or exposure to the irritating sed by difficulty breathing, or exposure to the irritating sed by difficulty breathing, or exposure to the irritating sed by difficulty breathing, or exposure to the irritating sed by difficulty breathing, or exposure to the irritating sed by difficulty breathing and the irritation of the irritation of irritating sed by difficulty breathing and the irritation of irritation o	see effect observed (not irritating) ^[1] betained from manufacturer's SDS. Unless otherwing see substances have been demonstrated to have to didney at high doses. They also cause reproductive to primarily via the urine. Repeated doses may cause imited organelles in the cytoplasm that are found Repeated or prolonged exposure to irritants may consible risk of irreversible effects, with the possibiliterial ends. This may be due to a non-allergic per exposure to high levels of highly irritating disease in a non-atopic individual, with sudden one to the irritant. Other criteria for diagnosis of RADS hyperreactivity on methacholine challenge testing, a) following an irritating inhalation is an infrequent grupper and mucus production. It may deposit in lung tissue and lymph nodes testines depends on the size of the particle. It effective barrier. There is no substantive data on we differing conclusions on its cancer-causing prolonged exposure to irritants may produce cinogenic to Humans.
DI-C9-11-ALKYL PHTHALATE, C10-RICH DI-C9-11-ALKYL PHTHALATE, C10-RICH & TITANIUM DIOXIDE	Oral (Rat) LD50: >=2000 mg/kg ^[1] 1. Value obtained from Europe ECHA Registered Substance specified data extracted from RTECS - Register of Toxic Effects. High Molecular Weight Phthalate Esters (HMWPEs) Categor The HMWPE group includes chemically similar substances poilogical effects. They demonstrate minimal acute toxicity, and developmental toxicity, also, liver cancer. They are read liver and kidney damage, although the relevance to human how the cells of animals, plants, fungi, and protozoa. The material may be irritating to the eye, with prolonged context produce conjunctivitis. * IUCLID Laboratory (in vitro) and animal studies show, exposure to the of producing mutation. Asthma-like symptoms may continue for months or even year condition known as reactive airways dysfunction syndrome (I compound. Main criteria for diagnosing RADS include the abort produce a reversible airflow pattern on lung function tests, mound the lack of minimal lymphocytic inflammation, without endisorder with rates related to the concentration of and duratic is a disorder that occurs as a result of exposure due to high or reversible after exposure ceases. The disorder is characteriz Exposure to titanium dioxide is via inhalation, swallowing or scausing dysfunction of the lungs and immune system. Absorpenetrated only the outermost layer of the skin, suggesting it genetic damage, though cases have been reported in experimentation. No significant acute toxicological data identified in literature so the material may produce moderate eye irritation leading to conjunctivitis. WARNING: This substance has been classified by the IARC The material may cause skin irritation after prolonged or reperioduction of vesicles, scaling and thickening of the skin.	Skin: no adverse service of chemical Substances y roduced from alcohols. The lith effect on the liver and kill y metabolised and excrete ealth is questionable ones are single, membrane act causing inflammation. First after exposure to the markans, which can occur after exposure to the markans, which can occur after exposure to the content of a documented exposure to derate to severe bronchiat of a documented exposure to the irritating of each of the irritation of exposure to the irritating of each of the irritation of exposure to the irritating of each of the irritation of exposure to the irritating of each of the irritation of exposure to the irritation of	see effect observed (not irritating) ^[1] betained from manufacturer's SDS. Unless otherwing see substances have been demonstrated to have a didney at high doses. They also cause reproductive of primarily via the urine. Repeated doses may cause limited organelles in the cytoplasm that are found Repeated or prolonged exposure to irritants may consible risk of irreversible effects, with the possibiliterial ends. This may be due to a non-allergic er exposure to high levels of highly irritating disease in a non-atopic individual, with sudden one to the irritant. Other criteria for diagnosis of RADS hyperreactivity on methacholine challenge testing, a) following an irritating inhalation is an infrequent go substance. On the other hand, industrial bronch ubstance (often particles) and is completely ough and mucus production. It may deposit in lung tissue and lymph nodes testines depends on the size of the particle. It effective barrier. There is no substantive data on we differing conclusions on its cancer-causing prolonged exposure to irritants may produce cinogenic to Humans.
DI-C9-11-ALKYL PHTHALATE, C10-RICH DI-C9-11-ALKYL PHTHALATE, C10-RICH &	Oral (Rat) LD50: >=2000 mg/kg ^[1] 1. Value obtained from Europe ECHA Registered Substance specified data extracted from RTECS - Register of Toxic Effects. High Molecular Weight Phthalate Esters (HMWPEs) Categor The HMWPE group includes chemically similar substances publogical effects. They demonstrate minimal acute toxicity, wand developmental toxicity, also, liver cancer. They are readiliver and kidney damage, although the relevance to human had the cells of animals, plants, fungi, and protozoa. The material may produce peroxisome proliferation. Peroxison the cells of animals, plants, fungi, and protozoa. The material may be irritating to the eye, with prolonged context produce conjunctivitis. * IUCLID Laboratory (in vitro) and animal studies show, exposure to the of producing mutation. Asthma-like symptoms may continue for months or even year condition known as reactive airways dysfunction syndrome (Icompound. Main criteria for diagnosing RADS include the about presistent asthma-like symptoms within minutes to hours of include a reversible airflow pattern on lung function tests, mound the lack of minimal lymphocytic inflammation, without endisorder with rates related to the concentration of and duratic is a disorder that occurs as a result of exposure due to high or reversible after exposure ceases. The disorder is characteriz Exposure to titanium dioxide is via inhalation, swallowing or scausing dysfunction of the lungs and immune system. Absorpenetrated only the outermost layer of the skin, suggesting the genetic damage, though cases have been reported in experimentation and material may produce moderate eye irritation leading to conjunctivitis. WARNING: This substance has been classified by the IARC The material may cause skin irritation after prolonged or repetition.	Skin: no adverse services of a documented exposure to the markans of previous airways of a documented exposure to the markans of exposure to the irritating sed by difficulty breathing, or exposure to the irritating sed by difficulty breathing, or exposure to the or exposure to the or exposure to the irritating sed by difficulty breathing, or exposure to the irritating sed by difficulty breathing, or exposure to the irritating sed by difficulty breathing, or exposure to the irritating sed by difficulty breathing, or exposure to the irritating sed by difficulty breathing, or exposure to the irritating sed by difficulty breathing, or exposure to the irritating sed by difficulty breathing, or exposure to the irritating sed by difficulty breathing, or exposure to the irritating sed by difficulty breathing, or exposure to the irritating sed by difficulty breathing, or exposure to the irritating sed by difficulty breathing, or exposure to the irritating sed by difficulty breathing, or exposure to the irritating sed by difficulty breathing, or exposure to the irritating sed by difficulty breathing, or exposure to the irritating sed by difficulty breathing, or exposure to the irritating sed by difficulty breathing, or exposure to the irritating sed by difficulty breathing, or exposure to the irritating sed by difficulty breathing, or exposure to the irritating sed by difficulty breathing, or exposure to the irritating sed by difficulty breathing and the irritation of the irritation of irritating sed by difficulty breathing and the irritation of irritation o	see effect observed (not irritating) ^[1] betained from manufacturer's SDS. Unless otherwish brained from manufacturer's SDS. Unless otherwish did primarily via the urine. Repeated doses may cause individually via the urine. Repeated doses may cause limited organelles in the cytoplasm that are found Repeated or prolonged exposure to irritants may consible risk of irreversible effects, with the possibiliterial ends. This may be due to a non-allergic er exposure to high levels of highly irritating disease in a non-atopic individual, with sudden one to the irritant. Other criteria for diagnosis of RADS hyperreactivity on methacholine challenge testing, a) following an irritating inhalation is an infrequent gusubstance. On the other hand, industrial bronch ubstance (often particles) and is completely ough and mucus production. It may deposit in lung tissue and lymph nodes testines depends on the size of the particle. It effective barrier. There is no substantive data on we differing conclusions on its cancer-causing prolonged exposure to irritants may produce cinogenic to Humans.
DI-C9-11-ALKYL PHTHALATE, C10-RICH TITANIUM DIOXIDE DI-C9-11-ALKYL PHTHALATE, C10-RICH & TITANIUM DIOXIDE Acute Toxicity Skin Irritation/Corrosion Serious Eye	Oral (Rat) LD50: >=2000 mg/kg ^[1] 1. Value obtained from Europe ECHA Registered Substance specified data extracted from RTECS - Register of Toxic Effects. They demonstrate minimal acute toxicity, wand developmental toxicity, also, liver cancer. They are readiliver and kidney damage, although the relevance to human had the cells of animals, plants, fungi, and protozoa. The material may be irritating to the eye, with prolonged contemproduce conjunctivitis. * IUCLID Laboratory (in vitro) and animal studies show, exposure to the of producing mutation. Asthma-like symptoms may continue for months or even year condition known as reactive airways dysfunction syndrome (Icompound. Main criteria for diagnosing RADS include the about presistent asthma-like symptoms within minutes to hours of include a reversible airflow pattern on lung function tests, mound the lack of minimal lymphocytic inflammation, without endisorder with rates related to the concentration of and duratic is a disorder that occurs as a result of exposure due to high or reversible after exposure ceases. The disorder is characteriz Exposure to titanium dioxide is via inhalation, swallowing or a causing dysfunction of the lungs and immune system. Absorpenetrated only the outermost layer of the skin, suggesting it genetic damage, though cases have been reported in experimentation. No significant acute toxicological data identified in literature is The material may produce moderate eye irritation leading to conjunctivitis. WARNING: This substance has been classified by the IARC The material may cause skin irritation after prolonged or reperpoduction of vesicles, scaling and thickening of the skin.	Skin: no adverse service of chemical Substances by roduced from alcohols. The right of the first	se effect observed (not irritating) ^[1] btained from manufacturer's SDS. Unless otherw see substances have been demonstrated to have- idney at high doses. They also cause reproductive deprimarily via the urine. Repeated doses may cau- limited organelles in the cytoplasm that are found Repeated or prolonged exposure to irritants may ossible risk of irreversible effects, with the possibiliterial ends. This may be due to a non-allergic er exposure to high levels of highly irritating disease in a non-atopic individual, with sudden on- to the irritant. Other criteria for diagnosis of RADS hyperreactivity on methacholine challenge testing. In jollowing an irritating inhalation is an infrequent g substance. On the other hand, industrial bronch ubstance (often particles) and is completely ough and mucus production. It may deposit in lung tissue and lymph nodes testines depends on the size of the particle. It effective barrier. There is no substantive data on we differing conclusions on its cancer-causing prolonged exposure to irritants may produce cinogenic to Humans. oduce on contact skin redness, swelling, the
DI-C9-11-ALKYL PHTHALATE, C10-RICH DI-C9-11-ALKYL PHTHALATE, C10-RICH & TITANIUM DIOXIDE Acute Toxicity Skin Irritation/Corrosion	1. Value obtained from Europe ECHA Registered Substance specified data extracted from RTECS - Register of Toxic Effective data extracted from RTECS - Register of Register of the Skin, suggesting the genetic damage, though cases have been reported in experit potential. No significant acute toxicological data identified in literature some potential may produce moderate eye irritation leading to conjunctivitis. WARNING: This substance has been classified by the IARC - The m	Skin: no adverse services and the search. Skin: no adverse services and the search. Skin: no adverse services and the search and the search. Skin contact. When inhaled, the search and in the search and in the search. Skin contact and the search and the search and the search and the search. Skin contact and the search and the sear	se effect observed (not irritating)[1] blained from manufacturer's SDS. Unless otherw ese substances have been demonstrated to have idney at high doses. They also cause reproductive did primarily via the urine. Repeated doses may cause limited organelles in the cytoplasm that are found Repeated or prolonged exposure to irritants may cossible risk of irreversible effects, with the possible terial ends. This may be due to a non-allergic er exposure to high levels of highly irritating disease in a non-atopic individual, with sudden onto the irritant. Other criteria for diagnosis of RADS hyperreactivity on methacholine challenge testing, a) following an irritating inhalation is an infrequent neg substance. On the other hand, industrial bronch ubstance (often particles) and is completely ough and mucus production. It may deposit in lung tissue and lymph nodes testines depends on the size of the particle. It effective barrier. There is no substantive data on we differing conclusions on its cancer-causing prolonged exposure to irritants may produce cinogenic to Humans.

Page 6 of 9 OPAQUE PIGMENT RED

Issue Date: 23/12/2022 Print Date: 20/05/2024

Legena:

SECTION 12 Ecological information

Toxicity

	Endpoint	Test Duration (hr)	Species	Value	Source
OPAQUE PIGMENT RED	Not Available	Not Available	Not Available	Not Available	Not Available
	Endpoint	Test Duration (hr)	Species	Value	Source
	LC50	96h	Fish	>0.37mg/l	2
i-C9-11-alkyl phthalate, C10- rich	NOEC(ECx)	504h	Crustacea	>0.03mg/l	1
11011	EC50	96h	Algae or other aquatic plants	>1.3mg/l	1
E	EC50	48h	Crustacea	>0.18mg/l	1
	Endpoint	Test Duration (hr)	Species	Value	Source
	LC50	96h	Fish	1.85- 3.06mg/l	4
	BCF	1008h	Fish	<1.1-9.6	7
titanium dioxide	EC50	72h	Algae or other aquatic plants	3.75- 7.58mg/l	4
	EC50	48h	Crustacea	1.9mg/l	2
	NOEC(ECx)	672h	Fish	>=0.004mg/L	2
	EC50	96h	Algae or other aquatic plants	179.05mg/l	2
Legend:	Ecotox databas		CHA Registered Substances - Ecotoxicological Info Aquatic Hazard Assessment Data 6. NITE (Japar		

On the basis of available evidence concerning either toxicity, persistence, potential to accumulate and or observed environmental fate and behaviour, the material may present a danger, immediate or long-term and /or delayed, to the structure and/ or functioning of natural ecosystems.

DO NOT discharge into sewer or waterways.

Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
titanium dioxide	HIGH	HIGH

Bioaccumulative potential

Ingredient	Bioaccumulation
di-C9-11-alkyl phthalate, C10-rich	HIGH (BCF = 3500)
titanium dioxide	LOW (BCF = 10)

Mobility in soil

Ingredient	Mobility
titanium dioxide	LOW (Log KOC = 23.74)

SECTION 13 Disposal considerations

Waste treatment methods

Product / Packaging disposal

- ▶ DO NOT allow wash water from cleaning or process equipment to enter drains.
- It may be necessary to collect all wash water for treatment before disposal.
 In all cases disposal to sewer may be subject to local laws and regulations and these should be considered first.
- Where in doubt contact the responsible authority.
- ▶ Recycle wherever possible or consult manufacturer for recycling options.
- ► Consult State Land Waste Authority for disposal.
- Bury or incinerate residue at an approved site.
- ▶ Recycle containers if possible, or dispose of in an authorised landfill.

Ensure that the hazardous substance is disposed in accordance with the Hazardous Substances (Disposal) Notice 2017

Disposal Requirements

Packages that have been in direct contact with the hazardous substance must be only disposed if the hazardous substance was appropriately removed and cleaned out from the package. The package must be disposed according to the manufacturer's directions taking into account the material it is made of. Packages which hazardous content have been appropriately treated and removed may be recycled.

The hazardous substance must only be disposed if it has been treated by a method that changed the characteristics or composition of the substance and it is no longer hazardous.

Do not dispose to the environment any component, which may be biocumulative or not rapidly degradable.

Only discharge the substance to the environment if an environmental exposure limit has been set for the substance.

Only deposit the hazardous substance into or onto a landfill or sewage facility or incinerator, where the hazardous substance can be handled and treated appropriately.

SECTION 14 Transport information

OPAQUE PIGMENT RED

Issue Date: 23/12/2022 Print Date: 20/05/2024

Marine Pollutant	NO
HAZCHEM	Not Applicable

Land transport (UN): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

14.7.1. Transport in bulk according to Annex II of MARPOL and the IBC code

Not Applicable

14.7.2. Transport in bulk in accordance with MARPOL Annex V and the IMSBC Code

Product name	Group
di-C9-11-alkyl phthalate, C10-rich	Not Available
titanium dioxide	Not Available

14.7.3. Transport in bulk in accordance with the IGC Code

Product name	Ship Type
di-C9-11-alkyl phthalate, C10-rich	Not Available
titanium dioxide	Not Available

SECTION 15 Regulatory information

Safety, health and environmental regulations / legislation specific for the substance or mixture

This substance is to be managed using the conditions specified in an applicable Group Standard

HSR Number	Group Standard
HSR002521	Animal Nutritional and Animal Care Products Group Standard 2020
HSR002503	Additives Process Chemicals and Raw Materials Subsidiary Hazard Group Standard 2020
HSR002571	Fertilisers Subsidiary Hazard Group Standard 2020
HSR100757	Veterinary Medicines Limited Pack Size Finished Dose Group Standard 2020
HSR100758	Veterinary Medicines Non dispersive Closed System Application Group Standard 2020
HSR100759	Veterinary Medicines Non dispersive Open System Application Group Standard 2020
HSR100592	Agricultural Compounds Special Circumstances Group Standard 2020
HSR100756	Active Ingredients for Use in the Manufacture of Agricultural Compounds Group Standard 2020

Please refer to Section 8 of the SDS for any applicable tolerable exposure limit or Section 12 for environmental exposure limit.

di-C9-11-alkyl phthalate, C10-rich is found on the following regulatory lists

Chemical Footprint Project - Chemicals of High Concern List

New Zealand Inventory of Chemicals (NZIoC)

titanium dioxide is found on the following regulatory lists

Chemical Footprint Project - Chemicals of High Concern List

International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs

International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs - Group 2B: Possibly carcinogenic to humans

International WHO List of Proposed Occupational Exposure Limit (OEL) Values for Manufactured Nanomaterials (MNMS)

New Zealand Inventory of Chemicals (NZIoC)

New Zealand Workplace Exposure Standards (WES)

Additional Regulatory Information

Not Applicable

Hazardous Substance Location

Subject to the Health and Safety at Work (Hazardous Substances) Regulations 2017.

Hazard Class	Quantities
Not Applicable	Not Applicable

Certified Handler

Subject to Part 4 of the Health and Safety at Work (Hazardous Substances) Regulations 2017.

Class of substance	Quantities
Not Applicable	Not Applicable

Refer Group Standards for further information

Maximum quantities of certain hazardous substances permitted on passenger service vehicles

Subject to Regulation 13.14 of the Health and Safety at Work (Hazardous Substances) Regulations 2017.

Hazard Class	Gas (aggregate water capacity in mL)	Liquid (L)	Solid (kg)	Maximum quantity per package for each classification
Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable

Chemwatch: 72-7938 Version No: 7.3

OPAQUE PIGMENT RED

Issue Date: 23/12/2022 Print Date: 20/05/2024

Tracking Requirements

Not Applicable

National Inventory Status

National Inventory	Status	
Australia - AIIC / Australia Non- Industrial Use	Yes	
Canada - DSL	Yes	
Canada - NDSL	No (di-C9-11-alkyl phthalate, C10-rich)	
China - IECSC	Yes	
Europe - EINEC / ELINCS / NLP	Yes	
Japan - ENCS	Yes	
Korea - KECI	Yes	
New Zealand - NZIoC	Yes	
Philippines - PICCS	Yes	
USA - TSCA	Yes	
Taiwan - TCSI	Yes	
Mexico - INSQ	Yes	
Vietnam - NCI	Yes	
Russia - FBEPH	No (di-C9-11-alkyl phthalate, C10-rich)	
Legend:	Yes = All CAS declared ingredients are on the inventory No = One or more of the CAS listed ingredients are not on the inventory. These ingredients may be exempt or will require registration.	

SECTION 16 Other information

Revision Date	23/12/2022
Initial Date	09/03/2017

SDS Version Summary

Version	Date of Update	Sections Updated
7.2	17/03/2023	Identification of the substance / mixture and of the company / undertaking - Supplier Information, Identification of the substance / mixture and of the company / undertaking - Synonyms
7.3	17/05/2024	Identification of the substance / mixture and of the company / undertaking - Synonyms

Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

Definitions and abbreviations

- ▶ PC TWA: Permissible Concentration-Time Weighted Average
- ▶ PC STEL: Permissible Concentration-Short Term Exposure Limit
- ► IARC: International Agency for Research on Cancer
- ACGIH: American Conference of Governmental Industrial Hygienists
- STEL: Short Term Exposure Limit
- TEEL: Temporary Emergency Exposure Limit.
- ▶ IDLH: Immediately Dangerous to Life or Health Concentrations
- ES: Exposure Standard
- OSF: Odour Safety FactorNOAEL: No Observed Adverse Effect Level
- LOAEL: Lowest Observed Adverse Effect Level
- ► TLV: Threshold Limit Value
- LOD: Limit Of Detection
- OTV: Odour Threshold Value
- ▶ BCF: BioConcentration Factors
- ▶ BEI: Biological Exposure Index
- DNEL: Derived No-Effect Level
- ▶ PNEC: Predicted no-effect concentration
- ▶ AIIC: Australian Inventory of Industrial Chemicals
- DSL: Domestic Substances List
- NDSL: Non-Domestic Substances List
- ▶ IECSC: Inventory of Existing Chemical Substance in China
- ▶ EINECS: European INventory of Existing Commercial chemical Substances
- ▶ ELINCS: European List of Notified Chemical Substances
- NLP: No-Longer Polymers
 ENCS: Existing and New Chemical Substances Inventory
- KECI: Korea Existing Chemicals Inventory
- ▶ NZIoC: New Zealand Inventory of Chemicals
- ▶ PICCS: Philippine Inventory of Chemicals and Chemical Substances
- ► TSCA: Toxic Substances Control Act
- TCSI: Taiwan Chemical Substance Inventory
- INSQ: Inventario Nacional de Sustancias Químicas
- ► NCI: National Chemical Inventory

Chemwatch: **72-7938** Page 9 of 9 Issue Date: 23/12/2022 Version No: 7.3 Print Date: 20/05/2024

OPAQUE PIGMENT RED

▶ FBEPH: Russian Register of Potentially Hazardous Chemical and Biological Substances

This document is copyright.

Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from CHEMWATCH.

TEL (+61 3) 9572 4700.