Barnes NZ

Chemwatch: 9848793

Version No: 9.3 Safety Data Sheet according to the Health and Safety at Work (Hazardous Substances) Regulations 2017 Chemwatch Hazard Alert Code: 1

Issue Date: **10/03/2023** Print Date: **20/05/2024** S.GHS.NZL.EN.E

SECTION 1 Identification of the substance / mixture and of the company / undertaking

Product Identifier

Product name	PAQUE PIGMENT VIOLET	
Chemical Name	Not Applicable	
Synonyms	6829 VIOLET, OPAQUE RESIN PIGMENT VIOLET	
Chemical formula	Not Applicable	
Other means of identification	Not Available	

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses Pigment.

Details of the manufacturer or supplier of the safety data sheet

Barnes NZ
B/92-94 Railside Ave, Henderson Auckland 0612 New Zealand
+64 09 973 1816
Not Available
www.barnesnz.co.nz
info@barnesnz.co.nz

Emergency telephone number

Association / Organisation	New Zealand Poison's Information Center
Emergency telephone numbers	0800 764 766
Other emergency telephone numbers	Not Available

SECTION 2 Hazards identification

Classification of the substance or mixture

Classification ^[1]	Hazardous to Soil Organisms
Legend:	1. Classified by Chemwatch; 2. Classification drawn from CCID EPA NZ; 3. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI
Determined by Chemwatch using GHS/HSNO criteria	9.2C

Label elements

Hazard pictogram(s)	Not Applicable
Signal word	Not Applicable

Hazard statement(s)

H423 Hazardous to soil organisms.

Precautionary statement(s) Prevention

Not Applicable

Precautionary statement(s) Response

Not Applicable

Precautionary statement(s) Storage

Not Applicable

Precautionary statement(s) Disposal

Not Applicable

SECTION 3 Composition / information on ingredients

Substances

See section below for composition of Mixtures

Mixtures

CAS No	%[weight]	Name
68515-49-1	>60	di-C9-11-alkyl phthalate, C10-rich
13463-67-7	0.1-1	titanium dioxide
Legend:	1. Classified by Chemwatch; 2. Classification drawn from CCID EPA NZ; 3. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI; 4. Classification drawn from C&L * EU IOELVs available	

SECTION 4 First aid measures

Eye Contact	 If this product comes in contact with the eyes: Immediately hold eyelids apart and flush the eye continuously with running water. Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids. Continue flushing until advised to stop by the Poisons Information Centre or a doctor, or for at least 15 minutes. Transport to hospital or doctor without delay. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.
Skin Contact	 If skin contact occurs: Immediately remove all contaminated clothing, including footwear. Flush skin and hair with running water (and soap if available). Seek medical attention in event of irritation.
Inhalation	 If fumes, aerosols or combustion products are inhaled remove from contaminated area. Other measures are usually unnecessary.
Ingestion	 If swallowed do NOT induce vomiting. If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration. Observe the patient carefully. Never give liquid to a person showing signs of being sleepy or with reduced awareness; i.e. becoming unconscious. Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfortably drink. Seek medical advice.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5 Firefighting measures

Extinguishing media

- Foam.
- Dry chemical powder.
- BCF (where regulations permit). Carbon dioxide.
- Water spray or fog Large fires only.

Special hazards arising from the substrate or mixture

Fire Incompatibility	Avoid contamination with oxidising agents i.e. nitrates, oxidising acids, chlorine bleaches, pool chlorine etc. as ignition may result
Advice for firefighters	
Fire Fighting	 Alert Fire Brigade and tell them location and nature of hazard. Wear breathing apparatus plus protective gloves. Prevent, by any means available, spillage from entering drains or water courses. Use water delivered as a fine spray to control fire and cool adjacent area. DO NOT approach containers suspected to be hot. Cool fire exposed containers with water spray from a protected location. If safe to do so, remove containers from path of fire.
	 Combustible. Slight fire hazard when exposed to heat or flame. Heating may cause expansion or decomposition leading to violent rupture of containers. On combustion, may emit toxic fumes of carbon monoxide (CO). May emit acrid smoke.

Mists containing combustible materials may be explosive.
Combustion products include:
carbon dioxide (CO2)
other pyrolysis products typical of burning organic material.
May emit poisonous fumes.
May emit corrosive fumes.

SECTION 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures See section 8

Environmental precautions

See section 12

Methods and material for containment and cleaning up

Minor Spills

- Environmental hazard contain spillage. Remove all ignition sources.

 - Clean up all spills immediately.
 - Avoid breathing vapours and contact with skin and eyes.
 - Control personal contact with the substance, by using protective equipment.

	 Contain and absorb spill with sand, earth, inert material or vermiculite. Wipe up. Place in a suitable, labelled container for waste disposal.
Major Spills	 Environmental hazard - contain spillage. Moderate hazard. Clear area of personnel and move upwind. Alert Fire Brigade and tell them location and nature of hazard. Wear breathing apparatus plus protective gloves. Prevent, by any means available, spillage from entering drains or water course. No smoking, naked lights or ignition sources. Increase ventilation.

Personal Protective Equipment advice is contained in Section 8 of the SDS.

SECTION 7 Handling and storage

Safe handling	 DO NOT allow clothing wet with material to stay in contact with skin Avoid all personal contact, including inhalation. Wear protective clothing when risk of exposure occurs. Use in a well-ventilated area. Prevent concentration in hollows and sumps. DO NOT enter confined spaces until atmosphere has been checked.
	 Avoid smoking, naked lights or ignition sources. Avoid contact with incompatible materials.
Other information	 Store in original containers. Keep containers securely sealed. No smoking, naked lights or ignition sources. Store in a cool, dry, well-ventilated area. Store away from incompatible materials and foodstuff containers. Protect containers against physical damage and check regularly for leaks. Observe manufacturer's storage and handling recommendations contained within this SDS.

Conditions for safe storage, including any incompatibilities

Suitable container	Packaging as recommended by manufacturer.
Storage incompatibility	Avoid reaction with oxidising agents

SECTION 8 Exposure controls / personal protection

Control parameters

Occupational Exposure Limits (OEL)

INGREDIENT DATA

Source	Ingredient	Material name	TWA	STEL	Peak	Notes
New Zealand Workplace Exposure Standards (WES)	titanium dioxide	Titanium dioxide	10 mg/m3	Not Available	Not Available	Not Available

Emergency Limits				
Ingredient	TEEL-1	TEEL-2		TEEL-3
titanium dioxide	30 mg/m3	330 mg/m3		2,000 mg/m3
la sue dis né			Davis ad IDLU	
Ingredient	Original IDLH		Revised IDLH	
di-C9-11-alkyl phthalate, C10- rich	Not Available		Not Available	
titanium dioxide	5,000 mg/m3		Not Available	

Exposure controls

Appropriate engineering controls	Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection. The basic types of engineering controls are: Process controls which involve changing the way a job activity or process is done to reduce the risk. Enclosure and/or isolation of emission source which keeps a selected hazard "physically" away from the worker and ventilation that strategically "adds" and "removes" air in the work environment. Ventilation can remove or dilute an air contaminant if designed properly. The design of a ventilation system must match the particular process and chemical or contaminant in use. Employers may need to use multiple types of controls to prevent employee overexposure.
Individual protection measures, such as personal protective equipment	
Eye and face protection	 Safety glasses with side shields. Chemical goggles. [AS/NZS 1337.1, EN166 or national equivalent] Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy document, describing the wearing of lenses or restrictions on use, should be created for each workplace or task. This should include a review of lens absorption and adsorption for the class of chemicals in use and an account of injury experience. Medical and first-aid personnel should be trained in their removal and suitable equipment should be readily available. In the event of chemical exposure, begin eye irrigation immediately and remove contact lens as soon as practicable.
Skin protection	See Hand protection below
Hands/feet protection	Wear chemical protective gloves, e.g. PVC.

	 Wear safety footwear or safety gumboots, e.g. Rubber The selection of suitable gloves does not only depend on the material, but also on further marks of quality which vary from manufacturer to manufacturer. Where the chemical is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. The exact break through time for substances has to be obtained from the manufacturer of the protective gloves and has to be observed when making a final choice. Personal hygiene is a key element of effective hand care. Gloves must only be worn on clean hands. After using gloves, hands should be washed and dried thoroughly. Application of a non-perfumed moisturiser is recommended. Neoprene rubber gloves Nitrile rubber gloves (Note: Nitric acid penetrates nitrile gloves in a few minutes.)
Body protection	See Other protection below
Other protection	 Overalls. P.V.C apron. Barrier cream. Skin cleansing cream. Eye wash unit.

Respiratory protection

Type A-P Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)

Where the concentration of gas/particulates in the breathing zone, approaches or exceeds the "Exposure Standard" (or ES), respiratory protection is required. Degree of protection varies with both face-piece and Class of filter; the nature of protection varies with Type of filter.

Required Minimum Protection Factor	Half-Face Respirator	Full-Face Respirator	Powered Air Respirator
up to 10 x ES	A-AUS P2	-	A-PAPR-AUS / Class 1 P2
up to 50 x ES	-	A-AUS / Class 1 P2	-
up to 100 x ES	-	A-2 P2	A-PAPR-2 P2 ^

^ - Full-face

A(All classes) = Organic vapours, B AUS or B1 = Acid gasses, B2 = Acid gas or hydrogen cyanide(HCN), B3 = Acid gas or hydrogen cyanide(HCN), E = Sulfur dioxide(SO2), G = Agricultural chemicals, K = Ammonia(NH3), Hg = Mercury, NO = Oxides of nitrogen, MB = Methyl bromide, AX = Low boiling point organic compounds(below 65 degC)

Cartridge respirators should never be used for emergency ingress or in areas of unknown vapour concentrations or oxygen content.
The wearer must be warned to leave the contaminated area immediately on detecting any odours through the respirator. The odour may indicate that the mask is not functioning properly, that the vapour concentration is too high, or that the mask is not properly fitted. Because of these limitations, only restricted use of cartridge respirators is considered appropriate.

• Cartridge performance is affected by humidity. Cartridges should be changed after 2 hr of continuous use unless it is determined that the humidity is less than 75%, in which case, cartridges can be used for 4 hr. Used cartridges should be discarded daily, regardless of the length of time used

SECTION 9 Physical and chemical properties

Information on basic physical and chemical properties

Appearance	Violet liquid with slight odour; does not mix with wat	er.	
Physical state	Liquid	Relative density (Water = 1)	1.06 @25C
Odour	Not Available	Partition coefficient n-octanol / water	Not Available
Odour threshold	Not Available	Auto-ignition temperature (°C)	Not Available
pH (as supplied)	Not Applicable	Decomposition temperature (°C)	Not Available
Melting point / freezing point (°C)	Not Available	Viscosity (cSt)	Not Available
Initial boiling point and boiling range (°C)	Not Available	Molecular weight (g/mol)	Not Applicable
Flash point (°C)	107.2	Taste	Not Available
Evaporation rate	Not Available	Explosive properties	Not Available
Flammability	Not Applicable	Oxidising properties	Not Available
Upper Explosive Limit (%)	Not Available	Surface Tension (dyn/cm or mN/m)	Not Available
Lower Explosive Limit (%)	Not Available	Volatile Component (%vol)	Negligible
Vapour pressure (kPa)	Not Available	Gas group	Not Available
Solubility in water	Immiscible	pH as a solution (1%)	Not Applicable
Vapour density (Air = 1)	Not Available	VOC g/L	Negligible

SECTION 10 Stability and reactivity

Reactivity	See section 7
Chemical stability	 Unstable in the presence of incompatible materials. Product is considered stable. Hazardous polymerisation will not occur.
Possibility of hazardous reactions	See section 7
Conditions to avoid	See section 7
Incompatible materials	See section 7
Hazardous decomposition products	See section 5

SECTION 11 Toxicological information

Inhaled	Inhalation hazard is increased at higher temperatures.		
Ingestion	Accidental ingestion of the material may be damaging to t The toxicity of phthalates is not excessive due to slow ora doses can cause cumulative toxic effects, and symptoms Carbohydrate metabolism is disrupted, and cholesterol ar withering of the testicles. Some phthalates can increase the	l absorption and metabolism. A include an enlarged liver which d triglyceride levels in the bloc	n often reverses if exposure is maintained. In rats, there is also strong evidence of
Skin Contact	Open cuts, abraded or irritated skin should not be exposed to this material Entry into the blood-stream, through, for example, cuts, abrasions or lesions, may produce systemic injury with harmful effects. Examine the skin prior to the use of the material and ensure that any external damage is suitably protected.		
Eye	The liquid may produce eye discomfort and is capable of causing temporary impairment of vision and/or transient eye inflammation, ulceration		
Chronic	Substance accumulation, in the human body, may occur a exposure. Based on experience with similar materials, there is a pos do not cause other toxic effects. Exposure to phthalates over years leads to pain, numbre disorders in the nervous system and the balancing system	sibility that exposure to the mass and spasms in the hands ar	aterial may reduce fertility in humans at levels which
	ΤΟΧΙΟΙΤΥ	IRRITATION	
OPAQUE PIGMENT VIOLET	Not Available	Not Available	
	ΤΟΧΙΟΙΤΥ	IRRITATION	
i-C9-11-alkyl phthalate, C10-	Dermal (Guinea Pig) LD50: 10000 mg/kg ^[2]	Eye (rabbit): 50	0 ma/24h mild
rich	Oral (Mouse) LD50; 1500 mg/kg ^[2]	Skin (rabbit): 50	•
		IDDITATION	
titanium dioxide	dermal (hamster) LD50: >=10000 mg/kg ^[2]		e effect observed (not irritating) ^[1]
	Inhalation (Rat) LC50: >2.28 mg/l4h ^[1]		0.3 mg /3D (int)-mild *
	Oral (Rat) LD50: >=2000 mg/kg ^[1]	Skin: no advers	se effect observed (not irritating) ^[1]
Legend: DI-C9-11-ALKYL	 Value obtained from Europe ECHA Registered Substar specified data extracted from RTECS - Register of Toxic I High Molecular Weight Phthalate Esters (HMWPEs) Cate The HMWPE group includes chemically similar substance biological effects. They demonstrate minimal acute toxicity and developmental toxicity, also, liver cancer. They are re- liver and kidney demonstrate playmeter burns are the elevance to burns and evelopmental toxicity. 	Effect of chemical Substances gory s produced from alcohols. The , with effect on the liver and ki adily metabolised and excreted	ese substances have been demonstrated to have l dney at high doses. They also cause reproductive
	specified data extracted from RTECS - Register of Toxic I High Molecular Weight Phthalate Esters (HMWPEs) Cate The HMWPE group includes chemically similar substance biological effects. They demonstrate minimal acute toxicit and developmental toxicity, also, liver cancer. They are re liver and kidney damage, although the relevance to huma The material may produce peroxisome proliferation. Perox the cells of animals, plants, fungi, and protozoa. The material may be irritating to the eye, with prolonged c produce conjunctivitis.	Effect of chemical Substances gory s produced from alcohols. The , with effect on the liver and ki adily metabolised and excreted n health is questionable kisomes are single, membrane	ese substances have been demonstrated to have f dney at high doses. They also cause reproductive d primarily via the urine. Repeated doses may cau limited organelles in the cytoplasm that are found
DI-C9-11-ALKYL	 specified data extracted from RTECS - Register of Toxic I High Molecular Weight Phthalate Esters (HMWPEs) Cate The HMWPE group includes chemically similar substance biological effects. They demonstrate minimal acute toxicit and developmental toxicity, also, liver cancer. They are re- liver and kidney damage, although the relevance to huma The material may produce peroxisome proliferation. Pero: the cells of animals, plants, fungi, and protozoa. The material may be irritating to the eye, with prolonged of produce conjunctivitis. * IUCLID Laboratory (in vitro) and animal studies show, exposure to of producing mutation. Asthma-like symptoms may continue for months or even y condition known as reactive airways dysfunction syndrom compound. Main criteria for diagnosing RADS include the of persistent asthma-like symptoms within minutes to hou include a reversible airflow pattern on lung function tests, and the lack of minimal lymphocytic inflammation, without disorder with rates related to the concentration of and dur is a disorder that occurs as a result of exposure due to hig reversible after exposure ceases. The disorder is charactit Exposure to titanium dioxide is via inhalation, swallowing causing dysfunction of the lungs and immune system. Abs penetrated only the outermost layer of the skin, suggestin genetic damage, though cases have been reported in exp potential. No significant acute toxicological data identified in literatu The material may produce moderate eye irritation leading conjunctivitis. 	Effect of chemical Substances gory s produced from alcohols. The with effect on the liver and ki adily metabolised and excreted in health is questionable cisomes are single, membrane ontact causing inflammation. F the material may result in a pre- rears after exposure to the male (RADS) which can occur after absence of previous airways of rs of a documented exposure to moderate to severe bronchial le exposure to the irritating ser- rized by difficulty breathing, cor- or skin contact. When inhaled, sorption by the stomach and in g that healthy skin may be an er- erimental animals. Studies have the search. to inflammation. Repeated or pre- serial series of the series of the series of the to inflammation. Repeated or pre- series of the series of th	ese substances have been demonstrated to have f dney at high doses. They also cause reproductive d primarily via the urine. Repeated doses may cau limited organelles in the cytoplasm that are found Repeated or prolonged exposure to irritants may ossible risk of irreversible effects, with the possibil terial ends. This may be due to a non-allergic er exposure to high levels of highly irritating disease in a non-atopic individual, with sudden ons o the irritant. Other criteria for diagnosis of RADS hyperreactivity on methacholine challenge testing, a) following an irritating inhalation is an infrequent g substance. On the other hand, industrial bronch ubstance (often particles) and is completely ough and mucus production. it may deposit in lung tissue and lymph nodes testines depends on the size of the particle. It effective barrier. There is no substantive data on we differing conclusions on its cancer-causing prolonged exposure to irritants may produce
DI-C9-11-ALKYL PHTHALATE, C10-RICH	 specified data extracted from RTECS - Register of Toxic I High Molecular Weight Phthalate Esters (HMWPEs) Cate The HMWPE group includes chemically similar substance biological effects. They demonstrate minimal acute toxicit and developmental toxicity, also, liver cancer. They are re- liver and kidney damage, although the relevance to huma The material may produce peroxisome proliferation. Perox the cells of animals, plants, fungi, and protozoa. The material may be irritating to the eye, with prolonged c produce conjunctivitis. * IUCLID Laboratory (in vitro) and animal studies show, exposure to of producing mutation. Asthma-like symptoms may continue for months or even y condition known as reactive airways dysfunction syndrom compound. Main criteria for diagnosing RADS include the of persistent asthma-like symptoms within minutes to hou include a reversible airflow pattern on lung function tests, and the lack of minimal lymphocytic inflammation, without disorder with rates related to the concentration of and dur is a disorder that occurs as a result of exposure due to hig reversible after exposure ceases. The disorder is characte Exposure to titanium dioxide is via inhalation, swallowing causing dysfunction of the lungs and immune system. Abs penetrated only the outermost layer of the skin, suggestin genetic damage, though cases have been reported in exp potential. No significant acute toxicological data identified in literatu The material may produce moderate eye irritation leading conjunctivitis. WARNING: This substance has been classified by the IAI 	Effect of chemical Substances gory s produced from alcohols. The <i>y</i> , with effect on the liver and ki adily metabolised and excreted in health is questionable cisomes are single, membrane ontact causing inflammation. F the material may result in a pre- rears after exposure to the material absence of previous airways or s of a documented exposure t moderate to severe bronchial I eosinophilia. RADS (or asthm ation of exposure to the irritating in serized by difficulty breathing, co or skin contact. When inhaled, corption by the stomach and in g that healthy skin may be an erimental animals. Studies have re search. to inflammation. Repeated or pre- RC as Group 2B: Possibly Carr	ese substances have been demonstrated to have f dney at high doses. They also cause reproductive d primarily via the urine. Repeated doses may cau limited organelles in the cytoplasm that are found Repeated or prolonged exposure to irritants may ossible risk of irreversible effects, with the possibil terial ends. This may be due to a non-allergic er exposure to high levels of highly irritating disease in a non-atopic individual, with sudden ons o the irritant. Other criteria for diagnosis of RADS hyperreactivity on methacholine challenge testing, a) following an irritating inhalation is an infrequent mg substance. On the other hand, industrial bronch ubstance (often particles) and is completely bugh and mucus production. It may deposit in lung tissue and lymph nodes testines depends on the size of the particle. It effective barrier. There is no substantive data on we differing conclusions on its cancer-causing prolonged exposure to irritants may produce cinogenic to Humans.
DI-C9-11-ALKYL PHTHALATE, C10-RICH	 specified data extracted from RTECS - Register of Toxic I High Molecular Weight Phthalate Esters (HMWPEs) Cate The HMWPE group includes chemically similar substance biological effects. They demonstrate minimal acute toxicit and developmental toxicity, also, liver cancer. They are re- liver and kidney damage, although the relevance to huma The material may produce peroxisome proliferation. Pero: the cells of animals, plants, fungi, and protozoa. The material may be irritating to the eye, with prolonged of produce conjunctivitis. * IUCLID Laboratory (in vitro) and animal studies show, exposure to of producing mutation. Asthma-like symptoms may continue for months or even y condition known as reactive airways dysfunction syndrom compound. Main criteria for diagnosing RADS include the of persistent asthma-like symptoms within minutes to hou include a reversible airflow pattern on lung function tests, and the lack of minimal lymphocytic inflammation, without disorder with rates related to the concentration of and dur is a disorder that occurs as a result of exposure due to hig reversible after exposure ceases. The disorder is charactit Exposure to titanium dioxide is via inhalation, swallowing causing dysfunction of the lungs and immune system. Abs penetrated only the outermost layer of the skin, suggestin genetic damage, though cases have been reported in exp potential. No significant acute toxicological data identified in literatu The material may produce moderate eye irritation leading conjunctivitis. 	Effect of chemical Substances gory s produced from alcohols. The <i>y</i> , with effect on the liver and ki adily metabolised and excreted in health is questionable cisomes are single, membrane ontact causing inflammation. F the material may result in a pre- rears after exposure to the material absence of previous airways or s of a documented exposure t moderate to severe bronchial I eosinophilia. RADS (or asthm ation of exposure to the irritating in serized by difficulty breathing, co or skin contact. When inhaled, corption by the stomach and in g that healthy skin may be an erimental animals. Studies have re search. to inflammation. Repeated or pre- RC as Group 2B: Possibly Carr	ese substances have been demonstrated to have f dney at high doses. They also cause reproductive d primarily via the urine. Repeated doses may cau limited organelles in the cytoplasm that are found Repeated or prolonged exposure to irritants may ossible risk of irreversible effects, with the possibil terial ends. This may be due to a non-allergic er exposure to high levels of highly irritating disease in a non-atopic individual, with sudden ons o the irritant. Other criteria for diagnosis of RADS hyperreactivity on methacholine challenge testing, a) following an irritating inhalation is an infrequent mg substance. On the other hand, industrial bronch ubstance (often particles) and is completely bugh and mucus production. It may deposit in lung tissue and lymph nodes testines depends on the size of the particle. It effective barrier. There is no substantive data on we differing conclusions on its cancer-causing prolonged exposure to irritants may produce cinogenic to Humans.
DI-C9-11-ALKYL PHTHALATE, C10-RICH TITANIUM DIOXIDE DI-C9-11-ALKYL PHTHALATE, C10-RICH &	 specified data extracted from RTECS - Register of Toxic I High Molecular Weight Phthalate Esters (HMWPEs) Cate The HMWPE group includes chemically similar substance biological effects. They demonstrate minimal acute toxicit and developmental toxicity, also, liver cancer. They are re- liver and kidney damage, although the relevance to huma The material may produce peroxisome proliferation. Pero- the cells of animals, plants, fungi, and protozoa. The material may be irritating to the eye, with prolonged co- produce conjunctivitis. * IUCLID Laboratory (in vitro) and animal studies show, exposure to of producing mutation. Asthma-like symptoms may continue for months or even y condition known as reactive airways dysfunction syndrom compound. Main criteria for diagnosing RADS include the of persistent asthma-like symptoms within minutes to hou include a reversible airflow pattern on lung function tests, and the lack of minimal lymphocytic inflammation, without disorder with rates related to the concentration of and dur is a disorder that occurs as a result of exposure due to hig reversible after exposure ceases. The disorder is characte Exposure to titanium dioxide is via inhalation, swallowing causing dysfunction of the lungs and immune system. Abs penetrated only the outermost layer of the skin, suggestin genetic damage, though cases have been reported in exp potential. No significant acute toxicological data identified in literatu The material may produce moderate eye irritation leading conjunctivitis. WARNING: This substance has been classified by the IAI The material may cause skin irritation after prolonged or r 	Effect of chemical Substances gory s produced from alcohols. The <i>y</i> , with effect on the liver and ki adily metabolised and excreted in health is questionable cisomes are single, membrane ontact causing inflammation. F the material may result in a pre- rears after exposure to the material absence of previous airways or s of a documented exposure t moderate to severe bronchial I eosinophilia. RADS (or asthm ation of exposure to the irritating in serized by difficulty breathing, co or skin contact. When inhaled, corption by the stomach and in g that healthy skin may be an erimental animals. Studies have re search. to inflammation. Repeated or pre- RC as Group 2B: Possibly Carr	ese substances have been demonstrated to have f dney at high doses. They also cause reproductive d primarily via the urine. Repeated doses may cau limited organelles in the cytoplasm that are found Repeated or prolonged exposure to irritants may ossible risk of irreversible effects, with the possibil terial ends. This may be due to a non-allergic er exposure to high levels of highly irritating disease in a non-atopic individual, with sudden ons o the irritant. Other criteria for diagnosis of RADS hyperreactivity on methacholine challenge testing, a) following an irritating inhalation is an infrequent mg substance. On the other hand, industrial bronch ubstance (often particles) and is completely bugh and mucus production. It may deposit in lung tissue and lymph nodes testines depends on the size of the particle. It effective barrier. There is no substantive data on we differing conclusions on its cancer-causing prolonged exposure to irritants may produce cinogenic to Humans.
DI-C9-11-ALKYL PHTHALATE, C10-RICH TITANIUM DIOXIDE	 specified data extracted from RTECS - Register of Toxic I High Molecular Weight Phthalate Esters (HMWPEs) Cate The HMWPE group includes chemically similar substance biological effects. They demonstrate minimal acute toxicit and developmental toxicity, also, liver cancer. They are re- liver and kidney damage, although the relevance to huma The material may produce peroxisome proliferation. Pero- the cells of animals, plants, fungi, and protozoa. The material may be irritating to the eye, with prolonged co- produce conjunctivitis. * IUCLID Laboratory (in vitro) and animal studies show, exposure to of producing mutation. Asthma-like symptoms may continue for months or even y condition known as reactive airways dysfunction syndrom compound. Main criteria for diagnosing RADS include the of persistent asthma-like symptoms within minutes to hou include a reversible airflow pattern on lung function tests, and the lack of minimal lymphocytic inflammation, without disorder with rates related to the concentration of and dur is a disorder that occurs as a result of exposure due to hig reversible after exposure ceases. The disorder is characte Exposure to titanium dioxide is via inhalation, swallowing causing dysfunction of the lungs and immune system. Abs penetrated only the outermost layer of the skin, suggestin genetic damage, though cases have been reported in exp potential. No significant acute toxicological data identified in literatu The material may produce moderate eye irritation leading conjunctivitis. WARNING: This substance has been classified by the IAR The material may cause skin irritation after prolonged or r production of vesicles, scaling and thickening of the skin. 	Effect of chemical Substances gory s produced from alcohols. The <i>y</i> , with effect on the liver and ki adily metabolised and excreted is a sproduced from alcohols. The <i>y</i> with effect on the liver and ki adily metabolised and excreted is a sproduced from alcohols. The <i>y</i> with effect on the liver and ki adily metabolised and excreted is a sproduced and excreted is ones are single, membrane ontact causing inflammation. F the material may result in a pro- rears after exposure to the material absence of previous airways of so f a documented exposure to moderate to severe bronchial le eosinophilia. RADS (or asthm ation of exposure to the irritating serized by difficulty breathing, co or skin contact. When inhaled, sorption by the stomach and in g that healthy skin may be an erimental animals. Studies have re search. to inflammation. Repeated or pro- scin courted exposure and may pro- appeated exposure and may pro- scin contact exposure exposure and may pro- scin contact exposure exposure exposure exposure exposure exposu	ese substances have been demonstrated to have f dney at high doses. They also cause reproductive d primarily via the urine. Repeated doses may cau limited organelles in the cytoplasm that are found Repeated or prolonged exposure to irritants may ossible risk of irreversible effects, with the possibil terial ends. This may be due to a non-allergic er exposure to high levels of highly irritating disease in a non-atopic individual, with sudden ons to the irritant. Other criteria for diagnosis of RADS hyperreactivity on methacholine challenge testing, a) following an irritating inhalation is an infrequent fustance. On the other hand, industrial bronch ubstance. On the other hand, industrial bronch ubstance (often particles) and is completely bugh and mucus production. It may deposit in lung tissue and lymph nodes testines depends on the size of the particle. It effective barrier. There is no substantive data on ve differing conclusions on its cancer-causing prolonged exposure to irritants may produce cinogenic to Humans.
DI-C9-11-ALKYL PHTHALATE, C10-RICH TITANIUM DIOXIDE DI-C9-11-ALKYL PHTHALATE, C10-RICH & TITANIUM DIOXIDE	 specified data extracted from RTECS - Register of Toxic I High Molecular Weight Phthalate Esters (HMWPEs) Cate The HMWPE group includes chemically similar substance biological effects. They demonstrate minimal acute toxicity and developmental toxicity, also, liver cancer. They are re- liver and kidney damage, although the relevance to huma The material may produce peroxisome proliferation. Perox the cells of animals, plants, fungi, and protozoa. The material may be irritating to the eye, with prolonged or produce conjunctivitis. * IUCLID Laboratory (in vitro) and animal studies show, exposure to of producing mutation. Asthma-like symptoms may continue for months or even y condition known as reactive airways dysfunction syndrom compound. Main criteria for diagnosing RADS include the of persistent asthma-like symptoms within minutes to hou include a reversible airflow pattern on lung function tests, and the lack of minimal lymphocytic inflammation, without disorder with rates related to the concentration of and dur is a disorder that occurs as a result of exposure due to hig reversible after exposure ceases. The disorder is characte Exposure to titanium dioxide is via inhalation, swallowing causing dysfunction of the lungs and immune system. Abs penetrated only the outermost layer of the skin, suggestin genetic damage, though cases have been reported in exp potential. WARNING: This substance has been classified by the IAI The material may produce moderate eye irritation leading conjunctivitis. WARNING: This substance has been classified by the IAI The material may cause skin irritation after prolonged or r production of vesicles, scaling and thickening of the skin. 	Effect of chemical Substances gory s produced from alcohols. The with effect on the liver and ki adily metabolised and excreted isomes are single, membrane ontact causing inflammation. F the material may result in a pre- rears after exposure to the material e (RADS) which can occur after absence of previous airways or s of a documented exposure to moderate to severe bronchial I eosinophilia. RADS (or asthm ation of exposure to the irritating si- prized by difficulty breathing, co- or skin contact. When inhaled, sorption by the stomach and in g that healthy skin may be an erimental animals. Studies have re search. to inflammation. Repeated or pro- RC as Group 2B: Possibly Carri- epeated exposure and may pro- Carcinogenicity	ese substances have been demonstrated to have f dney at high doses. They also cause reproductive d primarily via the urine. Repeated doses may cau limited organelles in the cytoplasm that are found Repeated or prolonged exposure to irritants may ossible risk of irreversible effects, with the possibil terial ends. This may be due to a non-allergic er exposure to high levels of highly irritating disease in a non-atopic individual, with sudden oms o the irritant. Other criteria for diagnosis of RADS hyperreactivity on methacholine challenge testing, a) following an irritating inhalation is an infrequent mg substance. On the other hand, industrial bronch ubstance (often particles) and is completely bugh and mucus production. it may deposit in lung tissue and lymph nodes testines depends on the size of the particle. It effective barrier. There is no substantive data on we differing conclusions on its cancer-causing prolonged exposure to irritants may produce cinogenic to Humans.
DI-C9-11-ALKYL PHTHALATE, C10-RICH TITANIUM DIOXIDE	<pre>specified data extracted from RTECS - Register of Toxic I High Molecular Weight Phthalate Esters (HMWPEs) Cate The HMWPE group includes chemically similar substance biological effects. They demonstrate minimal acute toxicit and developmental toxicity, also, liver cancer. They are re- liver and kidney damage, although the relevance to huma The material may produce peroxisome proliferation. Perox the cells of animals, plants, fungi, and protozoa. The material may be irritating to the eye, with prolonged or produce conjunctivitis.</pre> * IUCLID Laboratory (in vitro) and animal studies show, exposure to of producing mutation. Asthma-like symptoms may continue for months or even y condition known as reactive airways dysfunction syndrom compound. Main criteria for diagnosing RADS include the of persistent asthma-like symptoms within minutes to hou include a reversible airflow pattern on lung function tests, and the lack of minimal lymphocytic inflammation, without disorder with rates related to the concentration of and dur is a disorder that occurs as a result of exposure due to hig reversible after exposure ceases. The disorder is charactic Exposure to titanium dioxide is via inhalation, swallowing causing dysfunction of the lungs and immune system. Abs penetrated only the outermost layer of the skin, suggestin genetic damage, though cases have been reported in exp potential. No significant acute toxicological data identified in literatu The material may produce moderate eye irritation leading conjunctivitis. WARNING: This substance has been classified by the IAI The material may cause skin irritation after prolonged or r production of vesicles, scaling and thickening of the skin.	Effect of chemical Substances gory s produced from alcohols. The with effect on the liver and ki adily metabolised and excreted in health is questionable disomes are single, membrane ontact causing inflammation. F the material may result in a pre- rears after exposure to the mate- e (RADS) which can occur after absence of previous airways of s of a documented exposure to moderate to severe bronchial le eosinophilia. RADS (or asthmation of exposure to the irritating the concentrations of irritating si- erized by difficulty breathing, co- or skin contact. When inhaled, sorption by the stomach and in g that healthy skin may be and erimental animals. Studies have re search. to inflammation. Repeated or pre- RC as Group 2B: Possibly Carri- epeated exposure and may pro- Carcinogenicity Reproductivity	esse substances have been demonstrated to have f dney at high doses. They also cause reproductive d primarily via the urine. Repeated doses may cau limited organelles in the cytoplasm that are found Repeated or prolonged exposure to irritants may ossible risk of irreversible effects, with the possibil terial ends. This may be due to a non-allergic er exposure to high levels of highly irritating disease in a non-atopic individual, with sudden ons o the irritant. Other criteria for diagnosis of RADS hyperreactivity on methacholine challenge testing, a) following an irritating inhalation is an infrequent g substance. On the other hand, industrial bronch ubstance (often particles) and is completely ough and mucus production. it may deposit in lung tissue and lymph nodes testines depends on the size of the particle. It effective barrier. There is no substantive data on we differing conclusions on its cancer-causing prolonged exposure to irritants may produce cinogenic to Humans.

седена:

שמנה פונחפר חטו מאמוומטופ טר טטפא חטו חוו נחפ כתופחמ וטר כומצאוווכמוטח
 Data available to make classification

SECTION 12 Ecological information

	Endpoint	Test Duration (hr)	Species	Value	Source
OPAQUE PIGMENT VIOLET	Not Available	Not Available	Not Available	Not Available	Not Available
	Endpoint	Test Duration (hr)	Species	Value	Source
	LC50	96h	Fish	>0.37mg/l	2
li-C9-11-alkyl phthalate, C10- rich	NOEC(ECx)	504h	Crustacea	>0.03mg/l	1
non	EC50	96h	Algae or other aquatic plants	>1.3mg/l	1
	EC50	48h	Crustacea	>0.18mg/l	1
	Endpoint	Test Duration (hr)	Species	Value	Source
	LC50	96h	Fish	1.85- 3.06mg/l	4
	BCF	1008h	Fish	<1.1-9.6	7
titanium dioxide	EC50	72h	Algae or other aquatic plants	3.75- 7.58mg/l	4
	EC50	48h	Crustacea	1.9mg/l	2
	NOEC(ECx)	672h	Fish	>=0.004mg/L	2
	EC50	96h	Algae or other aquatic plants	179.05mg/l	2
Legend:			CHA Registered Substances - Ecotoxicological Infor C Aquatic Hazard Assessment Data 6. NITE (Japan)		

On the basis of available evidence concerning either toxicity, persistence, potential to accumulate and or observed environmental fate and behaviour, the material may present a danger, immediate or long-term and /or delayed, to the structure and/ or functioning of natural ecosystems. **DO NOT** discharge into sewer or waterways.

Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
titanium dioxide	HIGH	HIGH
Bioaccumulative potential		
Ingredient	Bioaccumulation	
di-C9-11-alkyl phthalate, C10- rich	HIGH (BCF = 3500)	
titanium dioxide	LOW (BCF = 10)	
Mobility in soil		
Ingredient	Mobility	
titanium dioxide	LOW (Log KOC = 23.74)	

SECTION 13 Disposal considerations

aste treatment methods	
Product / Packaging disposal	 DO NOT allow wash water from cleaning or process equipment to enter drains. It may be necessary to collect all wash water for treatment before disposal. In all cases disposal to sewer may be subject to local laws and regulations and these should be considered first. Where in doubt contact the responsible authority. Recycle wherever possible or consult manufacturer for recycling options. Consult State Land Waste Authority of disposal. Bury or incinerate residue at an approved site. Recycle containers if possible, or dispose of in an authorised landfill.

Ensure that the hazardous substance is disposed in accordance with the Hazardous Substances (Disposal) Notice 2017

Disposal Requirements

Packages that have been in direct contact with the hazardous substance must be only disposed if the hazardous substance was appropriately removed and cleaned out from the package. The package must be disposed according to the manufacturer's directions taking into account the material it is made of. Packages which hazardous content have been appropriately treated and removed may be recycled.

The hazardous substance must only be disposed if it has been treated by a method that changed the characteristics or composition of the substance and it is no longer hazardous.

Do not dispose to the environment any component, which may be biocumulative or not rapidly degradable.

Only discharge the substance to the environment if an environmental exposure limit has been set for the substance.

Only deposit the hazardous substance into or onto a landfill or sewage facility or incinerator, where the hazardous substance can be handled and treated appropriately.

SECTION 14 Transport information

Marine Pollutant NO

HAZCHEM Not Applicable

Land transport (UN): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

14.7.1. Transport in bulk according to Annex II of MARPOL and the IBC code Not Applicable

14.7.2. Transport in bulk in accordance with MARPOL Annex V and the IMSBC Code

Product name	Group
di-C9-11-alkyl phthalate, C10- rich	Not Available
titanium dioxide	Not Available

14.7.3. Transport in bulk in accordance with the IGC Code

Product name	Ship Type
di-C9-11-alkyl phthalate, C10- rich	Not Available
titanium dioxide	Not Available

SECTION 15 Regulatory information

Safety, health and environmental regulations / legislation specific for the substance or mixture

This substance is to be managed using the conditions specified in an applicable Group Standard

HSR Number	Group Standard	
HSR002521	Animal Nutritional and Animal Care Products Group Standard 2020	
HSR002503	Additives Process Chemicals and Raw Materials Subsidiary Hazard Group Standard 2020	
HSR002571	Fertilisers Subsidiary Hazard Group Standard 2020	
HSR100757	Veterinary Medicines Limited Pack Size Finished Dose Group Standard 2020	
HSR100758	Veterinary Medicines Non dispersive Closed System Application Group Standard 2020	
HSR100759	Veterinary Medicines Non dispersive Open System Application Group Standard 2020	
HSR100592	Agricultural Compounds Special Circumstances Group Standard 2020	
HSR100756	Active Ingredients for Use in the Manufacture of Agricultural Compounds Group Standard 2020	

Please refer to Section 8 of the SDS for any applicable tolerable exposure limit or Section 12 for environmental exposure limit.

di-C9-11-alkyl phthalate, C10-rich is found on the following regulatory lists

Chemical Footprint Project - Chemicals of High Concern List

New Zealand Inventory of Chemicals (NZIoC)

titanium dioxide is found on the following regulatory lists

Chemical Footprint Project - Chemicals of High Concern List

International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs

- International Agency for Research on Cancer (IARC) Agents Classified by the IARC Monographs Group 2B: Possibly carcinogenic to humans
- International WHO List of Proposed Occupational Exposure Limit (OEL) Values for Manufactured Nanomaterials (MNMS)

New Zealand Inventory of Chemicals (NZIoC)

New Zealand Workplace Exposure Standards (WES)

Additional Regulatory Information

Not Applicable

Hazardous Substance Location

Subject to the Health and Safety at Work (Hazardous Substances) Regulations 2017.

Hazard Class	Quantities
Not Applicable	Not Applicable

Certified Handler

Subject to Part 4 of the Health and Safety at Work (Hazardous Substances) Regulations 2017.

Class of substance	Quantities
Not Applicable	Not Applicable

Refer Group Standards for further information

Maximum quantities of certain hazardous substances permitted on passenger service vehicles

Subject to Regulation 13.14 of the Health and Safety at Work (Hazardous Substances) Regulations 2017.

Hazard Class	Gas (aggregate water capacity in mL)	Liquid (L)	Solid (kg)	Maximum quantity per package for each classification
Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable

Tracking Requirements

Not Applicable

National Inventory Status

National Inventory	Status	
Australia - AIIC / Australia Non- Industrial Use	Yes	
Canada - DSL	Yes	
Canada - NDSL	No (di-C9-11-alkyl phthalate, C10-rich)	
China - IECSC	Yes	
Europe - EINEC / ELINCS / NLP	Yes	
Japan - ENCS	Yes	
Korea - KECI	Yes	
New Zealand - NZIoC	Yes	
Philippines - PICCS	Yes	
USA - TSCA	Yes	
Taiwan - TCSI	Yes	
Mexico - INSQ	Yes	
Vietnam - NCI	Yes	
Russia - FBEPH	No (di-C9-11-alkyl phthalate, C10-rich)	
Legend:	Yes = All CAS declared ingredients are on the inventory No = One or more of the CAS listed ingredients are not on the inventory. These ingredients may be exempt or will require registration.	

SECTION 16 Other information

Revision Date	10/03/2023
Initial Date	29/11/2013

SDS Version Summary

Version	Date of Update	Sections Updated
9.2	17/03/2023	Identification of the substance / mixture and of the company / undertaking - Supplier Information, Identification of the substance / mixture and of the company / undertaking - Synonyms
9.3	17/05/2024	Identification of the substance / mixture and of the company / undertaking - Synonyms

Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

Definitions and abbreviations

- PC TWA: Permissible Concentration-Time Weighted Average
- ▶ PC STEL: Permissible Concentration-Short Term Exposure Limit
- IARC: International Agency for Research on Cancer
- ACGIH: American Conference of Governmental Industrial Hygienists
- STEL: Short Term Exposure Limit
- TEEL: Temporary Emergency Exposure Limit.
- IDLH: Immediately Dangerous to Life or Health Concentrations
- ES: Exposure Standard
- OSF: Odour Safety Factor
 NOAEL: No Observed Adverse Effect Level
- LOAEL: Lowest Observed Adverse Effect Level
- TLV: Threshold Limit Value
- LOD: Limit Of Detection
- OTV: Odour Threshold Value BCF: BioConcentration Factors
- BEI: Biological Exposure Index
- DNEL: Derived No-Effect Level
- PNEC: Predicted no-effect concentration
- AIIC: Australian Inventory of Industrial Chemicals
- DSL: Domestic Substances List
- NDSL: Non-Domestic Substances List
- IECSC: Inventory of Existing Chemical Substance in China
- EINECS: European INventory of Existing Commercial chemical Substances
- ELINCS: European List of Notified Chemical Substances
- NLP: No-Longer Polymers
 ENCS: Existing and New Chemical Substances Inventory
- KECI: Korea Existing Chemicals Inventory
- NZIoC: New Zealand Inventory of Chemicals
- PICCS: Philippine Inventory of Chemicals and Chemical Substances
- TSCA: Toxic Substances Control Act
- TCSI: Taiwan Chemical Substance Inventory INSQ: Inventario Nacional de Sustancias Químicas
- NCI: National Chemical Inventory

• FBEPH: Russian Register of Potentially Hazardous Chemical and Biological Substances

This document is copyright. Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from CHEMWATCH. TEL (+61 3) 9572 4700.