

Safety Data Sheet

Material: 60011000

WACKER® CATALYST T 51

Version 2.6 (AU)

Print Date 22.10.2025

Date of last alteration: 17.01.2025

SECTION 1: Identification**1.1 Product identifier****Commercial product name: WACKER® CATALYST T 51****1.2 Relevant identified uses of the substance or mixture and uses advised against**Use of substance / preparation:
Industrial. Commercial.
Intermediate chemical**1.3 Details of the supplier of the safety data sheet**Manufacturer: Wacker Chemie AG
Street/POB-No.: Gisela-Stein-Straße 1
State/postal code/city: D 81671 München
Telephone: +49 89 6279-0Distributor: Wacker Chemie AG
Care of Wacker Chemicals Australia Pty Ltd
Street/POB-No.: Unit 1 / 35 Dunlop Road
State/postal code/city: Mulgrave, Victoria 3170
Telephone: +61 3 9541 8900Information about the Safety Data Sheet: Telephone +49 8677 83-4888
eMail WLCP-MSDS@wacker.com**1.4 Emergency telephone number**Emergency Information: Regulatory Compliance Manager +61 3 9541 8900
Emergency response service only (24h): +61 2 8014 4558**SECTION 2: Hazard(s) identification****2.1 Classification of the substance or mixture**

Hazardous Chemical according to Australian GHS criteria. Non-Dangerous Goods to the ADG Code.

Classification	H-Code
Specific target organ toxicity - repeated exposure, Category 2 (thymus)	H373
Reproductive toxicity, Category 2	H361d
Flammable liquids, Category 3	H226

2.2 Label elements

Pictogram(s):



Signal Word: Warning

H-Code	Hazard Statements
H226	Flammable liquid and vapour.
H361d	Suspected of damaging the unborn child.
H373	May cause damage to organs (thymus) through prolonged or repeated exposure.
P-Code	Precautionary Statements
P201	Obtain special instructions before use.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P233	Keep container tightly closed.
P243	Take action to prevent static discharges.
P260	Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
P314	Get medical advice/ attention if you feel unwell.
P405	Store locked up.

Safety Data Sheet

Material: 60011000

WACKER® CATALYST T 51

Version 2.6 (AU)

Print Date 22.10.2025

Date of last alteration: 17.01.2025

Hazard ingredients (labelling):Silicic acid (H₄SiO₄), tetraethyl ester, reaction products with bis(acetyloxy)dioctylstannane (4.9 %)

Bis(neodecanoyloxy)dioctylstannane (1.8 %)

Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts (0.7 %)

The following percentage of the mixture consists of ingredient(s) with unknown acute oral toxicity: 66.5 %.

2.3 Other hazards

No data available.

Endocrine disrupting properties - human health: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Endocrine disrupting properties - environment: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition and information on ingredients**3.1 Substances**

not applicable

3.2 Mixtures**3.2.1 Chemical characteristics**

Organotin compound + Silicic acid ester + auxiliary

3.2.2 Ingredients

Type	CAS No.	Substance	Content %
INHA	93925-43-0	Silicic acid (H ₄ SiO ₄), tetraethyl ester, reaction products with bis(acetyloxy)dioctylstannane	>=3 – <5

Type: INHA: ingredient, VERU: impurity

This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57) in amounts above ≥ 0.1%.

SECTION 4: First aid measures**4.1 Description of first aid measures****General information:**

Take persons to a safe place. Observe self-protection for first aid. Pregnant women exposed to this substance must seek medical advice.

After contact with the eyes:

Rinse immediately with plenty of water for 10-15 minutes. Keep eyelids well open to rinse the whole eye surface and eyelids with water. Seek medical advice in case of continuous irritation.

After contact with the skin:

Wipe off excess material with cloth or paper. Remove contaminated or soaked clothing. Immediately rinse with plenty of soap and water. In serious cases, use emergency shower immediately. In the event of a visible skin change or other complaints, seek medical advice (show label or SDS where possible).

After inhalation:

Keep the patient calm. If unconscious place in stable sideways position. Protect against loss of body heat. Seek medical advice and clearly identify substance.

After swallowing:

If conscious, give several small portions of water to drink. Do not induce vomiting. Seek medical advice and clearly identify substance.

4.2 Most important symptoms and effects, both acute and delayed

Any relevant information can be found in other parts of this section.

Safety Data Sheet

Material: 60011000

WACKER® CATALYST T 51

Version 2.6 (AU)

Print Date 22.10.2025

Date of last alteration: 17.01.2025

4.3 Advice for the doctor:

Further toxicology information in section 11 must be observed. After exposure, specialist advice (e.g. gynaecology/birth aid or, if necessary, toxicology/human genetics) is recommended. Product contains reproductive toxins (may cause harm to the unborn child and /or impairs male or female reproductive function).

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media:

alcohol-resistant foam , carbon dioxide , water mist , sprinkler system , sand , extinguishing powder .

Extinguishing media which must not be used for safety reasons:

water jet .

5.2 Special hazards arising from the substance or mixture

Risk of hazardous gasses or fumes in the event of fire. Exposure to combustion products may be a health hazard! Hazardous combustion products: toxic and very toxic fumes .

5.3 Advice for firefighters

Special protective equipment for fire fighting:

Use respiratory protection independent of recirculated air. Keep unprotected persons away.

General information:

Cool endangered containers with water. Heating leads to increased pressure and bursting of the container. Dispose of combustion residue and extinguishing water in accordance with regulations and local bye-laws.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Secure the area. Wear personal protection equipment (see section 8). Keep unprotected persons away. Avoid contact with eyes and skin. Do not inhale gases/vapours/aerosols. If material is released indicate risk of slipping. Do not walk through spilled material.

6.2 Environmental precautions

Prevent material from entering surface waters, drains or sewers and soil. Close leak if possible without risk. Contain any fluid that runs out using suitable material (e.g. earth). Retain contaminated water/extinguishing water. Dispose of in prescribed marked containers. Inform authorities if substance leaks into surface waters, sewerage or ground.

6.3 Methods and material for containment and cleaning up

Take up mechanically and dispose of according to local/state/federal regulations. Do not flush away with water. For small amounts: Absorb with a neutral (non-acidic / non-basic) liquid binding material such as diatomaceous earth and dispose of according to government regulations. For large amounts: Liquids may be recovered using suction devices or pumps. If flammable, only air driven or properly rated electrical equipment should be used. Clean any slippery coating that remains using a detergent / soap solution or another biodegradable cleaner. Silicone fluids are slippery; spills are a safety hazard. Apply sand or other inert granular material to improve traction.

Further information:

Exhaust vapours. Eliminate all sources of ignition. Consider explosion protection. Observe notes under section 7.

6.4 Reference to other sections

Relevant information in other sections has to be considered. This applies in particular for information given on personal protective equipment (section 8) and on disposal (section 13).

SECTION 7: Handling and storage

7.1 Precautions for safe handling

General information:

Avoid exposure by technical measures or personal protective equipment.

Safety Data Sheet

Material: 60011000

WACKER® CATALYST T 51

Version 2.6 (AU)

Print Date 22.10.2025

Date of last alteration: 17.01.2025

Precautions for safe handling:

Ensure adequate ventilation. Must be syphoned off in situ. Spilled substance increases risk of slipping. Avoid formation of aerosols. In case of aerosol formation special protective measures are required (exhausting by suction, respiratory protection). Observe information in section 8. Keep away from incompatible substances in accordance with section 10.

Precautions against fire and explosion:

Flammable vapors may accumulate and form explosive mixtures with air in containers, process vessels, including partial, empty and uncleaned containers and vessels, or other enclosed spaces. Keep away from sources of ignition and do not smoke. Take precautionary measures against electrostatic charging. Cool endangered containers with water.

7.2 Conditions for safe storage, including any incompatibilities**Conditions for storage rooms and vessels:**

Observe local/state/federal regulations.

Advice for storage of incompatible materials:

Observe local/state/federal regulations.

Further information for storage:

Store in a dry and cool place. Protect against moisture. Store container in a well ventilated place.

7.3 Specific end use(s)

No data available.

7.4 Regulations and standards (Australia):

Store and handle in accordance with Work Health & Safety Regulations or Occupational Health & Safety Regulations. Classified as a GHS Flammable Liquid which should be stored and handled in accordance with AS 1940 Storage & Handling of Flammable & Combustible Liquids. Classified as a C2 Combustible Liquid which should be stored and handled in accordance with AS 1940 Storage & Handling of Flammable & Combustible Liquids.

SECTION 8: Exposure controls and personal protection**8.1 Control parameters****Maximum airborne concentrations at the workplace:**

Substance	Type	mg/m ³	ppm	Dust fract.	Fibre/m ³
Tin compounds (organic)	ES_AU	0.1			
Oil mist, mineral	ES_AU	5.0		Inhalable dust/mist	
Aerosol - inhalable fraction		10.0			

Tin compounds (organic): short time exposure limit (STEL) is 0.2 mg/m³. Notes Sk and (g).
The aerosol limit specified is a recommendation should aerosol be formed during processing.

8.2 Exposure controls**8.2.1 Exposure in the work place limited and controlled****General protection and hygiene measures:**

Avoid exposure - obtain special instructions before use. Avoid exposure of the substance to pregnant women. Avoid contact with eyes and skin. Do not inhale gases/vapours/aerosols. Use with adequate ventilation. Preventive skin protection recommended. Remove contaminated, soaked clothing immediately. Clean work areas regularly. Wash hands at the end of work and before eating. Provide emergency shower and eye-bath. Keep working clothes separately. Do not eat, drink or smoke when handling. Keep away from foodstuff, drink and feedingstuff.

Further information for system design and engineering measures

Observe information in section 7. Observe national regulatory requirements.

Personal protection equipment:**Respiratory protection**

If inhalative exposure above the occupational exposure limit cannot be excluded, adequate respiratory protection equipment must be used. Suitable respiratory equipment: Respirator with a full face mask, according to acknowledged standards such as EN 136. Recommended Filter type: Gas filter type ABEK (certain inorganic, organic and acidic gases and vapors; ammonia/amines), according to acknowledged standards such as EN 14387

Safety Data Sheet

Material: 60011000

WACKER® CATALYST T 51

Version 2.6 (AU)

Print Date 22.10.2025

Date of last alteration: 17.01.2025

In case of mist, spray or aerosol exposure wear suitable personal respiratory protection and protective suit. Suitable respiratory equipment: Respirator with a full face mask, according to acknowledged standards such as EN 136.

Recommended Filter type: Combined filter type ABEK-P2 (certain inorganic, organic and acidic gases and vapors; ammonia/amines; particles), according to acknowledged standards such as EN 14387

For long or intense exposure, use respiratory protective equipment. Suitable respiratory equipment: Positive pressure self contained breathing apparatus, according to acknowledged standards such as EN 137.

Observe the equipment manufacturer's information and wear time limits for respirators.

Eye protection

tight fitting protective goggles, according to acknowledged standards such as EN 166.

Hand protection

Protective gloves are required at all times when handling the material, according to recognized standards such as EN374.

Recommended glove types: Protective gloves made of nitrile rubber

thickness of the material: > 0.4 mm

Breakthrough time: > 480 min

Recommended glove types: Protective gloves made of butyl rubber

thickness of the material: > 0.3 mm

Breakthrough time: > 480 min

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. Note that, due to the numerous external influences (such as temperature), a chemically resistant protective glove in daily use may have a service life that is considerably shorter than the measured break through time.

Skin protection

Chemical protective clothing, according to acknowledged standards such as EN 13034, full-body liquid-tight protection if necessary, according to acknowledged standards such as EN 14605, if handled uncovered. Please observe the instructions regarding permeability time which are provided by the supplier.

8.2.2 Exposure to the environment limited and controlled

Prevent material from entering surface waters, drains or sewers and soil. Observe local waste water bye-laws for organo tin and tin compounds. Do not introduce large amounts into purification plants.

8.2.3 Specific notes (Australia):

If spraying or other operations which generate an aerosol mist are conducted, respiratory protection for exposed personnel is recommended. Select and use respirators in accordance with AS1715/1716.

SECTION 9: Physical and chemical properties**9.1 Information on basic physical and chemical properties**

Property:	Value:	Method:
Appearance		
Physical state	liquid	
Colour.....	red brown	
Odour		
Odour	faint	
Odour limit		
Odour limit.....	no data available	
pH-Value		
pH-Value	Not applicable. Insoluble in water.	
Melting point/freezing point		
Melting point / melting range	not determined	
Initial boiling point and boiling range		
Boiling point / boiling range	exempt	
Flash point		
Flash point.....	45 °C	(DIN 51755)
Sustained combustibility	> 110 °C	(ISO 9038)

Safety Data Sheet

Material: 60011000

WACKER® CATALYST T 51

Version 2.6 (AU)

Print Date 22.10.2025

Date of last alteration: 17.01.2025

Evaporation rate

Evaporation rate: no data available

Upper/lower flammability or explosive limits

Lower explosion limit (LEL): not determined

Upper explosion limit (UEL): not determined

Vapour pressure

Vapour pressure: not determined

Solubility(ies)

Water solubility / miscibility: practically insoluble

Solubility in organic solvent: totally miscible with common organic solvents

Vapour density

Relative gas/vapour density: no data available

Relative DensityRelative Density: 0.92 (25 °C; 1013 hPa) (DIN 12791)
(Water / 4 °C = 1,00)Density: 0.92 g/cm³ (25 °C; 1013 hPa) (DIN 12791)**Partition coefficient: n-octanol/water**

Partition coefficient: n-octanol/water: not applicable

Auto-ignition temperature

Ignition temperature: 270 °C (DIN 51794)

Decomposition temperature

Thermal decomposition: 300 °C

Viscosity

Viscosity (dynamic): 50 mPa.s at 23 °C

Viscosity (kinematic): 27 mm²/s at 40 °C (DIN 53019)**Molecular mass**

Molecular mass: not applicable

9.2 Other information

Hydrolysis products reduce the flash point.

SECTION 10: Stability and reactivity**10.1 – 10.3 Reactivity; Chemical stability; Possibility of hazardous reactions**

If stored and handled in accordance with standard industrial practices no hazardous reactions are known.

Relevant information can possibly be found in other parts of this section.

10.4 Conditions to avoid

Moisture, heat, open flames, and other sources of ignition.

10.5 Incompatible materials

Reacts with water, basic substances and acids. The reaction takes place with the formation of alcohols.

10.6 Hazardous decomposition products

If stored and handled properly: none known. Alcohols under the effect of humidity, water and protic agents.

SECTION 11: Toxicological information**11.1 Information on toxicological effects****11.1.1 Acute toxicity****Assessment:**

For this endpoint no toxicological test data is available for the whole product.

Acute toxicity estimate (ATE):ATE_{mix} (Oral): > 2000 mg/kg**11.1.2 Skin corrosion/irritation****Assessment:**

For this endpoint no toxicological test data is available for the whole product.

Safety Data Sheet

Material: 60011000

WACKER® CATALYST T 51

Version 2.6 (AU)

Print Date 22.10.2025

Date of last alteration: 17.01.2025

11.1.3 Serious eye damage/eye irritation**Assessment:**

For this endpoint no toxicological test data is available for the whole product.

11.1.4 Respiratory or skin sensitisation**Assessment:**

For this endpoint no toxicological test data is available for the whole product.

11.1.5 Germ cell mutagenicity**Assessment:**

For this endpoint no toxicological test data is available for the whole product.

11.1.6 Carcinogenicity**Assessment:**

For this endpoint no toxicological test data is available for the whole product.

11.1.7 Reproductive toxicity**Assessment:**

For this endpoint no toxicological test data is available for the whole product.

11.1.8 Specific target organ toxicity - single exposure**Assessment:**

For this endpoint no toxicological test data is available for the whole product.

11.1.9 Specific target organ toxicity - repeated exposure**Assessment:**

For this endpoint no toxicological test data is available for the whole product.

11.1.10 Aspiration hazard**Assessment:**

For this endpoint no toxicological test data is available for the whole product.

11.2 Information on other hazards**11.2.1 Endocrine disrupting properties**

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

11.2.2 Further toxicological information

None known.

SECTION 12: Ecological information

12.1 Toxicity**Assessment:**

No data known.

12.2 Persistence and degradability**Assessment:**

Contact with water liberates propanol and silanol- and/or siloxanol-compounds. Silicone content: biologically not degradable. Elimination by adsorption to activated sludge. The hydrolysis product (propanol) is readily biologically degradable.

Safety Data Sheet

Material: 60011000

WACKER® CATALYST T 51

Version 2.6 (AU)

Print Date 22.10.2025

Date of last alteration: 17.01.2025

12.3 Bioaccumulative potential**Assessment:**

No data known.

12.4 Mobility in soil**Assessment:**

No data known.

12.5 Results of PBT and vPvB assessment

No data available.

12.6 Endocrine disrupting properties

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

none known

SECTION 13: Disposal considerations**13.1 Waste treatment methods****13.1.1 Material****Recommendation:**

Material that cannot be used, reprocessed or recycled should be disposed of in accordance with Federal, State, and local regulations at an approved facility. Depending on the regulations, waste treatment methods may include, e.g., landfill or incineration.

13.1.2 Uncleaned packaging**Recommendation:**

Completely discharge containers (no tear drops, no powder rest, scraped carefully). Containers may be recycled or re-used. Observe local/state/federal regulations. Uncleaned packaging should be treated with the same precautions as the material.

SECTION 14: Transport information**14.1 UN number**

ADG: Not applicable

IMDG.....: Not applicable

ICAO/IATA: Not applicable

14.2 Proper shipping name

ADG: Not applicable

IMDG.....: Not applicable

ICAO/IATA: Not applicable

14.3 Transport hazard class

ADG: Not applicable

IMDG.....: Not applicable

ICAO/IATA: Not applicable

14.4 Packing group

ADG: Not applicable

IMDG.....: Not applicable

ICAO/IATA: Not applicable

14.5 Environmental hazards

Environmentally hazardous: no

Safety Data Sheet

Material: 60011000

WACKER® CATALYST T 51

Version 2.6 (AU)

Print Date 22.10.2025

Date of last alteration: 17.01.2025

14.6 Special precautions for user

Land transport: Not regulated in Class 3 - ADR/RID 2.2.3.1.1 NOTE 1 - Substance does not sustain combustion!

Railway transport: Not regulated in Class 3 - ADR/RID 2.2.3.1.1 NOTE 1 - Substance does not sustain combustion!

Sea transport: Not regulated in Class 3 - IMDG 2.3.1.3 -
as the substance does not sustain combustion!Air transport: Not regulated in Class 3 - IATA 3.3.1.3 / ICAO 3.1.3 - Substance does not sustain combustion!
Due to safety reasons no air transport in totes (IBC) or vented packaging!

Not regulated in Class 3 – ADG 2.3.1.3 - Substance does not sustain combustion

Relevant information in other sections has to be considered.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Bulk transport in tankers is not intended.

SECTION 15: Regulatory information**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

National and local regulations must be observed.

For information on labelling please refer to section 2 of this document.

Poisons Standard (Standard for the Uniform Scheduling of Medicines and Poisons; SUSMP)**Poisons Schedule number:**

Not a Scheduled Poison.

Label elements:**15.2 Details of international registration status**

Relevant information about individual substance inventories, where available, is given below.

Japan	: ENCS (Handbook of Existing and New Chemical Substances): This product is listed in, or complies with, the substance inventory.
New Zealand	: NZIoC (New Zealand Inventory of Chemicals): This product is listed in, or complies with, the substance inventory. (For a correct interpretation of the New Zealand status, additional information like GHS classification or Group Standard is required.)
Australia	: AIIC (Australian Inventory of Industrial Chemicals): This product is listed in, or complies with, the substance inventory.
China.....	: IECSC (Inventory of Existing Chemical Substances in China): This product is listed in, or complies with, the substance inventory.
Canada	: DSL (Domestic Substance List): This product is not listed or in compliance with the substance inventory.
Philippines.....	: PICCS (Philippine Inventory of Chemicals and Chemical Substances): This product is not listed or in compliance with the substance inventory.
Taiwan	: TCSI (Taiwan Chemical Substance Inventory): This product is listed in, or complies with, the substance inventory. General note: The Taiwanese chemicals regulation requires a phase 1 registration for TCSI-listed or TCSI-compliant substances if imports to Taiwan or manufacturing in Taiwan exceed the trigger quantity of 100 kg/a (for mixtures to be calculated per each ingredient). It is the duty of the importing/manufacturing legal entity to take care of this obligation.
European Economic Area (EEA).....	: REACH (Regulation (EC) No 1907/2006): General note: the registration obligations for substances imported into the EEA or manufactured within the EEA by the supplier mentioned in section 1 are fulfilled by the said supplier. The registration obligations for substances imported into the EEA by customers or other downstream users must be fulfilled by the latter.
South Korea (Republic of Korea)	: AREC (Act on Registration and Evaluation of Chemicals; "K-REACH"): Please approach your regular contact for more detailed information.

Safety Data Sheet

Material: 60011000

WACKER® CATALYST T 51

Version 2.6 (AU)

Print Date 22.10.2025

Date of last alteration: 17.01.2025

SECTION 16: Any other relevant information**16.1 Material**

The details in this document are based on the state of our knowledge at the time of revision. They do not constitute an assurance of the described product properties in terms of statutory warranty requirements.

The providing of this document to a recipient does not relieve the recipient of his or her responsibility toward compliance with all laws and stipulations applicable to the product. This applies in particular to the further sale or distribution of the product or substances or items containing the product, in other jurisdictions and with regard to the protection of third-party intellectual property rights. If the described product is processed or mixed with other substances or materials, the details stated in this document cannot be conferred to the resultant new product unless this has been expressly mentioned. If the product is repackaged, the recipient is obligated to additionally provide the required safety-related information.

WACKER restricts the use of its products inside the human body or in contact with bodily fluids and mucosa. For further details please review our Health Care Policy on www.wacker.com. WACKER may cancel any delivery obligation(s) if the Health Care Policy is not observed.

16.2 Further information:

Vertical lines in the left-hand margin indicate changes compared with the previous version. This version supersedes all previous versions.

Classification	Rationale:
Specific target organ toxicity - repeated exposure, Category 2	Calculation method
Reproductive toxicity, Category 2	Calculation method
Flammable liquids, Category 3	On basis of test data.

16.3 Glossary of Terms:

CAS No. - Chemical Abstracts Service Registry Number

UN No. - United Nations Dangerous Goods Number

ADG Code - Australian Dangerous Goods Code for the Transport of Dangerous Goods by Road & Rail

IMDG Code - International Maritime Dangerous Goods Code

IATA Regs - International Air Transport Association (IATA) Dangerous Goods Regulations

NOHSC - Australian National Occupational Health and Safety Commission (Note: NOHSC documents are now published by Safe Work Australia)

ES_AU - Occupational exposure standard in Australia

- End of Safety Data Sheet -