

WC782 PART B **BARNES PRODUCTS PTY LTD**

Chemwatch: 5354-20

Chemwatch Hazard Alert Code: 1

Version No: 6.1

Safety Data Sheet according to the Health and Safety at Work (Hazardous Substances) Regulations 2017

Issue Date: 16/03/2023 Print Date: 19/06/2023 S.GHS.NZL.EN.E

SECTION 1 Identification of the substance / mixture and of the company / undertaking

Product Identifier

Product name	WC782 PART B
Chemical Name	Not Applicable
Synonyms	WC-782 PART B
Chemical formula	Not Applicable
Other means of identification	Not Available

Relevant identified uses of the substance or mixture and uses advised against

	Polyurethane casting resin curing agent.
Relevant identified uses	Use according to manufacturer's directions.
	Requires that the two parts be mixed by hand or mixer before use, in accordance with manufacturers directions. Mix only as much as is required.
	Do not return the mixed material to the original containers

Details of the manufacturer or supplier of the safety data sheet

Registered company name	BARNES PRODUCTS PTY LTD				
Address	5 GREENHILLS AVE MOOREBANK NSW 2170 Australia				
Telephone	arnes Australia +612 9793 7555 Mon-Fri 8am-4:30pm				
Fax	Barnes Australia +612 9793 7091				
Website	www.barnesnz.co.nz				
Email	sales@barnes.com.au				

Emergency telephone number

Association / Organisation	New Zealand Poisons Information Centre		
Emergency telephone numbers	Barnes NZ +649 9731 816 - Monday-Thursday 9am-5pm Friday 9am-4.30pm		
Other emergency telephone numbers	New Zealand Poisons Information Centre 0800 764 766 After Hours		

SECTION 2 Hazards identification

Classification of the substance	e or mixture
Classification ^[1]	Not Applicable
Determined by Chemwatch using GHS/HSNO criteria	Not Available
Label elements	
Hazard pictogram(s)	Not Applicable
Signal word	Not Applicable
Hazard statement(s) Not Applicable	
Precautionary statement(s) Pre	evention
Precautionary statement(s) Res	sponse
Precautionary statement(s) Sto Not Applicable	orage
Precautionary statement(s) Dis	sposal
	Page 1 continued.

Not Applicable

SECTION 3 Composition / information on ingredients

Substances

See section below for composition of Mixtures

Mixtures

CAS No	%[weight]	Name			
Not Available	>95	Polyether polyols, proprietary mixture			
26545-49-3	<0.185	phenyl mercury neodecanoate			
26896-20-8	<0.047	neodecanoic acid			
91-20-3	<0.001 naphthalene				
Legend:	 Classified by Chernwatch; 2. Classification drawn from CCID EPA NZ; 3. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI; Classification drawn from C&L * EU IOELVs available 				

SECTION 4 First aid measures

Description of first aid measures

Description of first aid measur	es 				
Eye Contact	 If this product comes in contact with the eyes: Wash out immediately with fresh running water. Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids. Seek medical attention without delay; if pain persists or recurs seek medical attention. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel. 				
Skin Contact	 If skin contact occurs: Immediately remove all contaminated clothing, including footwear. Flush skin and hair with running water (and soap if available). Seek medical attention in event of irritation. 				
Inhalation	 If fumes, aerosols or combustion products are inhaled remove from contaminated area. Other measures are usually unnecessary. 				
Ingestion	 If swallowed do NOT induce vomiting. If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration. Observe the patient carefully. Never give liquid to a person showing signs of being sleepy or with reduced awareness; i.e. becoming unconscious. Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfortably drink. Seek medical advice. 				

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5 Firefighting measures

Extinguishing media

- Foam.
- Dry chemical powder.
- BCF (where regulations permit).Carbon dioxide.
- Water spray or fog Large fires only.

Special hazards arising from the substrate or mixture

Fire Incompatibility	Avoid contamination with oxidising agents i.e. nitrates, oxidising acids, chlorine bleaches, pool chlorine etc. as ignition may result					
Advice for firefighters						
Fire Fighting	 Alert Fire Brigade and tell them location and nature of hazard. Wear breathing apparatus plus protective gloves. Prevent, by any means available, spillage from entering drains or water course. Use water delivered as a fine spray to control fire and cool adjacent area. Avoid spraying water onto liquid pools. Do not approach containers suspected to be hot. Cool fire exposed containers with water spray from a protected location. 					
Fire/Explosion Hazard	 Combustible. Slight fire hazard when exposed to heat or flame. Heating may cause expansion or decomposition leading to violent rupture of containers. On combustion, may emit toxic fumes of carbon monoxide (CO). May emit acrid smoke. Mists containing combustible materials may be explosive. Combustion products include: carbon dioxide (CO2) other pyrolysis products typical of burning organic material. May emit poisonous fumes. 					

SECTION 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

See section 8

Environmental precautions

See section 12

Methods and material for containment and cleaning up

Minor Spills	 Remove all ignition sources. Clean up all spills immediately. Avoid breathing vapours and contact with skin and eyes. Control personal contact with the substance, by using protective equipment. Contain and absorb spill with sand, earth, inert material or vermiculite. Wipe up. Place in a suitable, labelled container for waste disposal.
Major Spills	Moderate hazard. Clear area of personnel and move upwind. Alert Fire Brigade and tell them location and nature of hazard. Wear breathing apparatus plus protective gloves. Prevent, by any means available, spillage from entering drains or water course. No smoking, naked lights or ignition sources. Increase ventilation.

Personal Protective Equipment advice is contained in Section 8 of the SDS.

SECTION 7 Handling and storage

Precautions for safe handling

Safe handling	 Avoid all personal contact, including inhalation. Wear protective clothing when risk of exposure occurs. Use in a well-ventilated area. Prevent concentration in hollows and sumps. DO NOT enter confined spaces until atmosphere has been checked. Avoid smoking, naked lights or ignition sources. Avoid contact with incompatible materials. DO NOT allow clothing wet with material to stay in contact with skin
Other information	 Store at 18-27 degC. Store in original containers. Keep containers securely sealed. No smoking, naked lights or ignition sources. Store in a cool, dry, well-ventilated area. Store away from incompatible materials and foodstuff containers. Protect containers against physical damage and check regularly for leaks. Observe manufacturer's storage and handling recommendations contained within this SDS.

Conditions for safe storage, including any incompatibilities

Suitable container Metal can or drum Packaging as recommended by manufacturer. Check all containers are clearly labelled and free from leaks. 				
Storage incompatibility	 Avoid reaction with oxidising agents acids water 			

SECTION 8 Exposure controls / personal protection

Control parameters

Occupational Exposure Limits (OEL)

INGREDIENT DATA

Source	Ingredient	Material name	TWA	STEL	Peak	Notes
New Zealand Workplace Exposure Standards (WES)	naphthalene	Naphthalene	0.5 ppm / 2.6 mg/m3	10 mg/m3 / 2 ppm	Not Available	carcinogen category 2 - Suspected human carcinogen (skin) - Skin absorption

Emergency Limits

Ingredient	TEEL-1	TEEL-2		TEEL-3
neodecanoic acid	6 mg/m3	66 mg/m3		400 mg/m3
naphthalene	15 ppm	83 ppm		500 ppm
Ingredient	Original IDLH		Revised IDLH	
phenyl mercury neodecanoate	10 mg/m3		Not Available	
neodecanoic acid	Not Available		Not Available	
naphthalene	250 ppm		Not Available	
Occupational Exposure Banding	9			

Ingredient

Occupational Exposure Band Limit

Ingredient	Occupational Exposure Band Rating	Occupational Exposure Band Limit
neodecanoic acid	E	≤ 0.1 ppm
Notes:	Occupational exposure banding is a process of assigning chemicals into specific categories or bands based on a chemical's potency and the adverse health outcomes associated with exposure. The output of this process is an occupational exposure band (OEB), which corresponds to a range of exposure concentrations that are expected to protect worker health.	
Exposure controls		
Appropriate engineering controls	Engineering controls are used to remove a hazard or place a barrier betwe be highly effective in protecting workers and will typically be independent of The basic types of engineering controls are: Process controls which involve changing the way a job activity or process Enclosure and/or isolation of emission source which keeps a selected haz "adds" and "removes" air in the work environment. Ventilation can remove ventilation system must match the particular process and chemical or cont Employers may need to use multiple types of controls to prevent employeer Refer also to protective measures for the other component used with the p	of worker interactions to provide this high level of protection. is done to reduce the risk. and "physically" away from the worker and ventilation that strategically or dilute an air contaminant if designed properly. The design of a taminant in use. e overexposure.
Individual protection measures, such as personal protective equipment		
Eye and face protection	 Safety glasses with side shields; or as required, Chemical goggles. [AS/NZS 1337.1, EN166 or national equivalent] Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy document, describing the wearing of lenses or restrictions on use, should be created for each workplace or task. This should include a review of lens absorption and adsorption for the class of chemicals in use and an account of injury experience. Medical and first-aid personnel should be trained in their removal and suitable equipment should be readily available. In the event of chemical exposure, begin eye irrigation immediately and remove contact lens as spracticable. Lens should be removed at the first signs of eye redness or irritation - lens should be removed in a clean environment only after workers have washed hands thoroughly. 	
Skin protection	See Hand protection below	
Hands/feet protection	 Wear chemical protective gloves, e.g. PVC. Wear safety footwear or safety gumboots, e.g. Rubber 	
Body protection	See Other protection below	
Other protection	 Overalls. P.V.C apron. Barrier cream. Skin cleansing cream. 	

Recommended material(s)

GLOVE SELECTION INDEX

Glove selection is based on a modified presentation of the:

"Forsberg Clothing Performance Index". The effect(s) of the following substance(s) are taken into account in the *computer-generated* selection:

Eye wash unit.

WC782 PART B

 Material
 CPI

 TEFLON
 A

* CPI - Chemwatch Performance Index

A: Best Selection

B: Satisfactory; may degrade after 4 hours continuous immersion

C: Poor to Dangerous Choice for other than short term immersion **NOTE**: As a series of factors will influence the actual performance of the glove, a final selection must be based on detailed observation. -

* Where the glove is to be used on a short term, casual or infrequent basis, factors such as "feel" or convenience (e.g. disposability), may dictate a choice of gloves which might otherwise be unsuitable following long-term or frequent use. A qualified practitioner should be consulted.

Respiratory protection

Type A-P Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)

Where the concentration of gas/particulates in the breathing zone, approaches or exceeds the "Exposure Standard" (or ES), respiratory protection is required. Degree of protection varies with both face-piece and Class of filter; the nature of protection varies with Type of filter.

Required Minimum Protection Factor	Half-Face Respirator	Full-Face Respirator	Powered Air Respirator
up to 10 x ES	A-AUS P2	-	A-PAPR-AUS / Class 1 P2
up to 50 x ES	-	A-AUS / Class 1 P2	-
up to 100 x ES	-	A-2 P2	A-PAPR-2 P2 ^

^ - Full-face

A(All classes) = Organic vapours, B AUS or B1 = Acid gasses, B2 = Acid gas or hydrogen cyanide(HCN), B3 = Acid gas or hydrogen cyanide(HCN), E = Sulfur dioxide(SO2), G = Agricultural chemicals, K = Ammonia(NH3), Hg = Mercury, NO = Oxides of nitrogen, MB = Methyl bromide, AX = Low boiling point organic compounds(below 65 degC)

SECTION 9 Physical and chemical properties

Information on basic physical and chemical properties

Appearance	Colourless liquid with slight odour; partly mixes with water.		
Physical state	Liquid	Relative density (Water = 1)	1.03
Odour	Not Available	Partition coefficient n-octanol / water	Not Available
Odour threshold	Not Available	Auto-ignition temperature (°C)	Not Available
pH (as supplied)	Not Applicable	Decomposition temperature (°C)	Not Available
Melting point / freezing point (°C)	Not Available	Viscosity (cSt)	533.98 @ 25C

Initial boiling point and boiling range (°C)	Not Available	Molecular weight (g/mol)	Not Available
Flash point (°C)	>204.4 (PMCC)	Taste	Not Available
Evaporation rate	Not Available	Explosive properties	Not Available
Flammability	Not Applicable	Oxidising properties	Not Available
Upper Explosive Limit (%)	Not Available	Surface Tension (dyn/cm or mN/m)	Not Available
Lower Explosive Limit (%)	Not Available	Volatile Component (%vol)	0.05
Vapour pressure (kPa)	Not Available	Gas group	Not Available
Solubility in water	Partly miscible	pH as a solution (1%)	Not Applicable
Vapour density (Air = 1)	Not Available	VOC q/L	<0.52 calculated

SECTION 10 Stability and reactivity

Reactivity	See section 7
Chemical stability	 Unstable in the presence of incompatible materials. Product is considered stable. Hazardous polymerisation will not occur.
Possibility of hazardous reactions	See section 7
Conditions to avoid	See section 7
Incompatible materials	See section 7
Hazardous decomposition products	See section 5

SECTION 11 Toxicological information

PHENYL MERCURY

NEODECANOATE

Information on toxicological effects

•				
Inhaled	The material is not thought to produce either adverse health effects or irritation of the respiratory tract following inhalation (as classified by EC Directives using animal models). Nevertheless, adverse systemic effects have been produced following exposure of animals by at least one other route and good hygiene practice requires that exposure be kept to a minimum and that suitable control measures be used in an occupational setting.			
Ingestion	Ingestion may result in nausea, abdominal irritation, pain and vomiting			
Skin Contact	There is some evidence to suggest that this material can cause inflammation of the skin on contact in some persons. Skin contact is not thought to have harmful health effects (as classified under EC Directives); the material may still produce health damage following entry through wounds, lesions or abrasions. Entry into the blood-stream, through, for example, cuts, abrasions or lesions, may produce systemic injury with harmful effects. Examine the skin prior to the use of the material and ensure that any external damage is suitably protected.			
Eye	There is some evidence to suggest that this material can o	cause eye irritation and damage in some persons.		
Chronic		Long-term exposure to the product is not thought to produce chronic effects adverse to the health (as classified by EC Directives using animal models); nevertheless exposure by all routes should be minimised as a matter of course.		
	ΤΟΧΙCITY	IRRITATION		
WC782 PART B	Not Available	Not Available		
phenyl mercury neodecanoate	TOXICITY Not Available	IRRITATION Not Available		
	ΤΟΧΙΟΙΤΥ	IRRITATION		
neodecanoic acid	Dermal (rabbit) LD50: >3160 mg/kg ^[1]	Not Available		
	Oral (Rat) LD50: 2000 mg/kg ^[1]			
	ΤΟΧΙΟΙΤΥ	IRRITATION		
	dermal (rat) LD50: >2500 mg/kg ^[2]	Eye (rabbit): 100 mg - mild		
naphthalene	Inhalation(Rat) LC50: >0.4 mg/l4h ^[1]	Skin (rabbit):495 mg (open) - mild		
	Oral (Rat) LD50: 490 mg/kg ^[2]			
Legend:	1 Value obtained from Europe ECHA Pagistered Substar	nces - Acute toxicity 2. Value obtained from manufacturer's SDS. Unless otherwise		

Asthma-like symptoms may continue for months or even years after exposure to the material ends. This may be due to a non-allergic condition known as reactive airways dysfunction syndrome (RADS) which can occur after exposure to high levels of highly irritating compound. Main criteria for diagnosing RADS include the absence of previous airways disease in a non-atopic individual, with sudden onset of persistent asthma-like symptoms within minutes to hours of a documented exposure to the irritant. Other criteria for diagnosis of RADS include a reversible airflow pattern on lung function tests, moderate to severe bronchial hyperreactivity on methacholine challenge testing, and the lack of minimal lymphocytic inflammation, without eosinophila. RADS (or asthma) following an irritating inhalation is an infrequent disorder with rates related to the concentration of and duration of exposure to the irritating substance. On the other hand, industrial bronchitis is a disorder that occurs as a result of exposure due to high concentrations of irritating substance (often particles) and is completely reversible after exposure ceases. The disorder is characterized by difficulty breathing, cough and mucus production.

NEODECANOIC ACID	 helps make neo acids a superior building block for coa The production of neoacid products involves the react and pressures in the presence of an acid catalyst. The neoacids C5-28 are structurally similar and create human health effects. Neoacids are trialkylacetic acid an alkyl group. The structural features of members of A common structure - a quaternary carbon with the g An incremental and constant change across the cate constituent, A likelihood of common precursors and breakdown p The existing data suggest that products in the Neoaci moderate toxicity for the environmental health endpoin 	e neo acid structure imparts excellent atings derivatives. ion between a branched olefin with ca e a predictable pattern of physiochem s in which each hydrogen on the non the category are as follows: general structure R3CCOOH, egory where R can be a branched alky products that can result in structurally ds (C5-C28) Category exhibit relative nts.	thermal and hydrolytic stability in derivatives and also arbon monoxide and water at elevated temperatures ical properties, environmental fate and effects and carboxyl carbon of acetic acid has been replaced by /l group ranging from CH3 to C6H13 as the main similar metabolites (e.g carboxylic acids). y low toxicity for human health endpoints and
Due to the stability conferred by the quaternary carbon, neoacids C5-C28 are relatively resistant to biotransformation and do not re bioactive metabolites. Enzymatic removal of the alkyl groups at the quaternary carbon would allow for other metabolic processes to would likely be mitochondrial beta-oxidation or by cytochrome P450 mediated omega and omega-minus-one oxidation (may be fol beta-oxidation) to produce acetate.			d allow for other metabolic processes to occur. These
	The material may be irritating to the eye, with prolonge conjunctivitis.	ed contact causing inflammation. Rep	eated or prolonged exposure to irritants may produce
NAPHTHALENE			ce on contact skin redness, swelling, the production of ogenic to Humans.
NAPHTHALENE PHENYL MERCURY NEODECANOATE & NEODECANOIC ACID	The material may cause skin irritation after prolonged vesicles, scaling and thickening of the skin.	a IARC as Group 2B: Possibly Carcino	
PHENYL MERCURY NEODECANOATE &	The material may cause skin irritation after prolonged vesicles, scaling and thickening of the skin. WARNING: This substance has been classified by the	a IARC as Group 2B: Possibly Carcino	
PHENYL MERCURY NEODECANOATE & NEODECANOIC ACID	The material may cause skin irritation after prolonged vesicles, scaling and thickening of the skin. WARNING: This substance has been classified by the No significant acute toxicological data identified in liter	a IARC as Group 2B: Possibly Carcino	ogenic to Humans.
PHENYL MERCURY NEODECANOATE & NEODECANOIC ACID Acute Toxicity	The material may cause skin irritation after prolonged vesicles, scaling and thickening of the skin. WARNING: This substance has been classified by the No significant acute toxicological data identified in liter X	a IARC as Group 2B: Possibly Carcino rature search. Carcinogenicity	ogenic to Humans.
PHENYL MERCURY NEODECANOATE & NEODECANOIC ACID Acute Toxicity Skin Irritation/Corrosion	The material may cause skin irritation after prolonged vesicles, scaling and thickening of the skin. WARNING: This substance has been classified by the No significant acute toxicological data identified in liter X X	a IARC as Group 2B: Possibly Carcino rature search. Carcinogenicity Reproductivity	ogenic to Humans.

X − Data either not available or does not fill the criteria for classification
→ Data available to make classification

SECTION 12 Ecological information

Toxicity

	Endpoint	Test Duration (hr)	Species	Value	Source
WC782 PART B	Not Available	Not Available	Not Available	Not Available	Not Available
	Endpoint	Test Duration (hr)	Species	Value	Source
henyl mercury neodecanoate	Not Available	Not Available	Not Available	Not Available	Not Available
	Endpoint	Test Duration (hr)	Species	Value	Source
neodecanoic acid	NOEC(ECx)	384h	Crustacea	1.063mg/l	2
	EC50	96h	Algae or other aquatic plants	89mg/l	2
	LC50	96h	Fish	100mg/l	1
	EC50	48h	Crustacea	47.11mg/l	1
	Endpoint	Test Duration (hr)	Species	Value	Source
	BCF	1344h	Fish	23-146	7
	EC50(ECx)	0.05h	Crustacea	<0.000001mg/l	4
naphthalene	EC50	72h	Algae or other aquatic plants	ca.0.4mg/l	1
	EC50	48h	Crustacea	1.09-3.4mg/l	4
	LC50	96h	Fish	0.213mg/l	4

- Bioconcentration Data 8. Vendor Data

DO NOT discharge into sewer or waterways.

Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
neodecanoic acid	LOW	LOW
naphthalene	HIGH (Half-life = 258 days)	LOW (Half-life = 1.23 days)

Bioaccumulative potential

Ingredient	Bioaccumulation
neodecanoic acid	MEDIUM (LogKOW = 3.9045)
naphthalene	HIGH (BCF = 18000)
Mobility in soil	
Ingredient	Mobility
neodecanoic acid	LOW (KOC = 53.72)

SECTION 13 Disposal considerations

Waste treatment methods	
Product / Packaging disposal	 Recycle wherever possible or consult manufacturer for recycling options. Consult State Land Waste Management Authority for disposal. Material may be disposed of by controlled burning in an approved incinerator or buried in an approved landfill. Prior to disposal in a landfill the material should be mixed with the other component and reacted to render the material inert. Extreme caution should be taken when heating the resin/curing agent mix. Recycle containers where possible, or dispose of in an authorised landfill.

Ensure that the hazardous substance is disposed in accordance with the Hazardous Substances (Disposal) Notice 2017

Disposal Requirements

Not applicable as substance/ material is non hazardous.

SECTION 14 Transport information

Labels Required

Marine Pollutant	NO
HAZCHEM	Not Applicable

Land transport (UN): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Transport in bulk according to Annex II of MARPOL and the IBC code

Not Applicable

Transport in bulk in accordance with MARPOL Annex V and the IMSBC Code

Product name	Group
phenyl mercury neodecanoate	Not Available
neodecanoic acid	Not Available
naphthalene	Not Available

Transport in bulk in accordance with the IGC Code

Product name	Ship Type
phenyl mercury neodecanoate	Not Available
neodecanoic acid	Not Available
naphthalene	Not Available

SECTION 15 Regulatory information

Safety, health and environmental regulations / legislation specific for the substance or mixture

This substance is to be managed using the conditions specified in an applicable Group Standard

HSR Number	Group Standard
Not Applicable	Not Applicable

Please refer to Section 8 of the SDS for any applicable tolerable exposure limit or Section 12 for environmental exposure limit.

phenyl mercury neodecanoate is found on the following regulatory lists

Chemical Footprint Project - Chemicals of High Concern List

New Zealand Inventory of Chemicals (NZIoC)

United Nations List of Prior Informed Consent Chemicals WHO Recommended Classification of Pesticides by Hazard - Table 7. Pesticides subject to the Rotterdam Convention

neodecanoic acid is found on the following regulatory lists

WC782 PART B

New Zealand Hazardous Substances and New Organisms (HSNO) Act - Classification of Chemicals New Zealand Hazardous Substances and New Organisms (HSNO) Act - Classification

naphthalene is found on the following regulatory lists

Chemical Footprint Project - Chemicals of High Concern List International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs

International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs - Group 2B: Possibly carcinogenic to humans

International WHO List of Proposed Occupational Exposure Limit (OEL) Values for Manufactured Nanomaterials (MNMS)

Hazardous Substance Location

of Chemicals - Classification Data

Subject to the Health and Safety at Work (Hazardous Substances) Regulations 2017.

Hazard Class Quantities Not Applicable Not Applicable

Certified Handler

Subject to Part 4 of the Health and Safety at Work (Hazardous Substances) Regulations 2017.

Class of substance	Quantities
Not Applicable	Not Applicable

Refer Group Standards for further information

Maximum quantities of certain hazardous substances permitted on passenger service vehicles

Subject to Regulation 13.14 of the Health and Safety at Work (Hazardous Substances) Regulations 2017.

Hazard Class	Gas (aggregate water capacity in mL)	Liquid (L)	Solid (kg)	Maximum quantity per package for each classification
Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable

Tracking Requirements

Not Applicable

National Inventory Status

National Inventory	Status			
Australia - AIIC / Australia Non-Industrial Use	Yes			
Canada - DSL	Yes			
Canada - NDSL	No (phenyl mercury neodecanoate; neodecanoic acid; naphthalene)			
China - IECSC	Yes			
Europe - EINEC / ELINCS / NLP	/es			
Japan - ENCS	No (phenyl mercury neodecanoate)			
Korea - KECI	Yes			
New Zealand - NZIoC	No (naphthalene)			
Philippines - PICCS	No (phenyl mercury neodecanoate)			
USA - TSCA	Yes			
Taiwan - TCSI	Yes			
Mexico - INSQ	No (phenyl mercury neodecanoate)			
Vietnam - NCI	Yes			
Russia - FBEPH	No (phenyl mercury neodecanoate)			
Legend:	Yes = All CAS declared ingredients are on the inventory No = One or more of the CAS listed ingredients are not on the inventory. These ingredients may be exempt or will require registration.			

SECTION 16 Other information

Revision Date	16/03/2023
Initial Date	06/06/2019

SDS Version Summary

Version	Date of Update	Sections Updated
5.1	23/12/2022	Classification review due to GHS Revision change.
6.1	16/03/2023	Hazards identification - Classification, Identification of the substance / mixture and of the company / undertaking - Supplier Information, Identification of the substance / mixture and of the company / undertaking - Synonyms, Name

Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification

New Zealand Approved Hazardous Substances with controls New Zealand Hazardous Substances and New Organisms (HSNO) Act - Classification of Chemicals New Zealand Hazardous Substances and New Organisms (HSNO) Act - Classification of Chemicals - Classification Data

New Zealand Workplace Exposure Standards (WES)

New Zealand Inventory of Chemicals (NZIoC)

WC782 PART B

committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

Definitions and abbreviations

PC - TWA: Permissible Concentration-Time Weighted Average PC - STEL: Permissible Concentration-Short Term Exposure Limit IARC: International Agency for Research on Cancer ACGIH: American Conference of Governmental Industrial Hygienists STEL: Short Term Exposure Limit TEEL: Temporary Emergency Exposure Limit, IDLH: Immediately Dangerous to Life or Health Concentrations ES: Exposure Standard OSF: Odour Safety Factor NOAEL :No Observed Adverse Effect Level LOAEL: Lowest Observed Adverse Effect Level TLV: Threshold Limit Value LOD: Limit Of Detection OTV: Odour Threshold Value BCF: BioConcentration Factors BEI: Biological Exposure Index AIIC: Australian Inventory of Industrial Chemicals DSL: Domestic Substances List NDSL: Non-Domestic Substances List IECSC: Inventory of Existing Chemical Substance in China EINECS: European INventory of Existing Commercial chemical Substances ELINCS: European List of Notified Chemical Substances NLP: No-Longer Polymers ENCS: Existing and New Chemical Substances Inventory KECI: Korea Existing Chemicals Inventory NZIoC: New Zealand Inventory of Chemicals PICCS: Philippine Inventory of Chemicals and Chemical Substances TSCA: Toxic Substances Control Act TCSI: Taiwan Chemical Substance Inventory INSQ: Inventario Nacional de Sustancias Químicas NCI: National Chemical Inventory FBEPH: Russian Register of Potentially Hazardous Chemical and Biological Substances

This document is copyright.

Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from CHEMWATCH. TEL (+61 3) 9572 4700.